



Return

1 0/2 points

Within a link element the href attribute can only refer to a remote resource.



☒ True

Correct Answer: False

☐ False

2 2/2 points

Select the attribute associated with the box model in CSS



☒ padding

☐ font

☐ paragraph

☐ color

3 2/2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

☐ Specify the style inline in each html page



Return

Add a C

3 2 / 2 points

Which HTML tag would be used to access a stylesheet resource named basic.css?

- ☐ <rel>
- ☐ <style>
- ☒ <link>
- ☐ <href>

Med

Save

4 2 / 2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

- ☒ Specify the style in a .css file
- ☐ Use an internal style within each html page.
- ☐ Specify the style inline in each html page
- ☐ Use a <style> element in the head of each html page.

5 2 / 2 points

Which of the following is a correct specification of a CSS style?

- ☐ rgb(20, 40, 3000)

ces



Search





Return

Add a Comment:

1

2 / 2 points

is used in CSS to represent class selector

☐ True☒ False

Media Comment

Save

2

2 / 2 points

Which is the correct way to include a cascading style sheet named style.css into an HTML document?

☐ import style.css☐ <include stylesheet="style.css">☐ <stylesheet>style.css</stylesheet>☒ <link ref="stylesheet" href="style.css">

3

2 / 2 points

Which HTML tag would be used to access a stylesheet resource named basic.css?

☐ <rel>



Return

4

2/2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

☒ Specify the style in a .css file

- ☐ Use an internal style within each html page.
- ☐ Use a <style> element in the head of each html page.
- ☐ Specify the style inline in each html page

5

0/2 points

Within a link tag the href attribute can be used for accessing resources that are

☐ embedded in the HTML

☒ remote

Correct Answer: **both local and remote**

- ☐ local
- ☐ both local and remote



Search



Return
Add a Comment:

☒ Specify the style in a .css file

☐ Specify the style inline in each html page

4 2 / 2 points

 # is used in CSS to represent class selector

☐ True

☒ False

5 2 / 2 points

 Which HTML tag would be used to access a stylesheet resource named basic.css?

☐ <rel>

☐ <href>

☐ <style>

☒ <link>


Media Comme

Save



Search



ReturnAdd a Comment

3

2 / 2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

☐

Use a <style> element in the head of each html page.

☐

Use an internal style within each html page.

☒

Specify the style in a .css file

☐

Specify the style inline in each html page

4

2 / 2 points

is used in CSS to represent class selector.

☐

True

☒

False

5

2 / 2 points

Which HTML tag would be used to access a stylesheet resource named basic.css?

☐

<rel>

☐

<link>

☐

<css>

☐

<style>

Question 1: A company is considering a new product line. The company has a fixed cost of \$100,000 and a variable cost of \$20 per unit. The selling price is \$50 per unit. How many units must be sold to break even?



Return

Add & Continue



1. Name

To make a company a successful one, it must have a good product, a good price, and a good place to sell it.

Step 1: Identify the market and the needs of the customers.

Step 2: Develop a marketing plan that includes a target market, a distribution strategy, and a promotion strategy.



○ Identify the market and the needs of the customers.

Step 3: Develop a marketing plan that includes a target market, a distribution strategy, and a promotion strategy.



2. Name

To make a company a successful one, it must have a good product, a good price, and a good place to sell it.

Step 1:



○ Step 1



3. Name

To make a company a successful one, it must have a good product, a good price, and a good place to sell it.

Step 1:

100% Monitor C...





Return

Add a Cor

1

2 / 2 points

Which is the correct way to include a cascading style sheet named style.css into an HTML document?

- ☐ <include stylesheet="style.css">
- ☐ import style.css
- ☐ <stylesheet>style.css</stylesheet>
- ☒ <link ref="stylesheet" href="style.css">

Media C

Save

2

2 / 2 points

Which of the following is used in CSS to represent an id selector

- ☐ .
- ☐ *
- ☒ #
- ☐ .

3

2 / 2 points

ces



Search





Return

Add a C

☐ <href>

4 2/2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

- ☒ Specify the style in a .css file
- ☐ Use an internal style within each html page.
- ☐ Specify the style inline in each html page
- ☐ Use a <style> element in the head of each html page.

5 2/2 points

Which of the following is a correct specification of a CSS style?

- ☐ rgb(20, 40, 3000)
- ☐ orange:color
- ☐ style:serif
- ☒ font-family:Times, serif



Search





Return

Ad

3

2/2 points

Which of the following is used in CSS to represent an id selector

- ☒ #
- ☐ .
- ☐ *
- ☐ -

4

2/2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

- ☒ Specify the style in a .css file
- ☐ Use an internal style within each html page.
- ☐ Use a <style> element in the head of each html page.
- ☐ Specify the style inline in each html page

5

0/2 points

Within a link tag the href attribute can be used for accessing resources that are

rces



Q Search





Return

Add a Co

1

0/2 points

Which of the following is a correct specification of a CSS style?

☐ rgb(20, 40, 3000)

☒ style:serif

Correct Answer: font-family:Times, serif

☐ orange:color

☐ font-family:Times, serif

2

2/2 points

Within which main tags is a <style> element usually found?

☒ <head>

☐ <style>

☐ <p>

☐ <title>

3

2/2 points

es



Search





Return

4

2 / 2 points

Which is the correct way to include a cascading style sheet named style.css into an HTML document?

- ☐ import style.css
- ☐ <stylesheet>style.css</stylesheet>
- ☐ <include stylesheet="style.css">
- ☒ <link ref="stylesheet" href="style.css">

5

0 / 2 points

Within which main tags is a <style> element usually found?

- ☐ <p>
- ☐ <title>
- ☒ <style>

Correct Answer: <head>

- ☐ <head>

[Return](#)**3** 2/2 points

To make it easy to maintain a consistent style across multiple html pages we can ...

- ☐ Specify the style inline in each html page
- ☐ Use an internal style within each html page.
- ☐ Use a `<style>` element in the head of each html page.

☒ Specify the style in a .css file**4** 2/2 points

Which is the correct way to include a cascading style sheet named style.css into an HTML document?

- ☐ import style.css
- ☐ `<stylesheet>style.css</stylesheet>`
- ☐ `<include stylesheet="style.css">`

☒ `<link ref="stylesheet" href="style.css">`**5** 0/2 points

Within which main tags is a `<style>` element usually found?