

Payroll & Permission API Documentation

Base URL: <http://127.0.0.1:5000>

PAYROLL APIs

1. Create Payroll

Method: POST

URL: <http://127.0.0.1:5000/api/payroll/>

Request Body:

```
{
  "employee_id": 9,
  "payroll_month": "2026-08-01",
  "basic_salary": 30000,
  "hra": 5000,
  "da": 2000,
  "bonus": 1000,
  "overtime": 500,
  "pf": 1800,
  "tax": 1000
}
```

Example Response:

```
{
  "message": "Payroll created successfully",
  "payroll": {
    "payroll_id": 1,
    "employee_id": 9,
    "payroll_month": "2026-08-01",
    "basic_salary": 30000.0,
    "hra": 5000.0,
    "da": 2000.0,
    "bonus": 1000.0,
    "overtime": 500.0,
    "pf": 1800.0,
    "tax": 1000.0,
    "gross_salary": 38500.0,
    "net_salary": 35700.0,
    "created_at": "2026-08-20T00:00:00"
  }
}
```

2. Get All Payrolls

Method: GET

URL: <http://127.0.0.1:5000/api/payroll/>

Request Body: No request body required.

Example Response:

```
[
  {
    "payroll_id": 1,
    "employee_id": 9,
    "payroll_month": "2026-08-01",
    "basic_salary": 30000.0,
    "hra": 5000.0,
    "da": 2000.0,
    "bonus": 1000.0,
    "overtime": 500.0,
    "pf": 1800.0,
    "tax": 1000.0,
    "gross_salary": 38500.0,
    "net_salary": 35700.0
  }
]
```

]

3. Get Payroll by Employee

Method: GET

URL: http://127.0.0.1:5000/api/payroll/employee/9

Request Body: No request body required.

Example Response:

```
[
  {
    "payroll_id": 1,
    "employee_id": 9,
    "payroll_month": "2026-08-01",
    "basic_salary": 30000.0,
    "hra": 5000.0,
    "da": 2000.0,
    "bonus": 1000.0,
    "overtime": 500.0,
    "pf": 1800.0,
    "tax": 1000.0,
    "gross_salary": 38500.0,
    "net_salary": 35700.0
  }
]
```

PERMISSION APIs

1. Create Permission Request

Method: POST

URL: http://127.0.0.1:5000/api/permissions/

Request Body:

```
{
  "employee_id": 9,
  "permission_date": "2026-08-20",
  "start_time": "10:00:00",
  "end_time": "12:00:00",
  "total_hours": 2,
  "reason": "Personal work"
}
```

Example Response:

```
{
  "message": "Permission request created successfully",
  "permission": {
    "permission_id": 1,
    "employee_id": 9,
    "permission_date": "2026-08-20",
    "start_time": "10:00:00",
    "end_time": "12:00:00",
    "total_hours": 2.0,
    "reason": "Personal work",
    "status": "Pending",
    "approved_by": null
  }
}
```

2. Get All Permissions

Method: GET

URL: http://127.0.0.1:5000/api/permissions/

Request Body: No request body required.

Example Response:

```
[
  {
    "permission_id": 1,
    "employee_id": 9,
    "permission_date": "2026-08-20",
    "start_time": "10:00:00",
    "end_time": "12:00:00",
    "total_hours": 2.0,
    "reason": "Personal work",
    "status": "Pending",
    "approved_by": null
  }
]
```

3. Get Permissions by Employee

Method: GET

URL: http://127.0.0.1:5000/api/permissions/employee/9

Request Body: No request body required.

Example Response:

```
[
  {
    "permission_id": 1,
    "employee_id": 9,

```

```
    "permission_date": "2026-08-20",
    "start_time": "10:00:00",
    "end_time": "12:00:00",
    "total_hours": 2.0,
    "reason": "Personal work",
    "status": "Approved",
    "approved_by": 1
  }
]
```

4. Update Permission Status

Method: PUT

URL: http://127.0.0.1:5000/api/permissions/1/status

Request Body:

```
{
  "status": "Approved",
  "approved_by": 1
}
```

Example Response:

```
{
  "message": "Permission status updated successfully",
  "permission": {
    "permission_id": 1,
    "employee_id": 9,
    "permission_date": "2026-08-20",
    "start_time": "10:00:00",
    "end_time": "12:00:00",
    "total_hours": 2.0,
    "reason": "Personal work",
    "status": "Approved",
    "approved_by": 1
  }
}
```

Note: Replace the employee ID or permission ID in the URL with the required ID.