

HOVR Driver: API flow diagrams

Which backend endpoint is called, when, and from where. Sources: `lib/features/*/data/datasources/*_remote_data_source.dart`, `lib/core/network`, `lib/core/session`, `lib/core/isolates`. gRPC / ConnectRPC clients come from `hovr_sdk` via `ClientManager`.


1. Overview: features → service clients


Driver app screens
Membership
Onboarding & Documents
Login / OTP
Scheduled trips
Home: Go online / offers
Co-Commute
Account: profile, vehicle, earnings
Active trip
Alerts & Inbox
Wallet
Backend services
iam.auth.v1.AuthService
AuthService: profile, app version, payment URL
DriverOnboardingService / onboardingDriverService
DocumentService
DriverService
TripService
LocationService
NeighbourDriverService + NeighbourEligibilityService
DriverProfileService + VehicleService
WalletService
AlertService
InboxService + NotificationSettingsService




2. Login, session bootstrap and logout

Plain HTTP POST to ConnectRPC paths in `core/network/otp_login_api.dart`; session in `core/session/driver_session_repository.dart`.




3. Driver onboarding and documents

Caller: `driver_onboarding_feature_bloc`, `documents_feature_bloc`.



4. Go online, ride offer and trip lifecycle


Callers: `ride_activation_handler`, `ride_offer_handler`, `ride_trip_lifecycle_handler`, `ride_service_bloc`. Driver and location streams run in isolates (`core/isolates/driver_stream`, `location_stream`); the trip stream uses `core/isolates/trip_stream`.



Call / message rider uses MaskedCallService: `setupMapping` then `makeMaskedCall` (`auth_bloc`).


5. Scheduled trips

Callers: `scheduled_trips_cubit`, `scheduled_trip_offer_cubit`, `scheduled_trip_accepted_detail_view`.




6. Co-Commute (Neighbours)

Callers: `lib/features/neighbours_feature/presentation/cubit/*`.



7. Account, wallet, alerts, inbox, referral, membership



8. Endpoint reference

Endpoint	Service client	When	Where (caller)
CreateVerificationChallenge	AuthService	Phone number → Continue	core/network/otp_login_api.dart
VerifyVerificationChallenge	AuthService	OTP entered	core/network/otp_login_api.dart
RefreshAccessToken	AuthService	Any call gets 401	core/network/client_manager.dart
getActiveProfile	iam.auth.v1.AuthService	Session start, onboarding, offers	driver_session_repository, driver_onboarding_feature_bloc, ride_offer_handler
getAppVersion	iam.auth.v1.AuthService	App start (force update check)	app_version_sync_coordinator
getPaymentUrl	iam.auth.v1.AuthService	Membership subscribe	membership_bloc
changeEmail / verifyEmail	DriverProfileService	Email screens	auth_bloc
setupMapping / makeMaskedCall	MaskedCallService	Call rider	auth_bloc
registerDeviceToken	NotificationSettingsService	After login	core/bootstrap/driver_notification_registration.dart
unregisterDeviceToken	NotificationSettingsService	Logout	core/session/logout_coordinator.dart
getDriver / getDriverStatus / getDriverBankingStatus / getBankingOnboardingUrl	onboardingDriverService	Session start, banking step	driver_session_repository
getOnboardingChecklist	DriverOnboardingService	Onboarding screen, Refresh status	driver_onboarding_feature_bloc
listOnboardingSessions / startOnboarding	DriverOnboardingService	Start onboarding (rideshare / Co-Commute)	driver_onboarding_feature_bloc, neighbour_eligibility_cubit
submitRequirementDocument	DriverOnboardingService	After upload	driver_onboarding_feature_bloc
startDocumentUpload / completeDocumentUpload	DocumentService	Document upload	driver_onboarding_feature_bloc
listRequirementStatuses	DocumentService	Documents screen, Co-Commute ineligible	documents_feature_bloc, neighbour_eligibility_cubit
getDriverStatus	DriverService	Home load, before go online	home_bloc, ride_activation_handler
activateDriver / deactivateDriver	DriverService	Go Online / Go Offline	ride_activation_handler
streamDriver	DriverService	While online (offers)	core/isolates/driver_stream
acceptOffer / rejectOffer	DriverService	Offer sheet	ride_offer_handler
listDriverSessions	DriverService	Earnings	driver_profile_bloc
listUpcomingScheduledRides / acceptScheduledRide	DriverService	Scheduled trips	scheduled_trips_cubit, scheduled_trip_offer_cubit
listScheduledRides	RideService	Scheduled trips	scheduled_trips usecase
streamLocation	LocationService	While online / on trip	core/services/location_stream_service.dart (location isolate)
getActiveTrip	TripService	App start / resume	ride_trip_lifecycle_handler

Endpoint	Service client	When	Where (caller)
streamTrip	TripService	After offer accepted	ride_trip_lifecycle_handler, core/isolates/trip_stream
markArriving / markArrived	TripService	Heading to pickup / Swipe to Arrive	ride_trip_lifecycle_handler
startTrip	TripService	Rider in car	ride_trip_lifecycle_handler
reportNoShow	TripService	Rider no-show	ride_service_bloc
updateTrip / endTripEarly / cancelTrip	TripService	During trip	ride_service_bloc
completeTrip	TripService	Swipe to Drop Off	ride_trip_lifecycle_handler
submitRating	TripService	Rating screen	give_rating_view, rating/compliment/complaint views
listTrips / getTrip	TripService	Earnings sessions, trip notification	session_list_view, notification_detail_view
createTrip / addStop / removeStop / changeDestination / addTip	TripService	Defined in data source	trip_feature_remote_data_source (createTrip used by ride_trip_lifecycle_handler)
getDriverProfile / updateDriverProfile	DriverProfileService	Profile, name entry	driver_profile_bloc, my_vehicle_details
listVehicles / deleteVehicle	VehicleService	My Vehicle	driver_profile_bloc, my_vehicle_details
getWallet / getWalletPayoutQuote / createWalletPayout / listWalletPayouts / getWalletPayout	WalletService	Wallet, Withdraw to bank	wallet_cubit
listAlerts / getAlert / markAlertRead / dismissAlert	AlertService	Alerts	alerts_service_bloc
listNotifications / listBroadcasts	InboxService	Inbox	notification_feature_bloc
getReferralProfile / listReferralRewards	ReferralService	Refer & earn	referral_bloc
redeemReferral	ReferralService	Redeem code	redeem_referral_cubit
checkNeighbourEligibility	NeighbourEligibilityService	Open Co-Commute	neighbour_eligibility_cubit
postNeighbourTrip	NeighbourDriverService	Confirm and continue	post_neighbour_journey_cubit
listMyNeighbourTrips / listBookingsOnMyTrip	NeighbourDriverService	My trips, trip detail	neighbour_posted_trips_cubit, neighbour_trip_detail_cubit
approveNeighbourBooking / declineNeighbourBooking / startNeighbourJourney / cancelNeighbourTrip	NeighbourDriverService	Trip detail actions	neighbour_trip_detail_cubit
listNeighbourRequests	NeighbourDriverService	Nearby Rides tab	neighbour_nearby_rides_cubit
acceptNeighbourRequest	NeighbourDriverService	Accept request	neighbour_request_detail_cubit
listMyNeighbourBookings	NeighbourDriverService	My booking tab	neighbour_my_bookings_cubit, neighbour_posted_trips_cubit
updateNeighbourTrip	NeighbourDriverService	Defined, no UI caller found	neighbours_feature_remote_data_source
autocomplete / placeDetails	hovr_places	Destination search	neighbour_places_search_cubit
distancematrix / computeRoutes	Google Maps REST	Commute duration, route polyline	core/places/google_places_rest.dart