To change the username in the Ubuntu

Step 1:check current username and details

Command:whoami

1rv24mc041_harsham@HARSHA:~/Desktop\$ whoami
1rv24mc041_harsham
1rv24mc041_harsham@HARSHA:~/Desktop\$

Step 2: change the username

Command:

To Install the Docker

System Preparation

Before installing Docker, it is essential to ensure that the system packages are updated and that any previous versions of Docker (if installed) are removed. This helps prevent conflicts and ensures a smooth installation.

sudo apt update

sudo apt upgrade

sudo apt remove docker docker-engine docker.io containerd runc

Setting Up Docker Repository

The next step involves setting up the **Docker APT repository** on the system. This allows Ubuntu to download and install Docker packages directly from Docker's official repository.

```
root@HARSHA:-# apt install docker-ce docker-ce-cli containerd.io
Reading package lists... Done
Building dapedenecy tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
libilwis
Use 'apt autoremove' to remove it.
The following package was automatically installed:
docker-buildx-plugin docker-ce-rootless-extras docker-compose-plugin git
git-man liberror-perl libslirp@ pigz slirpAmetns
Suggested packages:
cgroupfs-mount | ggroup-lite docker-model-plugin git-daemon-run |
git-daemon-sysvinti git-doc git-meal git-gui gitk gitweb git-cvs
git-mediawikk git-svn
The following NEM packages will be installed:
containerd.io docker-buildx-plugin docker-ce-docker-ce-cli
docker-ce-proofless-extras docker-compose-plugin git git-man liberror-perl
libslirp@ pigz slirpAmetns
B upgraded. Je newly installed, 0 to remove and 23 not upgraded.
Need to get 110 MB of archives.
After this operation, 461 MB of additional disk space will be used.
Do you want to continue? [Y/n] Y
Get:1 https://download.docker.com/linux/ubuntu noble/main and64 liberror-perl all 0.1709-2- [25.6 kB]
Get:2 http://in.archive.ubuntu.com/ubuntu noble/main and64 liberror-perl all 0.1709-2- [25.6 kB]
Get:3 http://in.archive.ubuntu.com/ubuntu noble-ginal mad64 liberror-perl all 0.1709-2- [25.6 kB]
Get:4 http://in.archive.ubuntu.com/ubuntu noble-ginal mad64 liberror-perl all 0.1709-2- [25.6 kB]
Get:5 http://in.archive.ubuntu.com/ubuntu noble-ginal mad64 liberror-perl all 0.1709-2- [25.6 kB]
Get:6 http://in.archive.ubuntu.com/ubuntu noble-ginal mad64 liberror-perl all 0.1709-2- [25.6 kB]
Get:6 http://in.archive.ubuntu.com/ubuntu noble-ginal mad64 liberror-perl all 0.1709-2- [25.6 kB]
Get:1 https://download.docker.com/linux/ubuntu noble/stable and64 docker-ce-ce-cli and64 5:28.5.1-1-ubuntu.2.4.04-noble [16.5 MB]
Get:10 https://download.docker.com/linux/ubuntu noble/stable and64 docker-ce-ce-cli and64 5:28.5.1-1-ubuntu.2.4.04-noble [16.7 MB]
Get:10 https://download.docker.com/linux/ubuntu noble/stable a
```

Adding Docker's Official GPG Key

The following command downloads Docker's official GPG key and saves it into the syste

Adding Docker Repository to APT Sources

Next, the repository URL is added to the APT source list so that Ubuntu can fetch Docker packages:

```
echo "deb [arch=$(dpkg --print-architecture) \
```

```
signed-by=/usr/share/keyrings/docker-archive-keyring.gpg] \
https://download.docker.com/linux/ubuntu $(lsb_release -cs) stable" |
```

sudo tee /etc/apt/sources.list.d/docker.list > /dev/null

Once the installation completes successfully, the Docker service starts automatically. To verify whether Docker is properly installed and running.

```
root@HARSHA:~# docker --version
Docker version 28.5.1, build e180ab8
root@HARSHA:~#
```