

```

1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~$ cd Dockerfile
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile$ cd pro5
bash: cd: pro5: No such file or directory
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile$ ls
demo      firstfile.txt  pro4    prog2  sample.txt
Dockerfile logo.jpeg      prog1   prog3  secondfile
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile$ mkdir pro5
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile$ cd program5
bash: cd: program5: No such file or directory
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile$ cd pro5
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ nano Dockerfile
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ ls
Dockerfile
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ nano Docker-compose.yml
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ ls
Docker-compose.yml  Dockerfile
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ docker compose up --build
no configuration file provided: not found
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ Docker compose up --build
Command 'Docker' not found, did you mean:
  command 'docker' from snap docker (28.4.0)
  command 'docker' from snap docker (28.1.1+1)
  command 'docker' from deb docker.io (28.2.2-0ubuntu1~24.04.1)
  command 'docker' from deb podman-docker (4.9.3+ds1-1ubuntu0.2)
See 'snap info <snapname>' for additional versions.
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ mv Docker-compose.yml docker-compose.yml
1RV24MC063_mahadevprasad_dl@girish-HP-Laptop-15s-fr5xxx:~/Dockerfile/pro5$ docker compose up --build
WARN[0000] /home/1RV24MC063_mahadevprasad_dl/Dockerfile/pro5/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Building 674.9s (8/8) FINISHED
=> [internal] load local bake definitions                                0.0s
=> => reading from stdin 549B                                           0.0s
=> [internal] load build definition from Dockerfile                      0.0s
=> => transferring dockerfile: 141B                                       0.0s
=> [internal] load metadata for docker.io/jenkins/jenkins:lts          2.8s
=> [internal] load .dockerignore                                           0.0s
=> => transferring context: 2B                                             0.0s
=> [1/2] FROM docker.io/jenkins/jenkins:lts@sha256:7b1c378278279c8688efd6168c25a1c2723a6bd6f0420beb5ccefabee3cc3bb1 238.6s
=> => resolve docker.io/jenkins/jenkins:lts@sha256:7b1c378278279c8688efd6168c25a1c2723a6bd6f0420beb5ccefabee3cc3bb1 0.0s
=> => sha256:8e036427d02185fbdcc434453d941c49c41f9a3f2b81ab02a0fc6758e0be43d8 2.58kB / 2.58kB 0.0s
=> => sha256:aa2bbbd632f38f6cd1c279d76d6900b59ec5d3b12d981dd929e0c4bd65bdfd26 12.71kB / 12.71kB 0.0s
=> => sha256:dc2a77f462ea9fcf247a6aecb7d9686672a0a4246b01d0eab7fdb8614a74857e 61.59MB / 61.59MB 81.5s
=> => sha256:33300af18dd002dcf4df58960e402dc4d903b0d5fb85dc839aef21f2a85bcff8 5.24MB / 5.24MB 31.5s
=> => sha256:7b1c378278279c8688efd6168c25a1c2723a6bd6f0420beb5ccefabee3cc3bb1 3.12kB / 3.12kB 0.0s
=> => sha256:c27509c3e53b9ee8f28f032b68dfd7b09f4df505fd9496d47f3426d93249b054 1.23kB / 1.23kB 34.1s
=> => sha256:e4beac64dfa0e8097efe7fdea15810a220942ac14a26a13be48cce8d689d0b9 182B / 182B 34.6s

```

```

=> => extracting sha256:8d2a75b252b2cb2e6885616dbb30ba4cf52a9a1c687fee399545886ebf59f64d 0.4s
=> => extracting sha256:65e4ba8066bc132591a2b5a94cbbd7368862ada7d517e449c80dd2cf78264b0e 0.0s
=> => extracting sha256:5dc07232677ac4434f10ee7f277b04d4557378c62a9455d38297564caf11bb69 0.0s
=> => extracting sha256:7718ff5140220c65adb15aa71384f4321606bff0e689831cf23b7ddc5cdadf91 0.0s
=> [2/2] RUN apt-get update && apt-get install -y docker.io 431.8s
=> exporting to image 1.5s
=> => exporting layers 1.5s
=> => writing image sha256:3d7c83523feeaaacc957d9fdf44480d7fa45e420a96f8c1d58e18c0c1a118055a 0.0s
=> => naming to docker.io/library/pro5-jenkins 0.0s
=> resolving provenance for metadata file 0.0s
[+] Running 4/4
✔ pro5-jenkins Built 0.0s
✔ Network pro5_default Created 0.1s
✔ Volume pro5_jenkins_home Created 0.0s
✔ Container jenkins-ci Created 0.1s
Attaching to jenkins-ci
jenkins-ci | Running from: /usr/share/jenkins/jenkins.war
jenkins-ci | webroot: /var/jenkins_home/war
jenkins-ci | 2025-11-19 10:35:08.766+0000 [id=1] INFO winstone.Logger#logInternal: Beginning extraction from war file
jenkins-ci | 2025-11-19 10:35:09.421+0000 [id=1] WARNING o.e.jee9.nested.ContextHandler#setContextPath: Empty contextPath
jenkins-ci | 2025-11-19 10:35:09.463+0000 [id=1] INFO org.eclipse.jetty.server.Server#doStart: jetty-12.0.25; built: 2025-08-11T23:52:37.219Z; git: a862b76d8372e24205765182d9
ae1d1d333ce2ea; jvm 21.0.9+10-LTS
jenkins-ci | 2025-11-19 10:35:09.837+0000 [id=1] INFO o.e.j.e.w.StandardDescriptorProcessor#visitServlet: NO JSP Support for /, did not find org.eclipse.jetty.ee9.jsp.JettyJs
pServlet
jenkins-ci | 2025-11-19 10:35:09.887+0000 [id=1] INFO o.e.j.s.DefaultSessionIdManager#doStart: Session workerName=node0
jenkins-ci | 2025-11-19 10:35:10.185+0000 [id=1] INFO hudson.WebAppMain#contextInitialized: Jenkins home directory: /var/jenkins_home found at: EnvVars.masterEnvVars.get("JEN
KINS_HOME")
jenkins-ci | 2025-11-19 10:35:10.293+0000 [id=1] INFO o.e.j.s.handler.ContextHandler#doStart: Started oeje9n.ContextHandler$CoreContextHandler@3c782d8e{Jenkins v2.528.2,/,b=f
ile:///var/jenkins_home/war/,a=AVAILABLE,h=oeje9n.ContextHandler$CoreContextHandler$CoreToNestedHandler@572e6fd9{STARTED}}
jenkins-ci | 2025-11-19 10:35:10.303+0000 [id=1] INFO o.e.j.server.AbstractConnector#doStart: Started ServerConnector@7bca6fac{HTTP/1.1, (http/1.1)}{0.0.0.0:8080}
jenkins-ci | 2025-11-19 10:35:10.313+0000 [id=1] INFO org.eclipse.jetty.server.Server#doStart: Started oejs.Server@3668d4{STARTING}[12.0.25,sto=0] @2325ms
jenkins-ci | 2025-11-19 10:35:10.314+0000 [id=43] INFO winstone.Logger#logInternal: Winstone Servlet Engine running: controlPort=disabled
jenkins-ci | 2025-11-19 10:35:10.484+0000 [id=42] INFO jenkins.model.Jenkins#<init>: Starting version 2.528.2
jenkins-ci | 2025-11-19 10:35:10.553+0000 [id=51] INFO jenkins.InitReactorRunner$1#onAttained: Started initialization
jenkins-ci | 2025-11-19 10:35:11.570+0000 [id=71] INFO jenkins.InitReactorRunner$1#onAttained: Listed all plugins
jenkins-ci | 2025-11-19 10:35:11.563+0000 [id=60] INFO jenkins.InitReactorRunner$1#onAttained: Prepared all plugins
jenkins-ci | 2025-11-19 10:35:11.569+0000 [id=54] INFO jenkins.InitReactorRunner$1#onAttained: Started all plugins
jenkins-ci | 2025-11-19 10:35:11.569+0000 [id=70] INFO jenkins.InitReactorRunner$1#onAttained: Augmented all extensions
jenkins-ci | 2025-11-19 10:35:11.733+0000 [id=70] INFO jenkins.InitReactorRunner$1#onAttained: System config loaded
jenkins-ci | 2025-11-19 10:35:11.734+0000 [id=70] INFO jenkins.InitReactorRunner$1#onAttained: System config adapted
jenkins-ci | 2025-11-19 10:35:11.734+0000 [id=60] INFO jenkins.InitReactorRunner$1#onAttained: Loaded all jobs
jenkins-ci | 2025-11-19 10:35:11.736+0000 [id=60] INFO jenkins.InitReactorRunner$1#onAttained: Configuration for all jobs updated
jenkins-ci | 2025-11-19 10:35:11.757+0000 [id=86] INFO hudson.util.Retrier#start: Attempt #1 to do the action check updates server
jenkins-ci | 2025-11-19 10:35:12.052+0000 [id=55] INFO jenkins.install.SetupWizard#init:
jenkins-ci | [LF]>

```

```

jenkins-ci | at org.jvnet.hudson.reactor.Reactor$Node.run(Reactor.java:120)
jenkins-ci | at jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:68)
jenkins-ci | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
jenkins-ci | at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
jenkins-ci | at java.base/java.lang.Thread.run(Unknown Source)
jenkins-ci | 2025-11-19 10:35:15.917+0000 [id=86] INFO hudson.util.Retrier#start: The attempt #1 to do the action check updates server failed with an allowed exception:
jenkins-ci | java.net.SocketException: Network is unreachable
jenkins-ci | at java.base/sun.nio.ch.Net.connect0(Native Method)
jenkins-ci | at java.base/sun.nio.ch.Net.connect(Unknown Source)
jenkins-ci | at java.base/sun.nio.ch.Net.connect(Unknown Source)
jenkins-ci | at java.base/sun.nio.ch.NioSocketImpl.connect(Unknown Source)
jenkins-ci | at java.base/java.net.SocksSocketImpl.connect(Unknown Source)
jenkins-ci | at java.base/java.net.Socket.connect(Unknown Source)
jenkins-ci | at java.base/sun.security.ssl.SSLSocketImpl.connect(Unknown Source)
jenkins-ci | at java.base/sun.net.NetworkClient.doConnect(Unknown Source)
jenkins-ci | at java.base/sun.net.www.http.HttpClient.openServer(Unknown Source)
jenkins-ci | at java.base/sun.net.www.http.HttpClient.openServer(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.https.HttpsClient.<init>(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.https.HttpsClient.New(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.https.AbstractDelegateHttpsURLConnection.getNewHttpClient(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.https.AbstractDelegateHttpsURLConnection.connect(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.http.HttpURLConnection.getInputStream0(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.http.HttpURLConnection.getInputStream(Unknown Source)
jenkins-ci | at java.base/sun.net.www.protocol.https.HttpsURLConnectionImpl.getInputStream(Unknown Source)
jenkins-ci | at hudson.model.DownloadService.loadJSON(DownloadService.java:122)
jenkins-ci | at hudson.model.UpdateSite.updateDirectlyNow(UpdateSite.java:240)
jenkins-ci | at hudson.model.UpdateSite.updateDirectlyNow(UpdateSite.java:235)
jenkins-ci | at hudson.PluginManager.checkUpdatesServer(PluginManager.java:2177)
jenkins-ci | at hudson.util.Retrier.start(Retrier.java:62)
jenkins-ci | at hudson.PluginManager.doCheckUpdatesServer(PluginManager.java:2148)
jenkins-ci | at jenkins.DailyCheck.execute(DailyCheck.java:93)
jenkins-ci | at hudson.model.AsyncPeriodicWork.lambda$doRun$0(AsyncPeriodicWork.java:110)
jenkins-ci | at java.base/java.lang.Thread.run(Unknown Source)
jenkins-ci | 2025-11-19 10:35:15.919+0000 [id=86] INFO hudson.util.Retrier#start: Calling the listener of the allowed exception 'Network is unreachable' at the attempt #1 to do
o the action check updates server
jenkins-ci | 2025-11-19 10:35:15.918+0000 [id=69] INFO jenkins.InitReactorRunner$1#onAttained: Completed initialization
jenkins-ci | 2025-11-19 10:35:15.922+0000 [id=86] INFO hudson.util.Retrier#start: Attempted the action check updates server for 1 time(s) with no success
jenkins-ci | 2025-11-19 10:35:15.923+0000 [id=86] SEVERE hudson.PluginManager#doCheckUpdatesServer: Error checking update sites for 1 attempt(s). Last exception was: SocketExcep
tion: Network is unreachable
jenkins-ci | 2025-11-19 10:35:15.936+0000 [id=42] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running

```

w Enable Watch