

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab3$ cd ..
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab$ mkdir lab4
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab$ cd lab4
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ ls
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ npm init -y
Wrote to /home/1RV24MC023_CTULLAS/docker/reallab/lab4/package.json:
```

```
{
  "name": "lab4",
  "version": "1.0.0",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "description": ""
}
```

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ nano index.js
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ npm install express
```

added 68 packages, and audited 69 packages in 2s

18 packages are looking for funding
run `npm fund` for details

found 0 vulnerabilities

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ nano Dockerfile
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ ls
Dockerfile index.js node_modules package.json package-lock.json
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ git init
```

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA: ~/docker/re...

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA: ~/docker/re...

run `npm fund` for details

found 0 vulnerabilities

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4\$ nano Dockerfile

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4\$ ls

Dockerfile index.js node_modules package.json package-lock.json

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4\$ git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:
hint: git config --global init.defaultBranch <name>

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:
hint: git branch -m <name>

Initialized empty Git repository in /home/1RV24MC023_CTULLAS/docker/reallab/lab4/.git/

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4\$ git add .

1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4\$ git commit -m "Initial commit"

[master (root-commit) cb8a319] Initial commit

636 files changed, 72893 insertions(+)

create mode 100644 Dockerfile

create mode 100644 index.js

create mode 100644 node_modules/.package-lock.json

create mode 100644 node_modules/accepts/HISTORY.md

create mode 100644 node_modules/accepts/LICENSE

create mode 100644 node_modules/accepts/README.md

create mode 100644 node_modules/accepts/index.js

create mode 100644 node_modules/accepts/package.json

create mode 100644 node_modules/body-parser/HISTORY.md

create mode 100644 node_modules/body-parser/LICENSE

create mode 100644 node_modules/body-parser/README.md

create mode 100644 node_modules/body-parser/index.js

create mode 100644 node_modules/body-parser/lib/read.js

create mode 100644 node_modules/body-parser/lib/types/json.js


```
create mode 100644 node_modules/type-is/index.js
create mode 100644 node_modules/type-is/package.json
create mode 100644 node_modules/unpipe/HISTORY.md
create mode 100644 node_modules/unpipe/LICENSE
create mode 100644 node_modules/unpipe/README.md
create mode 100644 node_modules/unpipe/index.js
create mode 100644 node_modules/unpipe/package.json
create mode 100644 node_modules/vary/HISTORY.md
create mode 100644 node_modules/vary/LICENSE
create mode 100644 node_modules/vary/README.md
create mode 100644 node_modules/vary/index.js
create mode 100644 node_modules/vary/package.json
create mode 100644 node_modules/wrappy/LICENSE
create mode 100644 node_modules/wrappy/README.md
create mode 100644 node_modules/wrappy/package.json
create mode 100644 node_modules/wrappy/wrappy.js
create mode 100644 package-lock.json
create mode 100644 package.json
```

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ git branch -M main
```

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ git remote add origin https://github.com/affiance3026/doclab3
```

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$ git push -u origin main
```

```
Username for 'https://github.com': affiance3026
```

```
Password for 'https://affiance3026@github.com':
```

```
Enumerating objects: 719, done.
```

```
Counting objects: 100% (719/719), done.
```

```
Delta compression using up to 16 threads
```

```
Compressing objects: 100% (666/666), done.
```

```
Writing objects: 100% (719/719), 725.37 KiB | 5.99 MiB/s, done.
```

```
Total 719 (delta 140), reused 0 (delta 0), pack-reused 0
```

```
remote: Resolving deltas: 100% (140/140), done.
```

```
To https://github.com/affiance3026/doclab3
```

```
* [new branch]      main -> main
```

```
branch 'main' set up to track 'origin/main'.
```

```
1RV24MC023_CTULLAS@ctullas-VivoBook-ASUSLaptop-K3402ZA-S3402ZA:~/docker/reallab/lab4$
```