


Program 6

STEP 1: Create GitHub Personal Access Token (PAT)



STEP 2: Create Dockerfile & Build Image


```
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs$ mkdir 6thprg
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs$ cd 6thprg/
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ npm init -y
Wrote to /home/1rv24mc077_prateek_bhandari/dockerprgs/6thprg/package.json:

{
  "name": "6thprg",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \\\"Error: no test specified\\\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC"
}

1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ npm install express
added 65 packages, and audited 66 packages in 4s

22 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ touch Dockerfile
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker build -t prg6 .
[+] Building 7.1s (6/6) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile              0.0s
=> => transferring dockerfile: 89B                               0.0s
=> [internal] load metadata for docker.io/library/ubuntu:jammy  4.0s
=> [auth1 library/ubuntu:pull] token for registry.docker.io     0.0s
```



STEP 3: Test Image Locally

STEP 4: Tag Image for Docker Hub

STEP 5: Push Image to Docker Hub



STEP 6: Tag Image for GitHub Container Registry (GHCR)

STEP 7: Login to GHCR Using PAT

```
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker run prg6
Hello from Ubuntu
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker tag prg6 prateek0077/prg6:late
st
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker login
Authenticating with existing credentials... [Username: prateek0077]

❗ Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login Succeeded
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker push prateek0077/prg6:latest
The push refers to repository [docker.io/prateek0077/prg6]
73974f74b436: Mounted from library/ubuntu
latest: digest: sha256:50b22ef509f844b162a6beff7bc9f92b5239eea67589cc44279f73b147380d96 size:
529
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker tag prg6 ghcr.io/prateekbhanda
ri07/prg6:latest
1rv24mc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ docker push ghcr.io/prateekbhanda
ri07/prg6:latest
The push refers to repository [ghcr.io/prateekbhandari07/prg6]
73974f74b436: Pushed
latest: digest: sha256:b12078533603f5c11a0c399a69d18b36f6a523c686f5c5f38a007ad1b736da9a size:
```



STEP 8: Link Package to Repository (Once)

GitHub UI:

Profile → Packages → prg6 → Package settings
→ Link repository → PrateekBhandari07/prg6

STEP 9: Push Source Code to GitHub

```
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/1rv24nc077_prateek_bhandari/dockerprgs/6thprg/.git/
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git add .
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git commit -m "commit"
[master (root-commit) 95f7c7b] commit
588 files changed, 61891 insertions(+)
create mode 100644 Dockerfile
create mode 100644 node_modules/.package-lock.json
create mode 100644 node_modules/accepts/HISTORY.md
create mode 100644 node_modules/accepts/LICENSE
create mode 100644 node_modules/accepts/README.md
create mode 100644 node_modules/accepts/index.js
create mode 100644 node_modules/accepts/package.json

1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git branch -M main
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git remote add origin https://github.
com/PrateekBhandari07/prg6.git
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$ git push -u origin main
Enumerating objects: 677, done.
Counting objects: 100% (677/677), done.
Delta compression using up to 4 threads
Compressing objects: 100% (626/626), done.
Writing objects: 100% (677/677), 667.93 KiB | 5.61 MiB/s, done.
Total 677 (delta 122), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (122/122), done.
To https://github.com/PrateekBhandari07/prg6.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
1rv24nc077_prateek_bhandari@prateek:~/dockerprgs/6thprg$
```