

PROGRAM 6: Deploy an automated build pipeline using docker hub

STEP 1: Create Project Directory

Create a directory and navigate into it:

```
mkdir prog6  
cd prog6
```

STEP 2: Create Dockerfile

Example Dockerfile:

```
FROM node:18  
WORKDIR /app  
COPY . .  
EXPOSE 3000  
CMD ["node", "server.js"]
```

STEP 3: Build Docker Image

```
docker build -t prog6 .
```

STEP 4: Verify Image

```
docker images
```

STEP 5: Tag Image for Docker Hub

```
docker tag prog6 chandank30/prog6:latest
```

STEP 6: Login to Docker Hub

```
docker login -u chandank30
```

STEP 7: Push Image to Docker Hub

```
docker push chandank30/prog6:latest
```

STEP 8: Generate GitHub Personal Access Token (PAT)

Go to GitHub → Settings → Developer Settings → Personal Access Tokens → Generate Token.
Enable the following scopes:


read:packages

write:packages

```

Password:
Login Succeeded
1RV24MC025_CHANDAN_K@chandan-Vivobook-ASUSLaptop-M6500QC-M6500QC:~/prog6$ docker push chandank30/prog6:latest
The push refers to repository [docker.io/chandank30/prog6]
75c259b542d6: Pushed
3685d516aa46: Pushed
3998693b1ee0: Pushed
5120d0776fdc: Pushed
42a991bcab4d: Mounted from library/node
3624aa2d5ae2: Mounted from library/node
3399c9dc306f: Mounted from library/node
34f9fa179cb1: Mounted from library/node
ce084ba212e49: Mounted from library/node
e4dc8cd9ecc8: Mounted from library/node
5428cc293366: Mounted from library/node
2f743ce79a0b: Mounted from library/node
latest: digest: sha256:78943c496559903e37240cfa7ff54a115685a4e6be0f46eedad632fbc241c0 size: 2839

```



OUTPUT:

Docker image successfully built, tagged, and pushed to Docker Hub and GHCR.
Project source code successfully uploaded to GitHub.