

Program 9 : Running kubernetes pods on different Namespaces

```
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods -n dev
NAME                READY   STATUS    RESTARTS   AGE
backend-nginx        1/1     Running   1 (139m ago)  142m
frontend-nginx       1/1     Running   1 (139m ago)  142m
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods -n prod
NAME                READY   STATUS    RESTARTS   AGE
backend-nginx        1/1     Running   1 (139m ago)  142m
frontend-nginx       1/1     Running   1 (139m ago)  142m
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods -n dev -l app=frontend
NAME                READY   STATUS    RESTARTS   AGE
frontend-nginx       1/1     Running   1 (139m ago)  142m
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods -n dev -l app=backend
NAME                READY   STATUS    RESTARTS   AGE
backend-nginx        1/1     Running   1 (139m ago)  142m
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods
NAME                READY   STATUS    RESTARTS   AGE
my-cronjob-29435295-z64s2  0/1     Completed  0           93s
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get pods --all
error: unknown flag: --all
See 'kubectl get --help' for usage.
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get svc
NAME                TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)    AGE
kubernetes          ClusterIP   10.96.0.1    <none>        443/TCP    140m
abhi@abhi-ThinkPad-T490:~/devops/program9$ k get deployments
No resources found in default namespace.
abhi@abhi-ThinkPad-T490:~/devops/program9$
```

Kubernetes Manifest Files

```
abhi@abhi-ThinkPad-T490:~/devops/program9$ k apply -f program9.yaml
namespace/dev unchanged
namespace/prod unchanged
pod/frontend-nginx unchanged
pod/backend-nginx unchanged
pod/frontend-nginx unchanged
pod/backend-nginx unchanged
abhi@abhi-ThinkPad-T490:~/devops/program9$ cat program9.yaml
# ----- Namespaces -----
apiVersion: v1
kind: Namespace
metadata:
  name: dev
---
apiVersion: v1
kind: Namespace
metadata:
  name: prod

# ----- DEV Frontend -----
---
apiVersion: v1
kind: Pod
metadata:
  name: frontend-nginx
  namespace: dev
  labels:
    app: frontend
spec:
  containers:
    - name: nginx
      image: nginx:latest
      ports:
        - containerPort: 80

# ----- DEV Backend -----
---
apiVersion: v1
kind: Pod
metadata:
  name: backend-nginx
  namespace: dev
  labels:
    app: backend
spec:
```

Prod Namespace

```
kind: Pod
metadata:
  name: backend-nginx
  namespace: dev
  labels:
    app: backend
spec:
  containers:
    - name: nginx
      image: nginx:latest
      ports:
        - containerPort: 80

# ----- PROD Frontend -----
---
apiVersion: v1
kind: Pod
metadata:
  name: frontend-nginx
  namespace: prod
  labels:
    app: frontend
spec:
  containers:
    - name: nginx
      image: nginx:latest
      ports:
        - containerPort: 80

# ----- PROD Backend -----
---
apiVersion: v1
kind: Pod
metadata:
  name: backend-nginx
  namespace: prod
  labels:
    app: backend
spec:
  containers:
    - name: nginx
      image: nginx:latest
      ports:
        - containerPort: 80
abhi@abhi-ThinkPad-T490:~/devops/program9$
```