

4. Integrate Git with Docker for Source-Controlled Application Builds

Program4

-Dockerfile

-[index.js](#)

-Package.json

-package-lock.json

Step1: Create a folder


mkdir program4

Step 2: install the package.json file

Npm init -y

Step 3: Create a [index.js](#) and add the code

Nano [index.js](#)



```
GNU nano 7.2 index.js
const express = require("express");
const app = express();
const PORT = 3000;

app.get("/", (req, res) => {
  res.send("Hello!");
});


app.listen(PORT, () => {
  console.log("Server is running at http://localhost:8{PORT}");
});
```

Step 4: Install the dependency

Npm install express

Step 5: Create a Dockerfile and write this code

Nano Dockerfile



```
GNU nano 7.2 Dockerfile
FROM node:18 AS build
WORKDIR /app
COPY package*.json ./
RUN npm install
COPY . .

FROM node:18-slim
WORKDIR /app
COPY --from=build /app /app
EXPOSE 3000
CMD ["node","index.js"]
```

Step 6: Create a repository in the github and make it to access the personalized token there

Step 7 : In the terminal add this code to push it

Git init

Git add .

Git commit -m "Initial commit"

Git branch -M main

Git remote add origin <Remote repository >

Git push -u origin main

