


Program 6

Automated Build Pipeline using Docker Hub


Steps

1. Create a github Repository



2. Create Personal Access Token for the repo.

Settings -> Developer settings -> Personal Access tokens -> Fine-grained Tokens



Create a dockerfile

4. Build the docker image

5.
Tag
the

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker build -t program-6 .
[+] Building 4.9s (6/6) FINISHED
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 73B 0.0s
=> [internal] load metadata for docker.io/library/alpine:latest 4.7s
=> [auth] library/alpine:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> CACHED [1/1] FROM docker.io/library/alpine:latest@sha256:4b7ce07002c69e8f3d704a9c5d6fd3053be500b7f1c69fc 0.0s
=> exporting to image 0.0s
=> => exporting layers 0.0s
=> => writing image sha256:7fa1416dde7d8c0308604a749bab3c738b85b75455906d483ba46e2d9d34946 0.0s
=> => naming to docker.io/library/program-6 0.0s
```

image with dockerhub username

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker tag program-6 jryanroy/program-6:latest
```

6. Login to dockerhub via CLI

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker login -u jryanroy

info → A Personal Access Token (PAT) can be used instead.
       To create a PAT, visit https://app.docker.com/settings

Password:
Login Succeeded
```

7. Push the image to dockerhub

8. Tag
the
image
with
github
account gher

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker push jryanroy/program-6:latest
The push refers to repository [docker.io/jryanroy/program-6]
256f393e029f: Mounted from library/alpine
latest: digest: sha256:6c26e3bf7b48b882462464b143f2b9c0f60724cbf282f29427077a2df18f65a9 size: 527
```

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker tag program-6 ghcr.io/ryanroy37/program-6:latest
```

9. Login to gher account with PAT

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ echo "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" | docker login ghcr.io -u /RyanRoy37/ --password-stdin
```

WARNING! Your credentials are stored unencrypted in '/home/1rv24mc045_ryan/.docker/config.json'.
Configure a credential helper to remove this warning. See
<https://docs.docker.com/go/credential-store/>

Login Succeeded

10. Push the image to github

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ docker push ghcr.io/ryanroy37/program-6:latest
The push refers to repository [ghcr.io/ryanroy37/program-6]
256f393e029f: Pushed
latest: digest: sha256:6c26e3bf7b48b882462464b143f2b9c0f60724cbf282f29427077a2df18f65a9 size: 527
```

11. Add remote origin to the present working directory

```
(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git remote add origin https://github.com/RyanRoy37/program-6.git

(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git add .

(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git commit -m "Initial commit"
[master (root-commit) 2a875cb] Initial commit
1 file changed, 2 insertions(+)
create mode 100644 Dockerfile

(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/RyanRoy37/program-6.git'

(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git branch
* master

(1rv24mc045_ryan@ ryan-kali) ~/Documents/program6
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 253 bytes | 253.0 KB, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/RyanRoy37/program-6.git
 * [new branch] master -> master
branch 'master' set up to track 'origin/master'.
```

12. Navigate to packages under the profile to see the pushed package

The screenshot shows the GitHub profile page for user **RyanRoy37**. The header includes navigation links: Overview, Repositories (20), Projects, Packages (selected), and Stars. The profile section features a circular profile picture of a rainy street at night, the name **J Ryan Roy**, the handle **RyanRoy37 · he/him**, and a bio: "MCA @ RVCE Backend Dev, with interests in security, ML, Fintech." Below the bio is an "Edit profile" button. The "Packages" section shows "1 package" with a search bar, filters for "Type: All", "Visibility: All", and "Sort by: Most downloads". A single package, **program-6**, is listed as "Private", published 15 minutes ago by J.Ryan Roy, with 0 downloads.

13. Navigate to the repository to see the files pushed.

The screenshot shows the GitHub repository page for **program-6** by user **RyanRoy37**. The repository is marked as "Public". Navigation tabs include Code (selected), Issues, Pull requests, Actions, Projects, Wiki, and Security. Below the repository name are buttons for Pin, Watch (0), and a dropdown menu. The "master" branch is selected. A "Go to file" button and a "+ Code" button are visible. The commit history shows an "Initial commit" by **RyanRoy37** with hash **2a875cb** from 5 minutes ago. Below the commit, a file named **Dockerfile** is listed as an "Initial commit" from 5 minutes ago.