

1RV24MC007

Program 3

Code a Dockerized nodejs container

Folder Structure

```
1RV24MC007_Aditya_M@aditya-Inspiron-5490:/home/aditya/program-3$ ls
Dockerfile  index.js  node_modules  package.json  package-lock.json
```

Dockerfile

```
GNU nano 7.2 Dockerfile

FROM node:20-alpine

WORKDIR /app

COPY package*.json ./
RUN npm install

COPY . .

EXPOSE 4000

CMD ["npm", "start"]
```

[index.js](#)

```
GNU nano 7.2 index.js

// index.js
const express = require('express');
const app = express();
const PORT = 4000;

app.get('/', (req, res) => {
  res.send('Hello from Dockerized Node.js App');
});

app.listen(PORT, () => {
  console.log(`Server running on port ${PORT}`);
});
```

Build and run Docker

1RV24MC007

```
1RV24MC007_Aditya_M@aditya-Inspiron-5490:/home/aditya/program-3$ docker build -t program-3 .
[+] Building 6.8s (10/10) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 157B
=> [internal] load metadata for docker.io/library/node:20-alpine
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [1/5] FROM docker.io/library/node:20-alpine@sha256:6178e78b972f79c335df281f4b7674a2d85071aae2af020ffa39f0a770265435
=> [internal] load build context
=> => transferring context: 2.70MB
=> CACHED [2/5] WORKDIR /app
=> [3/5] COPY package*.json ./
=> [4/5] RUN npm install
=> [5/5] COPY . .
=> exporting to image
=> => exporting layers
=> => writing image sha256:f13e170eeb004acb6304c57c3c4c8b8ec8d65dd466de0837d576967d2c7b22ad
=> => naming to docker.io/library/program-3
1RV24MC007_Aditya_M@aditya-Inspiron-5490:/home/aditya/program-3$ docker run -p 4000:4000 program-3

> program-3@1.0.0 start
> node index.js

Server running on port 4000
■
```

Output:

