

Program 9:

Project Structure: program9

->namespaces.yaml

->pods.yaml

Step 1: Create namespaces.yaml

Step 2: Create pods.yaml

Step 3: Apply namespaces and pods

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~$ cd DevOps/
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps$ ls
Dockerfile      program1  program4  project-10  project-8
package.json    program2  program5  project-6
package-lock.json program3  program9  project-7
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps$ cd program-9
bash: cd: program-9: No such file or directory
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps$ cd program9
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ ls
namespaces.yaml  pods.yaml
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ cat namespaces.yaml
apiVersion: v1
kind: Namespace
metadata:
  name: dev
---
apiVersion: v1
kind: Namespace
metadata:
  name: prod
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ cat pods.yaml
apiVersion: v1
kind: Pod
metadata:
  name: frontend-pod
  namespace: dev
labels:
  app: frontend
```

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl apply -f namespaces.yaml
```

```
namespace/dev created
```

```
namespace/prod created
```

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl apply -f pods.yaml
```

```
pod/frontend-pod created
```

```
pod/backend-pod created
```

```
pod/frontend-pod created
```

```
pod/backend-pod created
```

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n dev
```

NAME	READY	STATUS	RESTARTS	AGE
backend-pod	0/1	ContainerCreating	0	10s
frontend-pod	1/1	Running	0	10s

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n prod
```

NAME	READY	STATUS	RESTARTS	AGE
backend-pod	0/1	ContainerCreating	0	19s
frontend-pod	1/1	Running	0	19s

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n prod
```

NAME	READY	STATUS	RESTARTS	AGE
backend-pod	1/1	Running	0	28s
frontend-pod	1/1	Running	0	28s

```
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods --all-namespaces
```

NAMESPACE	NAME	READY	STATUS	RESTARTS	AGE
default	nginx-deployment-6f9664446b-28jkk	1/1	Running	0	19m
default	nginx-deployment-6f9664446b-qvcmk	1/1	Running	0	19m
dev	backend-pod	1/1	Running	0	65s
dev	frontend-pod	1/1	Running	0	65s
kube-system	coredns-66bc5c9577-mxsdw	1/1	Running	0	22m
kube-system	etcd-minikube	1/1	Running	0	22m

```
Dec 19 10:09
1rv24mc051_karthikb@karthik-Lenovo-G50-80: ~/DevOps/program9

default      nginx-deployment-6f9664446b-qvcmk      1/1      Running    0          19m
dev           backend-pod                             1/1      Running    0          65s
dev           frontend-pod                             1/1      Running    0          65s
kube-system   coredns-66bc5c9577-mxsdw               1/1      Running    0          22m
kube-system   etcd-minikube                           1/1      Running    0          22m
kube-system   kube-apiserver-minikube                  1/1      Running    0          22m
kube-system   kube-controller-manager-minikube         1/1      Running    0          22m
kube-system   kube-proxy-v4s5d                         1/1      Running    0          22m
kube-system   kube-scheduler-minikube                  1/1      Running    0          22m
kube-system   storage-provisioner                     1/1      Running    1 (22m ago) 22m
kubernetes-dashboard dashboard-metrics-scraper-77bf4d6c4c-84kj 1/1      Running    0          22m
kubernetes-dashboard kubernetes-dashboard-855c9754f9-8qdfq 1/1      Running    0          22m
prod          backend-pod                             1/1      Running    0          65s
prod          frontend-pod                             1/1      Running    0          65s

1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n dev

NAME          READY   STATUS    RESTARTS   AGE
backend-pod    1/1     Running   0           79s
frontend-pod   1/1     Running   0           79s

1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n prod

NAME          READY   STATUS    RESTARTS   AGE
backend-pod    1/1     Running   0           84s
frontend-pod   1/1     Running   0           84s

1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n dev -l app=frontend

NAME          READY   STATUS    RESTARTS   AGE
frontend-pod   1/1     Running   0           94s

1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$ kubectl get pods -n prod -l app=backend

NAME          READY   STATUS    RESTARTS   AGE
backend-pod    1/1     Running   0          101s

1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$
1rv24mc051_karthikb@karthik-Lenovo-G50-80:~/DevOps/program9$
```