

PROGRAM 6 :

STEP 1 CREATED A NEW PAT (TOKEN CLASSIC)

GIVEN PERMISSION

READ:PACKAGES

WRITE:PACKAGES

REPO

Step 2 : create a Docker file and build it

```
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ cat Dockerfile
FROM node:18

WORKDIR /app

COPY package*.json ./

RUN npm install

COPY . .

EXPOSE 3000

CMD ["node", "index.js"]
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ █
```

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker build -t program-6 .
[+] Building 2.0s (10/10) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile              0.0s
=> => transferring dockerfile: 153B                             0.0s
=> [internal] load metadata for docker.io/library/node:18       1.4s
=> [internal] load .dockerignore                                0.0s
=> => transferring context: 2B                                    0.0s
=> [internal] load build context                                0.0s
=> => transferring context: 423B                                  0.0s
=> [1/5] FROM docker.io/library/node:18@sha256:c6ae79e38498325db67193d391e6ec1d224d96c693a 0.0s
=> CACHED [2/5] WORKDIR /app                                    0.0s
=> [3/5] COPY package*.json ./                                  0.0s
=> [4/5] RUN npm install                                        0.5s
=> [5/5] COPY . .                                              0.0s
=> exporting to image                                           0.0s
=> => exporting layers                                          0.0s
=> => writing image sha256:98ed240053a9ddee4bab2529547ebf0beee56c360df4ee22bf66bdb570c347a 0.0s
=> => naming to docker.io/library/program-6                    0.0s

```

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker images

```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA	In Use
chethanacs/prog6:latest	6fbac874f99e	1.09GB	0B		
ghcr.io/chethana-cs/prog6:latest	6fbac874f99e	1.09GB	0B		
image1:latest	637a2e774d35	8.32MB	0B	U	
image2:latest	7a2a8c3d09cd	8.32MB	0B	U	
jenkins/jenkins:lts-jdk11	2771c4579171	471MB	0B	U	
kiobase/stable:v0.0.48	c6b5532e987b	1.31GB	0B	U	
mynignix:latest	3a22a07896ab	8.32MB	0B		
prg5-jenkins:latest	f4d046c8f09e	925MB	0B	U	
prog6:latest	6fbac874f99e	1.09GB	0B		
program-6:latest	98ed240053a9	1.09GB	0B		
program4:latest	bcb59b722488	196MB	0B	U	

Step 3: Tag the Docker Image for Docker Hub

```
docker tag program-6 chethanacs/program-6:latest
```

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker tag program-6 chethanacs/program-6:latest

```

step 4:Push Image to Docker Hub

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker push chethanacs/program-6:latest
The push refers to repository [docker.io/chethanacs/program-6]

```

Login to Docker Hub:

docker login

```
program-6:latest
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker login
Authenticating with existing credentials... [Username: chethanacs]
```

 Info → To login with a different account, run 'docker logout' followed by 'docker login'

```
Login did not succeed, error: Error response from daemon: Get "https://registry-1.docker.io/v2/": net/http: TLS handshake timeout
```

USING WEB-BASED LOGIN

then push :docker push chethanacs/program-6:latest

STEP 5: Tag the Image for GHCR

docker tag program-6 ghcr.io/chethana-/program-6:latest

```
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker tag program-6 ghcr.io/chethana-cs/program-6:latest
```

STEP 6: Push Image to GHCR

Login to GHCR using GitHub PAT:

```
echo ghp_7KIrcTVjIRmGB4DVLhH6fnLwXSXXZc0554My| docker login ghcr.io -u chethana-cs --password-stdin
```

```
s/program-6:latest
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ echo 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| docker login ghcr.io -u chethana-cs --password-stdin
```

```
WARNING! Your credentials are stored unencrypted in '/home/rv24mc028_chethanacs/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/
```

```
Login Succeeded
```

Now push:

docker push ghcr.io/chethana-cs/program-6:latest

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ docker push ghcr.io/chethana-cs/program
-6:latest
The push refers to repository [ghcr.io/chethana-cs/program-6]
24e7f2401f6e: Pushed
740adf2affe6: Pushed
16a351d2ff84: Pushed
914bc85eb2af: Layer already exists
d2a991bcab4d: Layer already exists
b624aa2d5ea2: Layer already exists
d399c9dc306f: Layer already exists
84f9fa179c1b: Layer already exists
ce84ba212e49: Layer already exists
e4dc8cd9ecc8: Layer already exists
6428cc293366: Layer already exists
2f7436e79a0b: Layer already exists
latest: digest: sha256:f9f2e6432a769e7ee6dc5bd28ae69eb43a0b1cb55b7e8624252c75499e1
5d63e size: 2831

```

STEP 7: Connect the Local Repository to GitHub

Initialize git:

```
git init
```

```
git add .
```

```
git commit -m "Initial commit"
```

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/rv24mc028_chethanacs/DEVops/prog6/.git/

```

Add remote:

```
git remote add origin https://github.com/yourgithub/program-6.git
```

```

rv24mc028_chethanacs@Elite:~/DEVops/prog6$ git add .
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ git commit -m "Intial commit"
[master (root-commit) dba56f1] Intial commit
 3 files changed, 31 insertions(+)
 create mode 100644 Dockerfile
 create mode 100644 package-lock.json
 create mode 100644 package.json
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ git remote add origin https://github.co
m/chethana-cs/program-6.git

```

Push source code:

git push -u origin main

```
rv24mc028_chethanacs@Elite:~/DEVops/prog6$ git push -u origin master
Username for 'https://github.com': chethana-cs
Password for 'https://chethana-cs@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 628 bytes | 628.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/chethana-cs/prg6.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```