Flask CRUD Assignment — Student Course API

Create a PyCharm project:

```
flask_crud_assignment
```

Install Flask:

```
python -m pip install flask
```

Create:

```
app.py
```

Use this starter data:

```
students = [
    {
        "id": 1,
        "name": "Rhea Kapoor",
        "course": "Python",
        "score": 82
    },
    {
        "id": 2,
        "name": "Zain Malik",
        "course": "SQL",
        "score": 76
    },
    {
        "id": 3,
        "name": "Devika Rao",
        "course": "Cloud",
        "score": 91
    }
]
```

Tasks

1. GET all students

Create:

```
GET /students
```

It should return all student records as JSON.

2. GET student by ID

Create:

```
GET /students/<id>
```

Example:

```
GET /students/2
```

Return the matching student.

If no student exists, return:

```
{
  "message": "Student not found"
}
```

with status code `404`.

3. POST — Add a student

Create:

```
POST /students
```

Request body example:

```
{
  "id": 4,
  "name": "Kabir Sen",
  "course": "Docker",
  "score": 88
}
```

Add the new student to the list.

Return:

```
{
  "message": "Student added successfully"
}
```

4. PUT — Update a student

Create:

```
PUT /students/<id>
```

Example request:

```
{
  "name": "Kabir Sen",
  "course": "Docker",
  "score": 93
}
```

Update the matching student.

Return:

```
{
  "message": "Student updated successfully"
}
```

If the ID does not exist, return `404` .

5. DELETE — Delete a student

Create:

```
DELETE /students/<id>
```

Delete the matching student.

Return:

```
{
  "message": "Student deleted successfully"
}
```

If no student exists, return `404` .

Testing

Test using **Postman**.

Expected endpoints:

```
GET     /students
GET     /students/1
POST    /students
PUT     /students/1
DELETE  /students/1
```

Final expected flow

```
POST    → Create
GET     → Read
PUT     → Update
DELETE  → Delete
```