Internet of Things - Quiz 3

Select your Training Batch *
○ B5-5M1E
O B7-1A3E
○ B8-2A4E
○ B9-3A5E ○ B
○ B10-4A6E
How many GPIO pins are there in raspberry pi ?*
O 10
40
O 50
O 60

GPIO full form *
General purpose Input Output
Generic pulse in out
General purpose income outcome
Gigabyte purpose Input Output
IC in raspberry pi *
O BCM2837
■ BCM1990
O BCM1
○ BCM9999
OS for raspberry pi *
Raspberry
Raspbhai
Rasputin
Raspbian

In Python List is denoted by *

()
()
()
Il
None

What is the output of the following code? *

```
list=['a','b','c']
list+='de'
print(list)
```

- ['a', 'b', 'c', 'd', 'e']
- ['a', 'b', 'c', 'de']
- ['ade', 'bde', 'cde']
- This raises an exception because we cannot add a string to a list.

What will be the output of the following code snippet? *

- Syntax error
- **(**4, 3, 2**)**
- [4, 3]
- [4, 3, 2, 1]

þ

What is the output of the following program:

```
def myfunc(a):
    a = a + 2
    a = a * 2
    return a
```

print myfunc(2)

- () 8
- 16
- Indentation Error
- Runtime Error

Reasons to Choose Python as First Language *

- Simple Elegant Syntax
- Expressiveness of the language
- Great Community and Support
- All the Above

What is the output of the following code? *

x = "awesome"

def myfunc():
 print("Python is " + x)

myfunc()

 Python is awesome

 Python is

 "Python is"

 "Python is awesome"

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms