

# Internet of Things - Quiz 4

Name \*

RATNAKUMAR A

Registered Roll Number/Registered Number \*

Please enter the number as displayed in the profile section in the platform

813819205050

Registered Email id \*

Please enter the email id used to login to the platform

it224051@saranathan.ac.in



Select your Training Batch \*

- ☐ B1-1M3E
- ☐ B2-2M4E
- ☐ B3-3M5E
- ☐ B4-4M6E
- ☐ B5-5M1E
- ☐ B6-6M2E
- ☐ B7-1A3E
- ☐ B8-2A4E
- ☐ B9-3A5E
- ☐ B10-4A6E
- ☒ B11-5A1E
- ☐ B12-6A2E

Library to install ibm iot platform in python \*

- ☐ pip install ibmiotp
- ☐ pip install iotibmp
- ☒ pip install ibmiotf
- ☐ pip install iotibmf



Which of the following is a valid HTTP method? \*

- ☐ GET
- ☐ PUT
- ☐ POST
- ☒ All of the above

random.randint generates which type of datatype values? \*

- ☒ Int
- ☐ Float
- ☐ Char
- ☐ String

Frontend in mit app inventor is called ? \*

- ☐ Block
- ☒ Designer
- ☐ Components
- ☐ Properties



In MIT APP inventor Clock is a non-visible component. \*

- ☒ True
- ☐ False

What kind of file does App Inventor export? \*


- ☒ aia
- ☐ abc
- ☐ iai
- ☐ dmg

Cloudant is a \_\_? \*

- ☐ Server
- ☒ Database
- ☐ API
- ☐ APP



The NODE-RED FLOW is for \*



- ☐ sending to the cloud
- ☐ to perform the command operation
- ☒ to retrieve the data from Watson ibm and show on UI
- ☐ to send the command operation to ibm watson iot platform

What is API \*

- ☒ application program interface
- ☐ application program internet
- ☐ apply program interface
- ☐ application protocol interface

how to declare the the global variable \*

- ☒ global.Set("variable name",msg.payload)
- ☐ global.get("variable name",msg.payload)
- ☐ gobal.Set("msg.payload",variable name)
- ☐ global.get(msg.payload,"variable name")

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms

