FIELD BRIEF · COUNTER-UAS

Selling EchoShield® to Counter-Drone Integrators

For: Account executives and solutions engineers

Use when: first and second calls with a C-UAS integrator or program team

Read time: 4 min

The 30-second version

EchoShield is a medium-range radar that finds, tracks, and classifies drones, people, and vehicles in any weather, then hands a steady, precise track to the cameras, command-and-control (C2) software, and countermeasures in a counter-drone system. It is light enough for vehicles and towers, and it performs the same while on the move.

The one idea to land: *a counter-drone system is only as good as the track it starts with. EchoShield's value is track quality, not just range.*

WHO YOU ARE TALKING TO

Buyer	What they are trying to do	What they worry about
Primary: Integrator program or engineering lead (builds the full C-UAS system)	Choose a radar that drops into their platform and meets the program's range, size, weight, and power targets	Integration effort, interfaces and standards, platform weight and power, schedule risk, supply and support
Secondary: Base, facility, or force-protection security lead (end user)	See drones early enough to respond, day or night, in bad weather	Missed drones, false alarms, coverage gaps, operator workload

[Buyer pain points: confirm with Sales leadership]

SPECS INTO CUSTOMER LANGUAGE

Lead with what the spec means. Quote the number only when they ask for it.

Spec (datasheet)	Say it like this	Why the customer cares
Typical tracking range: Group 1 drones 3–5.3 km; Group 2 5.3–7.2 km; Group 3 7.2–12.5 km	"Small drones are tracked out to roughly 3 to 5 km, and larger tactical drones out past 12 km."	Distance equals reaction time. These are **solid-track** ranges, not best-case detection, so they hold up in a side-by-side evaluation.
10 Hz update rate; < 0.5° accuracy (azimuth and elevation)	"It updates every target ten times a second, precise enough to point a camera or interceptor straight at it."	Cueing cameras and effectors needs a steady, fast track. Echodyne cites 4 Hz as the practical minimum; EchoShield runs at 10.
130° × 90° field of view; > 1,000 objects tracked	"One radar watches a wide slice of sky, high and low, and keeps up when the airspace gets busy."	Fewer radars to buy, mount, and power for the same coverage
19.2 kg, < 250 W operating; IP67; MIL-STD-810H; −40 °C to +65 °C	"It is small and rugged enough for vehicles, towers, and tripods, and runs in rain, dust, heat, and cold."	Weight and power budgets drive what an integrator can put on a vehicle or remote site
On-the-move ready; dedicated kinematics port for navigation (INS) data	"Same radar, same performance, parked or moving."	Protects convoys and mobile units; one product covers fixed and mobile programs
AI/ML classification: human, vehicle, fixed-wing, multi-rotor	"It tells you what it is seeing, not just that something is there."	Fewer false alarms and less operator workload; models improve with software updates
Ethernet data output; networking through EchoWare (included with Software & Support)	"It feeds your C2 directly, and multiple radars hand targets off to each other without losing the track."	Lower integration effort; wide-area coverage without track breaks

TALK TRACK (OPENING, ABOUT 45 SECONDS)

> *"Most teams we talk to already have cameras or RF detection. Where they get stuck is keeping a stable track long enough to act on it. EchoShield gives your system a precise track on every target ten times a second, out past 12 kilometers for larger drones, and it tells you whether that target is a drone, a person, or a vehicle. It is light enough for vehicles and works on the move, and it connects to your C2 over standard Ethernet. What is the radar going to feed in your system?"*

DISCOVERY QUESTIONS

Ask	Listen for
1. What are you protecting, and what size drones worry you most?	Small drones close in versus larger drones far out. Long-range Group 3 needs point to EchoShield. Short-range, small-site needs may fit EchoGuard better.
2. Is the system fixed, portable, or on the move?	Any mobile or convoy requirement is a strong fit (same performance on the move).
3. What does the radar need to feed: cameras, C2, an interceptor? What interface or standard?	Open-architecture or SOSA requirements, existing C2 vendor, data format expectations. Bring in a Solutions Engineer early.
4. What are your size, weight, and power limits on the platform?	Tight vehicle or remote-site budgets favor EchoShield's low SWaP.
5. How large is the area, and will you need more than one radar?	Multi-radar coverage means EchoWare networking and target handoff become part of the story.
6. What does your timeline look like, and how is the program funded?	Prototype versus production, contract vehicle, evaluation dates. Sets next steps and urgency.

HANDLING COMMON OBJECTIONS

They say	You say
"Competitor X claims longer range."	Ask whether that is detection range or tracking range. Echodyne publishes typical solid-track range, not best-case detection. Then ask what range they actually need to cue their effector.
"Radar gives us too many false alarms."	EchoShield classifies targets on the radar itself (human, vehicle, fixed-wing, multi-rotor), and the models improve through included software updates. Offer an SE-led demo on their clutter environment.
"We already have cameras and RF detection."	Radar complements them. It finds and holds the track at night and in weather, then cues the camera to the right spot. Radar does not depend on the drone transmitting, which matters for drones that fly without a radio link.

[RF and bird/clutter claims: confirm wording with Solutions Engineering]

PROOF POINTS

- **U.S. Air Force:** EchoShield selected as a primary radar for Trust Automation's SUADS counter-drone platform (IDIQ contract valued at $490M, awarded August 2025), and the first fully integrated SOSA-compliant radar on that platform.
- **Northrop Grumman:** strategic agreement and minority investment to integrate Echodyne radars into its counter-UAS solutions.
- **Zone 5 Technologies:** selected Echodyne as the radar for its Paladin interceptor drone.
- **Ongoing value:** the Software & Support package includes all major and minor releases, priority technical support, integration help, and 24/7 portal access.

[Confirm which customer names are approved for external use]

WHEN IT MAY NOT BE THE RIGHT FIT

- Small site with short-range needs and a tight budget: check whether EchoGuard (ultra-low SWaP, short range) is a better match.
- Requirements well beyond about 12 km of tracking range: outside EchoShield's published performance.
- International deals: EchoShield is listed as commercially exportable (ECCN 6A008.e), but always route country-specific questions to Compliance before committing.

WRITER'S NOTES

Open Items for SME Review

This brief was built only from public sources. Before release to the field, each item below needs sign-off from the named team. Items are also flagged in the brief in *[amber italics]*.

#	Item	Question for the SME	Owner
1	Buyer profiles and pain points	Do these match who we actually sell to? Are integrators really the primary buyer for EchoShield, or does that vary by region?	Sales leadership
2	Plain-language range wording	Is "roughly 3 to 5 km for small drones" acceptable shorthand for the Group 1 range, or should sellers always quote the full band?	Product
3	RF-silent drone claim	Can sellers say radar detects drones without a radio link? Any limits to note?	Solutions Engineering
4	False alarm / clutter claims	What can we say about birds and ground clutter? Is there test data we can reference?	Solutions Engineering
5	EchoShield vs. EchoGuard guidance	Where is the handoff point between the two products in a counter-UAS deal?	Product

HOW SUCCESS WILL BE MEASURED

- Usage: views and downloads in the enablement library in the first 30 days
- Seller feedback: a 3-question pulse survey after two weeks (useful, accurate, what is missing)
- Field signal: discovery questions showing up in call notes and opportunity records
- Review cadence: re-check against the datasheet at each software or product release

SOURCES

- EchoShield Multi-Mission 4D Radar datasheet (rev. 6JL), Echodyne Corp., 2026
- EchoShield product page, echodyne.com/radar-systems/echoshield
- Echodyne newsroom: "Metamaterials Radar Redefines Counter-UAS Economics" (Sept. 2025)
- Trust Automation SUADS contract coverage, The Machine Maker; Northrop Grumman agreement and Zone 5 selection, Business Wire
- Defense News: "In red-hot counter-drone market, Echodyne CEO sees radar demand boom" (July 2026)