

GOA COLLEGE OF ENGINEERING

“Bhausaheb Bandodkar Technical Education Complex”

Experiment No: 6

Syntax Analyzer-II

Aim: Write a YACC program to validate syntax of for while loop with assignment statements for given input.

Theory:

Syntax Analysis is a second phase of the compiler design process in which the given input string is checked for the confirmation of rules and structure of the formal grammar. It analyses the syntactical structure and checks if the given input is in the correct syntax of the programming language or not.

Syntax Analysis in Compiler Design process comes after the Lexical analysis phase. It is also known as the Parse Tree or Syntax Tree. The Parse Tree is developed with the help of pre-defined grammar of the language. The syntax analyser also checks whether a given program fulfills the rules implied by a context-free grammar. If it satisfies, the parser then creates the parse tree of that source program. Otherwise, it will display error messages.

Lex Program:

```
%{
#include <stdlib.h>
void yyerror(char *);
#include "y.tab.h"
}%

%%
"while" {
    return WHILE;
}
">" {
    return G;
}
"<" {
    return L;
}
">=" {
    return GE;
}
"<=" {
    return LE;
}
[+*=(){};] {
    return *yytext;
}
[ \t\n]+ ;
[a-zA-Z_][a-zA-Z0-9_]* {return ID;}
. {printf("\n\nlex err");}
```

GOA COLLEGE OF ENGINEERING

“Bhausahab Bandodkar Technical Education Complex”

```
%%
```

```
int yywrap(void) {  
    return 1;  
}
```

Yacc Program:

```
%{  
int yylex(void);  
void yyerror(char *);  
#include<stdio.h>  
%}  
  
%token WHILE ID G L GE LE
```

```
%%  
program:  
    program STATEMENT { printf("Valid Expression \n"); }  
    |  
    ;
```

STATEMENT:

```
    START '(' COND ')' '{' STAT ';' }  
    ;
```

START:

```
    WHILE  
    ;
```

COND:

```
    ID RELOP ID  
    ;
```

RELOP:

```
    G  
    |L  
    |GE  
    |LE  
    ;
```

STAT:

```
    ID '=' EXP  
    ;
```

GOA COLLEGE OF ENGINEERING

“Bhausahab Bandodkar Technical Education Complex”

EXP:

```
ID EXPD
```

```
;
```

EXPD:

```
'+' EXP EXPD
```

```
|- ' EXP EXPD
```

```
|- '*' EXP EXPD
```

```
|
```

```
;
```

%%

```
void yyerror(char *s) {  
    fprintf(stderr, "%s\n", s);  
    //return 0;  
}
```

```
int main(void) {  
    yyparse();  
    return 0;  
}
```

Conclusion:

The yacc program to validate the syntax of while loop has been successfully executed.