

Our Solution(s)

Run Code

Solution 1

```
1 // Copyright © 2020 AlgoExpert, LLC. All rights reserved.
2
3 import java.util.*;
4
5 class Program {
6     static class MinMaxStack {
7         List<Map<String, Integer>> minMaxStack = new ArrayList<Map<String, Integer>>();
8         List<Integer> stack = new ArrayList<Integer>();
9
10        // O(1) time | O(1) space
11        public int peek() {
12            return stack.get(stack.size() - 1);
13        }
14
15        // O(1) time | O(1) space
16        public int pop() {
17            minMaxStack.remove(minMaxStack.size() - 1);
18            return stack.remove(stack.size() - 1);
19        }
20
21        // O(1) time | O(1) space
22        public void push(int number) {
23            Map<String, Integer> newMinMax = new HashMap<String, Integer>();
24            newMinMax.put("min", number);
25            newMinMax.put("max", number);
26            if (minMaxStack.size() > 0) {
27                Map<String, Integer> lastMinMax =
28                    new HashMap<String, Integer>(minMaxStack.get(minMaxStack.size() - 1));
29                newMinMax.replace("min", Math.min(lastMinMax.get("min"), number));
30                newMinMax.replace("max", Math.max(lastMinMax.get("max"), number));
31            }
32            minMaxStack.add(newMinMax);
33            stack.add(number);
34        }
35    }
36 }
```

Your Solutions

Run Code

Solution 1

Solution 2

Solution 3

```
1 class Program {
2     // Feel free to add new properties and methods to the class.
3     static class MinMaxStack {
4         public int peek() {
5             // Write your code here.
6             return -1;
7         }
8
9         public int pop() {
10            // Write your code here.
11            return -1;
12        }
13
14        public void push(Integer number) {
15            // Write your code here.
16        }
17
18        public int getMin() {
19            // Write your code here.
20            return -1;
21        }
22
23        public int getMax() {
24            // Write your code here.
25            return -1;
26        }
27    }
28 }
29 
```

```

1  def test_getter():
2      assert Person.get_name() == 'John'
3      assert Person.get_age() == 30
4      assert Person.get_gender() == 'Male'
5
6
7
8
9
10 def test_setter():
11     Person.set_name('Jane')
12     assert Person.get_name() == 'Jane'
13     Person.set_age(25)
14     assert Person.get_age() == 25
15     Person.set_gender('Female')
16     assert Person.get_gender() == 'Female'
17     Person.set_age(30)
18     assert Person.get_age() == 30
19     Person.set_gender('Male')
20     assert Person.get_gender() == 'Male'
21     Person.set_age(25)
22     assert Person.get_age() == 25

```

Run or submit code when you're ready.