

ALTIUSNXT TECHNOLOGIES PVT LTD | “Anyone can fill your fields. We make your catalog the answer.”

BE FOUND. BE TRUSTED. BE RECOMMENDED.

AI DISCOVERABILITY AUDIT

Comprehensive Diagnostic: Can AI Find, Understand, and Recommend This Product?

34

/ 100

OVERALL INDEX

FINDABLE, NOT RECOMMENDED

Industrial Supply Company — Fasteners & Industrial MRO

Terre Haute, IN · Catalog Domain: ind-supply.com

Executive Finding: The audited product appears in algorithmic retrieval when explicitly searched by exact brand or part name, but *never surfaces organically* in generic, high-intent industrial buyer recommendation workflows.

1. Can AI Find You?

38

Crawlability & Schema (Weight: 30%)

Evaluation of page rendering, crawler accessibility, JSON-LD schema depth, and off-domain citation footprint.

2. Can AI Understand?

52

Taxonomy & Specs (Weight: 30%)

Evaluation of dimensional normalization, technical completeness, breadcrumb integrity, and semantic description.

3. Will AI Recommend?

16

Authority & Signals (Weight: 40%)

Evaluation of gated commercial signals, technical trust authorities, buying-decision clarity, and live query outcomes.

12	0	NO	0 / 11
BUYER QUERIES TESTED	TIMES CITED AS SOURCE	UNGATED PUBLIC PRICE	SPECS IN SCHEMA

Target SKU Specification & Audit Boundary

Product Name	BBI 1960 Partially Threaded Round Socket Cap Screw — 3/4-10, 8 in OAL, Heat Treated Alloy Steel, Grade 3A		
Manufacturer & MPN	Brighton-Best International (BBI) · Part # 011493	Distributor Item Code	BRBE 011493
Taxonomy Path	Fasteners > Bolts > Cap Screws and Hex Bolts		
Audited URL	https://ind-supply.com/p/brbe-011493/10433		
LLM Engines Tested	ChatGPT-4o · Claude 3.5 Sonnet · Google Gemini 1.5 Pro · Grok 2 · Perplexity Pro (per V1 Auditor Spec)		
Audit Leadership	Report Generated by: Manoj S, Digital Commerce Lead, AltiusNxt Technologies Pvt Ltd Technical & Unit Review: Govind, Business Unit Head, AltiusNxt Technologies Pvt Ltd		

Market Shift Overview: Contractors, plant engineers, and MRO procurement teams increasingly prompt conversational AI models to source specialized hardware before ever visiting traditional distributor portals. For high-tensile, application-specific fasteners searched by exacting technical specifications rather than brand affinity, missing semantic discoverability results in immediate catalog invisibility.

WHAT THE ENGINES RETURNED

Simulated Commercial Intent Query Logs & Behavioral Gap Analysis

Methodology Note: 12 buyer-intent query vectors were constructed systematically from the product's underlying mechanical specifications (dimensions, tensile grade, coating, application) per the AltiusNxt Auditor Framework and tested identically across target engines.

LOG Query 1 — ChatGPT (OpenAI GPT-4o Architecture)	SKU NOT RETURNED
Query Prompt: "Where can I buy a 3/4-10 partially threaded socket cap screw, 8 inches long, heat treated alloy steel?" LLM Output: Identified and recommended two national fastener supply conglomerates based on broad catalog domain indexing. Completely bypassed Industrial Supply Company and Brighton-Best part numbers. Appeared: No Cited: No Competitors Surfaced: Fastenal, McMaster-Carr	
LOG Query 2 — Perplexity Pro (Deep Search Engine / Web Grounded)	SKU NOT RETURNED
Query Prompt: "Who sells Brighton-Best International part number 011493?" LLM Output: Could not resolve a verified direct SKU match for the raw MPN due to unstructured page metadata; suggested navigating to generic B2B fastener aggregators. Appeared: No Cited: No Competitors Surfaced: General Fastener Marketplaces	
LOG Query 3 — Google Gemini (Gemini 1.5 Pro Neural Ingestion)	SKU NOT RETURNED
Query Prompt: "Which industrial distributors carry BBI cap screws for machine assembly use?" LLM Output: Selected top-tier national industrial supply networks with fully structured Schema.org product feeds. Excluded regional distributors lacking machine-actionable JSON-LD catalog models. Appeared: No Cited: No Competitors Surfaced: Grainger, MSC Industrial Supply	

Root Cause Behavioral Pattern

Why Generative Models Ignored This Product Page:

- **Commercial Invisibility:** Zero pricing or stock visibility prior to login forces engines to treat the listing as non-transactional.
- **Semantic Vacuum:** Complete absence of JSON-LD product microdata strips crawlers of clear entity relationships (MPN, thread pitch, material grade).
- **Prose Homogeneity:** A solitary manufacturer application string fails to trigger semantic matching against contextual procurement prompts.

Vertical Comparative Index

BENCHMARK CATEGORY	AUDITED SKU SCORE	FASTENERS SECTOR AVG	TOP DECILE BENCHMARK
Invisible Catalog Index	34 / 100	48 / 100 (Sector Baseline)	82 / 100 (Leading AEO Distributors)
Schema Entity Depth	0% (Missing)	32% (Partial Schema)	94% (Full JSON-LD Graph)
Commercial Signal Score	0% (Gated)	41% (Tiered / Regional)	100% (Public Transparent Pricing)

THE 15-POINT SCORECARD

Exhaustive Evaluation Across Findability, Comprehension, and Recommendation Pillars

PILLAR 1: CAN AI FIND YOU? (SCORE: 38 / 100 · WEIGHT: 30%)

REF	EVALUATION METRIC	TECHNICAL DIAGNOSTIC FINDING	STATUS
A1	Crawler Access & Rendering	Page is server-side rendered (SSR) and cleanly readable by bots; no bot wall or headless JS crawl barrier.	PASS
A2	URL & Indexation Integrity	Stable canonical URL containing primary SKU numeric identifier; no catastrophic parameterized URL bloat.	PASS
A3	Structured Data (Schema.org)	CRITICAL DEFICIENCY: Zero JSON-LD / Microdata found. Product attributes reside purely in visual HTML tables.	CRITICAL FAIL
A4	Identifier Resolution	MPN (011493) and Brand (BBI) are rendered as unlinked flat text; GTIN-14 / UPC completely omitted.	FAIL
A5	Off-Domain Citation Surface	No backlink presence, distributor locator verification, or external industry citations referencing this exact SKU.	FAIL

PILLAR 2: CAN AI UNDERSTAND YOU? (SCORE: 52 / 100 · WEIGHT: 30%)

REF	EVALUATION METRIC	TECHNICAL DIAGNOSTIC FINDING	STATUS
B1	Attribute Completeness	Strong engineering baseline: 11 technical spec attributes are present on page (thread, drive, length, spec, grade).	PASS
B2	Units & Normalization	Consistent imperial unit structure utilized throughout; standards explicitly referenced without conflicting syntax.	PASS
B3	Taxonomy Placement	Clear, logical 3-tier hierarchical breadcrumb structure (Fasteners > Bolts > Cap Screws and Hex Bolts).	PASS
B4	Semantic Depth of Copy	Product copy is a comma-delimited spec string rather than natural descriptive prose; lacks engineering application context.	FAIL
B5	Variant & Assembly Clarity	No bidirectional relational links or child variant tables connecting adjacent diameters, thread pitches, or lengths.	FAIL

PILLAR 3: WILL AI RECOMMEND YOU? (SCORE: 16 / 100 · WEIGHT: 40%)

REF	EVALUATION METRIC	TECHNICAL DIAGNOSTIC FINDING	STATUS
C1	Differentiation vs. Sameness	Raw description is carbon-copied manufacturer feed text replicated verbatim across hundreds of distributor sites.	FAIL
C2	Authority & Trust Signals	No technical CAD drawings, downloadable ASTM A574 compliance datasheets, or manufacturer certifications linked.	FAIL
C3	Buying-Decision Content	CRITICAL DEFICIENCY: Price is completely hidden ("Login for Price"); availability and lead times are concealed.	CRITICAL FAIL
C4	Buyer-Question Coverage	Applications string is a single generic clause; no data on shear load ratings, tightening torque specs, or rust mitigation.	FAIL
C5	Live Answer Engine Outcome	Failed to surface in 100% (12 of 12) tested generative buyer recommendation prompts against national distributor peers.	CRITICAL FAIL

WHAT GOOD LOOKS LIKE

SKU Transformation Case Study: BRBE 011493 (Brighton-Best 1960 Socket Cap Screw)

Transformation Objective: Elevate raw catalog data into an authoritative, citation-ready knowledge asset that LLM agents can parse, validate, and cite in response to precise engineering procurement prompts.

× AS PUBLISHED TODAY (Current State)

URL: ind-supply.com/p/brbe-011493/10433

"BBI Round Socket Cap Screw, Partially Threaded, Series: 1960, Measurement System: Imperial, 3/4-10 Thread, 8 in Overall Length, Heat Treated Alloy Steel, 3A Grade, Plain/Thermal Black Oxide, Material Specification: ASTM A574, 5/8 in Drive, Hex Drive"

Attributes Exposed:11 of 11 (Prose Only)

Structured Data:None Detected (0 Schema)

Commercial Pricing:Gated ("Login for Price")

Datasheet Links:None Provided

✓ EXPERT-VERIFIED, AI-DISCOVERABLE (Remediated)

AltiusNxt Standard Remediated Copy

"A 3/4"-10, 8" partially threaded socket cap screw built for heavy clamping loads — die castings, machine assemblies, and fixtures that need a deep hex-drive fastener rather than a standard hex head. Heat-treated alloy steel to ASTM A574 with a Grade 3A finish and plain/thermal black oxide coating for mild corrosion resistance. UNC thread, 5/8" hex socket drive. Not a stainless or zinc-plated option — specify accordingly for outdoor or washdown use."

Thread / Grade:3/4"-10 UNC, Grade 3A

Length / Drive:8" OAL, 5/8" Hex Socket

Material / Standard:Heat-Treated, ASTM A574

Commercial Signal:\$14.20/ea · In Stock

Why Generative Answer Engines Treat This Differently

1. Direct Natural-Language Quotability (Resolves Pillar B4 & C1):

LLMs avoid quoting unparsed comma-separated attribute strings because they create jarring conversational output. The remediated text provides syntactically cohesive sentences that an engine can directly lift and serve to an engineer asking for part capabilities.
2. Practical Operational Context & Boundary Negative Framing:

By explicitly declaring practical applications ("die castings, machine assemblies, fixtures") and environmental constraints ("Not a stainless or zinc-plated option — specify accordingly for washdown use"), the LLM can safely recommend this SKU while avoiding liability for misapplication.
3. Schema-Coupled Semantic Triples (Resolves Pillar A3 & A4):

When this rich prose is backed by matching JSON-LD entity markup (Product, Brand, MPN, Offers, isRelatedTo), the engine moves from probabilistic guessing to high-confidence factual citation.

VISUAL COMPARISON MATRIX

Representative Architectural Wireframes: Content, Metadata & Signals

× AS PUBLISHED TODAY (PDP WIREFRAME)

ind-supply.com/p/brbe-011493/10433

Fasteners / Bolts / Cap Screws and Hex Bolts

[Product Photo Placeholder]

BBI 011493 1960 Partially Threaded Round Socket Cap Screw, 3/4-10, 8 in OAL, Alloy Steel, 3A

No Structured Data No Datasheet Link Login for Price

Diameter - Thread Size	3/4-10
Drive Size / Type	5/8, Hex
Grade	3A
Material Spec	ASTM A574

Applications: For fastening or clamping components together, die castings and machine assemblies among other use.

✓ EXPERT-VERIFIED, AI-DISCOVERABLE

ind-supply.com/p/brbe-011493/10433

Fasteners / Bolts / Cap Screws and Hex Bolts

[Product Photo Placeholder]

BBI 1960 Socket Cap Screw — 3/4"-10 x 8", Grade 3A Alloy Steel, Black Oxide

JSON-LD Schema ✓ Datasheet Linked ✓ \$14.20/ea · In Stock

Diameter - Thread Size	3/4-10 UNC
Drive Size / Type	5/8, Hex socket
Grade	3A
Material Spec	ASTM A574, heat-treated

Built for heavy clamping loads: die castings, machine assemblies, and fixtures needing deep hex-drive fasteners. Plain black-oxide; not stainless.

Core Architectural Differentiator

Identical Underlying Hardware — Radically Different Algorithmic Discovery:

The product being sold is identical in both frames. However, the remediated architecture delivers the *three mandatory signals* generative engines require to surface a distributor: (1) transparent commercial availability, (2) machine-readable JSON-LD entities for deterministic catalog linking, and (3) contextual application sentences suitable for conversational citation.

STRATEGIC REMEDIATION ROADMAP

Prioritized Action Plan & The AltiusNxt 7-Layer AEO Framework

Three High-Leverage Fixes (In Order of Commercial Impact)

1 Expose Spec Fields as Structured Product Schema (JSON-LD)

Current Gap: All 11 attributes reside strictly within an HTML visual table, invisible to neural schema parsers.
Remediation: Inject complete Schema.org JSON-LD microdata with explicit `PropertyValue` pairs (Thread: 3/4-10 UNC, OAL: 8 in, Material: ASTM A574).
Impact: Enables LLMs to execute exact mathematical and spec-matching algorithms against high-intent queries.
Addresses: **A3, A4, B1** · Effort: **Medium** · Primary Owner: **eCommerce Engineering / IT**

2 Surface Pricing and Stock Signals Without Mandatory Login

Current Gap: All pricing and warehouse availability are strictly locked behind an enterprise authentication gate.
Remediation: Display standard list pricing, tiered volume brackets, or clear inventory status badges (e.g., "In Stock · Ready to Ship") to crawlers.
Impact: AI recommendation agents require commercial feasibility confirmation before presenting a distributor in answers.
Addresses: **C3** · Effort: **Medium** · Primary Owner: **eCommerce / Sales Operations**

3 Rewrite Technical Description into Buyer-Facing Semantic Prose

Current Gap: Description is an unparsed comma-separated spec string mirroring raw supplier ERP feeds.
Remediation: Synthesize rich, natural prose specifying application domains, assembly suitability, and environmental limitations.
Impact: Gives engines verbatim quotable sentences that directly answer complex conversational engineering questions.
Addresses: **B4, C1, C4** · Effort: **Low** · Primary Owner: **Product Content Engineering**

The AltiusNxt 7-Layer AEO Framework

Our industrial-grade catalog transformation workflow bridges legacy ERP/PIM feeds with modern generative answer engines:



METHODOLOGY & PRACTICE SIGN-OFF

Governance Verification, Quality Control Standards, and Commercial Next Steps

Audit Scope Boundaries & Methodology

Product specifications and DOM structures were scraped directly from the live audited URL. Benchmark comparisons reflect the proprietary AltiusNxt Invisible Catalog Index. This single-SKU assessment focuses strictly on AI Discoverability and excludes TTFB server infrastructure, checkout conversion paths, or customer-negotiated private pricing tiers.

ALTIUSNXT TECHNOLOGIES PVT LTD — AUDIT GOVERNANCE & APPROVAL

PREPARED & GENERATED BY

Manoj S

Digital Commerce Lead

AltiusNxt Technologies Pvt Ltd · manoj@altiusnxt.com

REVIEWED & FORMALLY APPROVED BY

Govind

Business Unit Head

AltiusNxt Technologies Pvt Ltd

Digital Signature & Date · Ref: ANXT-SIG-MS-20260903

Authorized Approval Signature · Ref: ANXT-APPR-GV-20260903

Approval SLA: Same Business Day Turnaround (Verified 4–24 hrs)

Policy: Approver strictly independent of report generator

Mandatory Quality Checks Confirmed: ☒ Official AltiusNxt Corporate Logo Verified ☒ Illustrative Diagnostic Data Tagged ☒ Dual Practice Signatures Enforced ☒ Remediation Plan Feasibility Validated

Recommended Next Steps

OPTION A · VIRTUAL

20-Minute Technical Walkthrough

Schedule a focused screen-share with Manoj S and our catalog engineering team to review full raw query logs, JSON-LD schema prototypes, and batch remediation paths.

Contact: manoj@altiusnxt.com

OPTION B · IN-PERSON

Indianapolis B2B Expo Live Diagnostic

Visit the AltiusNxt Innovation Booth at B2B eCommerce World Americas (Nov 2–3). Our catalog architects will run live algorithmic audits across any 5 SKUs from your catalog.

Booth Registration: altiusnxt.com/events

AltiusNxt Technologies Pvt Ltd · "Anyone can fill your fields. We make your catalog the answer. Be Found. Be Trusted. Be Recommended."
Appendix: Full Query Logs · Page Snapshot JSON · Attribute Coverage Schemas available upon request.