```
mysql> insert into person values('10','sam','banglore');insert into person value
s('20','shaan','coorg');insert into person values('30','sakshi','mumbai');insert
into person values('40','rajath','mysore');insert into person values('50','tany
a','delhi');
Query OK, 1 row affected (0.21 sec)
Query OK, 1 row affected (0.19 sec)
Query OK, 1 row affected (0.14 sec)
Query OK, 1 row affected (0.14 sec)
Query OK, 1 row affected (0.07 sec)
mysql> select * from person;
| driverid | name
                                  address
  10
20
30
                                    banglore
                     sam
                     shaan
                                    coorg
mumbai
                     sakshi
rajath
                                    mysore
delhi
   40
   50
                     tanya
  rows in set (0.00 sec)
mysq1>
```

```
Database changed
MariaDB [insurance] > CREATE TABLE OWNS (driverid varchar(30), REGNO VARCHAR(20),
    -> FOREIGN KEY (driverid) REFERENCES Person(driverid),
    -> FOREIGN KEY (REGNO) RÉFERENCES CAR(REGNO)
    -> );
ERROR 1005 (HY000): Can't create table `insurance`.`OWNS` (errno: 150 "Foreign key constraint is
incorrectly formed")
MariaDB [insurance] > CREATE TABLE OWNS (driverid varchar(30), REGNO VARCHAR(20),
    -> FOREIGN KEY (driverid) REFERENCES person(driverid),
-> FOREIGN KEY (REGNO) REFERENCES CAR(REGNO)
    -> );
Query OK, O rows affected (0.129 sec)
MariaDB [insurance] > insert into OWNS VALUES('A01', 'KA052250');
Query OK, 1 row affected (0.193 sec)
MariaDB [insurance]> insert into OWNS VALUES('A02','KA053408');
Query OK, 1 row affected (0.002 sec)
MariaDB [insurance]> insert into OWNS VALUES('A03','KA031181');
Query OK, 1 row affected (0.004 sec)
MariaDB [insurance]> insert into OWNS VALUES('A04','KA095477');
Query OK, 1 row affected (0.002 sec)
MariaDB [insurance]> insert into OWNS VALUES('A05','KA041702');
Query OK, 1 row affected (0.008 sec)
MariaDB [insurance] > insert into OWNS VALUES('A01', 'KA052250');
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [insurance] > Create table participated(driverid varchar(30), REGNO VARCHAR(20), REPORT NO
INTEGER,damage_amount integer,PRIMARY KEY (damage _amount),
     -> FOREIGN KEY (driverid) REFERENCES person(driverid),
-> FOREIGN KEY (REGNO) REFERENCES CAR(REGNO),
-> FOREIGN KEY (REPORT_NO) REFERENCES ACCIDENT(REPORT_NO));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '_amount),
FOREIGN KEY (driverid) REFERENCES person(driverid),
FOREIGN KEY (RE...' at line 1
MariaDB [insurance]>
MariaDB [insurance]>
MariaDB [insurance]>
MariaDB [insurance]> Create table participated(driverid varchar(30),REGNO VARCHAR(20),REPORT_NO
INTEGER,damage_amount integer,PRIMARY KEY (damage_amount),
     -> FOREIGN KEY (driverid) REFERENCES person(driverid),
     -> FOREIGN KEY (REGNO) REFERENCES CAR(REGNO),
     -> FOREIGN KEY (REPORT_NO) REFERENCES ACCIDENT(REPORT_NO));
Query OK, O rows affected (0.202 sec)
MariaDB [insurance]>
MariaDB [insurance]>
MariaDB [insurance]>
MariaDB [insurance]> insert into participated values('A01','KA052250',11,10000);
Query OK, 1 row affected (0.210 sec)
MariaDB [insurance]> insert into participated values('A02', 'KA053408',12,50000);
Query OK, 1 row affected (0.002 sec)
MariaDB [insurance] insert into participated values('A03', 'KA095477',13,25000);
Query OK, 1 row affected (0.017 sec)
MariaDB [insurance]> insert into participated values('A04','KA031181',14,3000);
Query OK, 1 row affected (0.002 sec)
MariaDB [insurance]> insert into participated values('A05','KA041702',15,5000);
Query OK, 1 row affected (0.003 sec)
```

```
12:35 PM | 4.1KB/s ७ 🏵
 Report issues at https://termux.com/issues
\mbox{\$ mysql} Welcome to the MariaDB monitor. Commands end with ; or \g. Your MariaDB connection id is 4 Server version: 10.5.8-MariaDB MariaDB Server
 Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
 Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> use insurance;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed

MariaDB [insurance]> select * from person

-> select * from person;

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'select * from person' at line 2

MariaDB [insurance]>

MariaDB [insurance]> select * from person;
 Database changed
  | driverid | name | address
                    richard | srinivasnagar
| pradeep | rajajinagar
| smith | ashoknagar
| venu | NR colony
| Jhon | hanumanthnagar
    A01
A02
A03
A04
    A05
 5 rows in set (0.029 sec)
MariaDB [insurance]> select * from CAR;
  | REGNO | MODEL | YEAR |
   KA031181 | launcer | 1957
KA041702 | audi | 2005
KA052250 | indica | 1990
KA053408 | honda | 2008
KA095477 | toyota | 1998
 5 rows in set (0.002 sec)
 MariaDB [insurance] > SELECT * FROM ACCIDENT;
    REPORT_NO | ACC_DATE | LOCATION
                11 | 2003-01-01 | mysore road

12 | 2004-02-02 | South end circle

13 | 2003-01-21 | bull temple road

14 | 2008-02-17 | mysore road

15 | 2005-03-04 | mysore road
 5 rows in set (0.002 sec)
 MariaDB [insurance]> SELECT * FROM OWNS;
  | driverid | REGNO |
    A01
A02
                      KA052250 |
KA053408 |
                      KA031181
KA095477
KA041702
KA052250
    A03
A04
A05
A01
 6 rows in set (0.002 sec)
MariaDB [insurance]> SELECT * FROM PARTICIPATED;
ERROR 1146 (42502): Table 'insurance.PARTICIPATED' doesn't exist
MariaDB [insurance]>
MariaDB [insurance]> SELECT * FROM participated;
  | driverid | REGNO | REPORT_NO | damage_amount |
                      KA031181 |
KA041702 |
KA052250 |
                                                       14 |
15 |
11 |
                                                                                3000
    A05
A01
                                                                                5000
                                                                              10000
                      KA095477
KA053408
 5 rows in set (0.004 sec)
 MariaDB [insurance]>
      ESC
                                  *
                                                     CTRL
                                                                                 ALT
                                                                                                                                     1
```

```
MariaDB [insurance]>
MariaDB [insurance] > UPDATE participated SET damage_amount=25000 WHERE REPORT_N0=12;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [insurance]> select * from participated;
  driverid | REGNO | REPORT_NO | damage_amount |
             KA052250
                                11
  A01
                                              10000
                                12
13
  A02
             KA053408
                                              25000
  A03
             KA095477
                                              25000
                                14
  A04
             KA031181
                                              3000
  A05
             KA041702
                                15 j
                                               5000
5 rows in set (0.002 sec)
MariaDB [insurance]>
```

```
5 rows in set (0.002 sec)
MariaDB [insurance] > insert into ACCIDENT VALUES(6,'2005-07-09','richmondroad');
Query OK, 1 row affected (0.222 sec)
MariaDB [insurance]> select * from ACCIDENT ;
| REPORT_NO | ACC_DATE | LOCATION
         6 | 2005-07-09 | richmondroad
        11
              2003-01-01 | mysore road
             2003-01
2004-02-02
2004-01-21
         12
                           South end circle
                           bull temple road
         13
              2008-02-17
         14
                          mysore road
             2005-03-04 | mysore road
         15
6 rows in set (0.035 sec)
```