

Device Evaluation Form Medical Nurse Call Bell

Date: _____

Number of times used: _____

Your occupation or specialty: _____

1. Did you receive training in how to use this product?

☐ Yes [**Go to next question**]

☐ No [**Go to question 4**]

2. Who provided this instruction? (Check all that apply.)

☐ Product representative

☐ Hospital staff

☐ Other

3. Was the training you received adequate?

☐ Yes

☐ No

4. Describe the range of mobility of the patient.

Mobile

Partial paralysis (10cm)

Partial paralysis (1m)

Full paralysis

Please answer all questions that apply to your duties and responsibilities. If a question does not apply to your duties and responsibilities, **please leave it blank**.

	<u>During the Pilot Test of this Device . . .</u>	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
5.	The time it took to initiate a call was faster than that of a conventional call button.	1	2	3	4	5
6.	The device was easy to find.	1	2	3	4	5
7.	The device placed less false calls than conventional call buttons.	1	2	3	4	5
8.	The device had similar number of wires as conventional call buttons.	1	2	3	4	5
9.	The device provided multiple modes of feedback.	1	2	3	4	5
10.	The device performed reliably.	1	2	3	4	5

	<u>During the Pilot Test of this Device . . .</u>	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
11.	The device not self-activate without my intention.	1	2	3	4	5
12.	I feel safe using this device.	1	2	3	4	5
13.	The device did not increase patient discomfort.	1	2	3	4	5
14.	The device improved my daily load of tasks.	1	2	3	4	5
15.	The device did not cause me to change any way I worked with the patients.	1	2	3	4	5
16.	I could have used this product without special training.	1	2	3	4	5
17.	This device is cost efficient.	1	2	3	4	5
18.	The delay to activation on the device is appropriate.	1	2	3	4	5
19.	The device is easily cleaned.	1	2	3	4	5
20.	The device meets my clinical needs.	1	2	3	4	5
21.	The device is safe for clinical use.	1	2	3	4	5

Additional comments for any responses of “Strongly Disagree” or “Disagree”: _____
