

## **E.V.K.Deepthi (AF0311771)**

**Q1. Write a java program to handle Exception using try, catch, finally block while reading input from command line and store to integer array.**

```
class Exception_Handling
{
public static void main(String[] args)
{
int[] a = new int[10];

int i;

try{
for(i=0;i<args.length;i++)
{
a[i]=Integer.parseInt(args[i]);
}
}
catch(Exception e)
{
System.out.println(e);
}
finally{
System.out.println("End of program....");
}
}
}
```

## Output:

Command Prompt

```
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.

C:\Users\iball>F:

F:>cd "Anudip"

F:\Anudip>javac Exception_Handling.java

F:\Anudip>java Exception_Handling 10 20 30 40
End of program.....

F:\Anudip>java Exception_Handling 10 20 DEEPTHI
java.lang.NumberFormatException: For input string: "DEEPTHI"
End of program.....

F:\Anudip>java Exception_Handling 10 20 30 40 45 50 550 60 65 70 80 90 100
java.lang.ArrayIndexOutOfBoundsException: Index 10 out of bounds for length 10
End of program.....

F:\Anudip>java Exception_Handling 10 20.5826955 30 40 50
java.lang.NumberFormatException: For input string: "20.5826955"
End of program.....

F:\Anudip>
```



**Q2. Write a java program for Method level exception handling, for writing data to file using objects.**

```
package LAB5;
import java.io.*;
public class FileWriting {
    public void Writedata()throws Exception
    {
        FileOutputStream fout = new
FileOutputStream("F:\\Deepthi\\Write.txt");
        ObjectOutputStream out = new ObjectOutputStream(fout);
        Data s = new Data(100,"Deepthi");
        // s.Show();
        out.writeObject(s);

        System.out.println("Data written to file...");
    }
    public static void main(String[] args) throws Exception {

        FileWriting f = new FileWriting();
        f.Writedata();

    }
}
package LAB5;
import java.io.Serializable;
public class Data implements Serializable {
    int idno;
    String Name;

    public Data(int id, String na)
    {
        idno=id;
        Name=na;
    }
}
```

# Output:

The screenshot shows the Eclipse IDE interface with the following details:

- Eclipse IDE - C5600JAVA/src/LAB5/FileWriting.java**: The active Java file contains the following code:

```
1 package LAB5;
2 import java.io.*;
3 public class FileWriting {
4     public void Writedata()throws Exception
5     {
6         FileOutputStream fout = new FileOutputStream("F:\\Deepthi");
7         ObjectOutputStream out = new ObjectOutputStream(fout);
8         Data s = new Data(100,"Deepthi");
9         // s.Show();
10        out.writeObject(s);
11
12        System.out.println("Data written to file...");
13    }
14
15    public static void main(String[] args) throws Exception {
16
17        FileWriting f = new FileWriting();
18        f.Writedata();
19
20    }
}
```

- File Explorer View (Left):** Shows the project structure under "C5600JAVA".
- Console View (Top Right):** Displays the output: <terminated> FileWriting [Java Application] C:\Program Files\Java\jdk-20\bin\javaw.exe (07-Jul-2023, 3:15:44 PM) Data written to file...
- File Explorer View (Bottom Right):** Shows the contents of the "Deepthi" folder on Local Disk (F):.
- File Content View (Bottom Right):** A Notepad window titled "Write.txt - Notepad" displays the contents of the file "Write.txt".

**Q3. Write a java program to illustrate, the user can check error conditions and call the catch block.**

```
package LAB5;
import java.util.*;
public class ErrorCondition {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int x,y,z;
        try {
            System.out.println("Enter 2 integer values ");
            x=sc.nextInt();
            y=sc.nextInt();

            if(y==0)
            {
                Exception eobj = new Exception("divisor must be non
zero value ");
                throw(eobj);

            }
            else
            {
                z=x/y;
                System.out.println("division "+ z);
            }

        }
        catch(Exception e)
        {
            System.out.println(e);
        }
    }
}
```

## **Output:**

Enter 2 integer values

25

5

division 5

(OR)

Enter 2 integer values

9

0

java.lang.Exception: divisor must be non zero value

(OR)

Enter 2 integer values

12

9.6

java.util.InputMismatchException

#### **Q4. Write a java program to illustrate IO exception**

```
package LAB5;
import java.io.*;
public class IOExcep {
    public static void main(String[] args) {
        FileReader fileReader = null;
        try {
            // Creating a FileReader object to read a file
            fileReader = new FileReader("input.txt");
            // Reading the contents of the file
            int character;
            while ((character = fileReader.read()) != -1) {
                System.out.print((char) character);
            }
        } catch (IOException e) {
            // Handling the IOException
            System.out.println("An error occurred while reading the file:
" + e);
        }
        finally {
            // Closing the FileReader object in the finally block to ensure
            it's always closed
            try {
                if (fileReader != null)
                {
                    fileReader.close();
                }
            } catch (IOException e) {
                System.out.println("An error occurred while closing
the file: " + e);
            }
        }
    }
}
```

**Output:**

An error occurred while reading the file: [java.io.FileNotFoundException](#):  
input.txt (The system cannot find the file specified)