Status	Finished
Started	Sunday, 18 October 2026, 6:49 PM
Completed	Sunday, 18 October 2026, 6:52 PM
Duration	3 mins 30 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search starts over from the beginning
b. The search stops immediately ✓
c. The search continues until the end of the list
d. The search backtracks to find duplicate elements

Question **2**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

a. O(n log n)
b. O(1)
c. O🥐 ✓
d. O(log n)

Question **3**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list
b. At the beginning of the list
c. In the right sublist ✓
d. In the left sublist

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

a. There must be a mechanism to access middle element directly

b. Binary search algorithm is not efficient when the data elements more than 1500 ✓

c. Must use a sorted array

d. Requirement of sorted array is expensive when a lot of insertion and deletions are needed

Question **5**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. The search is considered unsuccessful ✓

b. An error is raised

c. The last element is returned

d. The first element is returned

Question **6**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Binary search

b. Hash search

c. Interpolation search

d. Linear search ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It can only be applied to large lists

b. It requires the list to be sorted ✓

c. It is slower than linear search for small lists

d. It does not work with negative numbers

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Hashing
b. Dynamic search
c. Binary search
d. Linear search ✓

Question **9**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. Item is the last element in the array or item is not there at all
b. When the item is not the array at all
c. When the item is somewhere in the middle of the array ✓
d. When the item is the last element in the array

Question **10**

Correct

Mark 1.00 out of 1.00

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

a. 100
b. 500
c. 10 ✓
d. 1000

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Quick search
b. Bubble search
c. Linear search ✓
d. Merge search

Question **12**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the search algorithm finishes
b. When the list contains duplicate elements
c. When the list is sorted
d. When the element is found in the list ✓

Question **13**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the entire list
b. In the left sublist ✓
c. In the right sublist
d. At the beginning of the list

Question **14**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially
b. By starting from the first element
c. By using a hash function
d. By dividing the list length by two ✓

Question **15**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By comparing each element in the list sequentially ✓
b. By using a hash function
c. By dividing the list into halves
d. By sorting the list first