what-is-cve.html

```
{% extends "base.html" %}
{% block content %}
<div style="max-width:1400px; margin:0 auto 32px auto; padding-top:20px;">
 <!-- ==== Page Title & Intro ===== -->
 <h1 style="color:#63a4ff;">What is a CVE?</h1>
 <b>CVE</b> stands for <em>Common Vulnerabilities and Exposures</em>.
    It is the universal system-managed by
    <span style="color:#79a3f8;">MITRE</span> and
    <span style="color:#fca045;">NVD</span>-for giving unique names to
    publicly known cybersecurity vulnerabilities.
    <br><br>>
    <b>Why do CVEs matter?</b>
    They allow security teams, researchers, and companies to discuss and fix
the \langle u \rangle same \langle u \rangle problem consistently using a single ID.
    Every CVE describes a specific security flaw, explains its risk, and helps
you learn about real-world threats and how to manage them.
 <!-- ==== CVE Anatomy Interactive Sample ===== -->
 <h2 style="color:#cdd7ff; margin-top:36px;">CVE Anatomy: What's Inside a
Vulnerability Record</h2>
 <div id="cve-sample-section"</pre>
       style="background:#232b45; border-radius:16px; padding:34px 28px;
margin-bottom:26px; border-left:6px solid #63a4ff;">
    <div style="display:flex; flex-wrap:wrap; gap:22px; align-items:center;">
      <span class="field-label" data-field="id" tabindex="0"</pre>
            style="background:#263159;padding:7px 15px;border-
radius:8px;color:#63a4ff;cursor:pointer;font-family:monospace;">
        ID: <b>CVE-2021-44228</b>
      </span>
      <span class="field-label" data-field="published" tabindex="0"</pre>
            style="background:#263159;padding:7px 15px;border-radius:8px;
color:#cdd7ff; cursor:pointer;">
        Published: <b>2021-12-09</b>
      </span>
      <span class="field-label" data-field="severity" tabindex="0"</pre>
            style="background:#f55855;padding:7px 15px;border-radius:8px;
color:#fff; font-weight:600; cursor:pointer;">
        Severity: Critical
      </span>
```

```
<span class="field-label" data-field="cwe" tabindex="0"</pre>
           style="background:#3b8ded;padding:7px 15px;border-radius:8px;
color:#fff; font-weight:600; cursor:pointer;">
       CWE: CWE-502
     </span>
   </div>
   <div style="margin-top:18px;">
      <span class="field-label" data-field="desc" tabindex="0"</pre>
           style="background:#263159;padding:7px 15px;border-
radius:8px;color:#e2e8f0;cursor:pointer;">
       Description: Apache Log4j2 Remote code execution via JNDI lookup
("Log4Shell")
     </span>
   </div>
   <div style="margin-top:13px; color:#a9adc1;">
      <span class="field-label" data-field="refs" tabindex="0"</pre>
           style="background:#263159;padding:5px 11px;border-
radius:8px;cursor:pointer;">
       References:
     </span>
      <a href="https://nvd.nist.gov/vuln/detail/CVE-2021-44228"</pre>
target="_blank"
        style="color:#63a4ff; margin-left:10px;">
       NVD
     </a>
      <a href="https://logging.apache.org/log4j/2.x/security.html"</pre>
target="_blank"
         style="color:#63a4ff; margin-left:18px;">
       Vendor Advisory
     </a>
   </div>
   <!-- Tooltip Box -->
   <div id="cve-sample-tooltip" style="display:none; position:absolute;</pre>
background: #101828; color: #eaf4fb; border-radius: 8px; padding: 13px 15px; font-
size:1.01em; min-width:210px; max-width:350px; box-shadow:0 3px 18px #0008; z-
index:200; pointer-events:none;"></div>
 </div>
 <!-- ==== Section: How to Read & Interpret a CVE ===== -->
 <h2 style="color:#cdd7ff;">How to Read a CVE Entry & Interpret Its
Details</h2>
  <div style="display:flex; flex-wrap:wrap; gap:30px; align-items:flex-</pre>
start;">
   26px; color:#e3e8f0; font-size:1.09em; margin-bottom:22px;flex:2;">
     <b>ID:</b> Unique reference for searching in vulnerability databases
```

```
and security tools.
     <b>Description:</b> Review the summary-does it match your
environment and risks?
     <b>Severity & Score:</b> The higher (e.g., <b>Critical</b>), the
more urgent. Check CVSS number if present.
     <b>CWE:</b> Type or category of bug-helps guide fixes and
mitigations. (E.g., Deserialization, XSS)
     <b>References:</b> Advisories-ALWAYS consult for patches or step-by-
step guidance.
     <b>Products:</b> (If present) Specific affected software; always
check compatibility before action.
   <div style="flex:1; min-width:210px;">
     <div style="background:#232b45; border-radius:13px; padding:18px 19px</pre>
19px 20px; color:#42d392; font-size:0.99em;">
       <b>Tips:</b>
       Never treat all CVEs the same-focus on critical/high scores
first.
         Check advisory links before taking action.
         Look up the CWE type ("What is a CWE?") to prevent similar
issues in your own code.
       <div style="margin-top:11px;">
         <a href="{{ url_for('learn_topic', topic='what-is-cwe') }}"</pre>
style="color:#63a4ff; text-decoration:underline;">What is a CWE?</a>
         <a href="{{ url_for('learn_topic', topic='cvss-scores') }}"</pre>
style="color:#63a4ff; text-decoration:underline;">CVSS Score Guide</a>
       </div>
     </div>
   </div>
 </div>
 <!-- ==== Interactive Today's CVEs ===== -->
 <h2 style="color:#cdd7ff; margin-top:38px;">Today's CVEs</h2>
 <div style="background:#1a2236; border-radius:14px; padding:20px 28px 24px</pre>
26px; margin-bottom:18px;">
   <div style="color:#94a3b8;margin-bottom:9px;font-size:1.01em;">
     <span>Showing most recent vulnerabilities published in the last 24
hours.</span>
     <a href="{{ url_for('vulnerabilities') }}" style="margin-
left:17px;color:#63a4ff;text-decoration:underline;font-weight:600;">SHOW ALL
TODAY CVEs →</a>
   </div>
   <div style="display: grid; gap: 17px;">
     {% set todays_cves = [] %}
```

```
{% for cve in latest_cves[:10] %}
      {% set date_str = cve.get('Published','')[:10] %}
      {% if date_str == (now.strftime('%Y-%m-%d')) %}
      {% set _ = todays_cves.append(cve) %}
      {% endif %}
      {% endfor %}
      {% if todays_cves %}
        {% for cve in todays_cves[:5] %}
        <div style="background:#263159; border-radius:12px; padding:18px 19px</pre>
14px 19px; border-left:4px solid {% if cve.get('Severity') == 'CRITICAL'
%}#f47174{% else %}#fca311{% endif %};">
          <div style="display:flex; justify-content:space-between; align-</pre>
items:flex-start; margin-bottom:10px;">
            <div style="flex:1;">
              <div style="display:flex; gap:11px; align-items:center;">
                <a href="{{ url_for('cve_detail', cve_id=cve.get('ID')) }}"
style="color:#63a4ff; font-weight:700; font-size:1.1em; text-
decoration:none;">
                  {{ cve.get('ID','N/A') }}
                <span style="background: {% if cve.get('Severity')=='CRITICAL'</pre>
%}#f47174{% elif cve.get('Severity')=='HIGH' %}#fca311{% elif
cve.get('Severity')=='MEDIUM' %}#3498db{% else %}#42d392{% endif %};
color:white; padding:4px 12px; border-radius:16px; font-size:0.83em; font-
weight:600;">
                  {{ cve.get('Severity','UNKNOWN') }}
                </span>
                {% if cve.get('CWE') %}
                  <span style="margin-left:10px; background:#212d46;</pre>
color:#63a4ff; padding:1px 9px; border-radius:11px; font-size:0.95em;">{{
cve.get('CWE') }}</span>
                {% endif %}
              </div>
              <div style="color:#e2e8f0; line-height:1.44; margin-top:7px;</pre>
font-size:0.97em;">
                {{ cve.get('Description','No description available')[:170] }}
{% if cve.get('Description','')|length > 170 %}...{% endif %}
              </div>
            </div>
            <div style="min-width:105px; text-align:right; color:#a9adc1;">
              <div>{{ cve.get('Published')[:10] }}</div>
            </div>
          </div>
        </div>
        {% endfor %}
```

```
{% else %}
    <div style="text-align:center; color:#94a3b8; padding:26px;font-</pre>
size:1.08em;">
     <div style="font-size:1.7rem;margin-bottom:8px;">Q</div>
     No new CVEs detected today.
    </div>
   {% endif %}
  </div>
 </div>
 <!-- ==== Timeline of Major CVEs ===== -->
 <h2 style="color:#cdd7ff; margin-top:34px;">Timeline of Major CVEs</h2>
 <div style="background:#232b45;border-radius:10px;padding:24px 18px 20px</pre>
18px; margin-bottom:18px;">
  collapse:collapse;">
   <thead>
    Year
     CVE ID
     Nickname
     Impact & Legacy
    </thead>
   2014
     <a style="color:#63a4ff;"
href="https://nvd.nist.gov/vuln/detail/CVE-2014-0160" target="_blank">CVE-
2014-0160</a>
     Heartbleed
     SSL bug exposed private keys, triggered
global emergency patching
    2014
     <a style="color:#63a4ff;"
href="https://nvd.nist.gov/vuln/detail/CVE-2014-6271" target="_blank">CVE-
2014-6271</a>
     Shellshock
     Bash shell flaw affected millions of
Linux servers
    2017
     <a style="color:#63a4ff;"
```

```
href="https://nvd.nist.gov/vuln/detail/CVE-2017-0144" target="_blank">CVE-
2017-0144</a>
      EternalBlue
      Used in WannaCry ransomware; showed the
danger of wormable network bugs</rr>
     2017
      <a style="color:#63a4ff;"
href="https://nvd.nist.gov/vuln/detail/CVE-2017-5638" target="_blank">CVE-
2017-5638</a>
      Apache Struts
      Enabled the Equifax breach, crucial
lessons for enterprise patching
     2021
      <a style="color:#63a4ff;"
href="https://nvd.nist.gov/vuln/detail/CVE-2021-44228" target="_blank">CVE-
2021-44228</a>
      Log4Shell
      Critical bug in Log4j2 affected cloud,
apps, millions of devices worldwide
     2022
      <a style="color:#63a4ff;"
href="https://nvd.nist.gov/vuln/detail/CVE-2022-22965" target="_blank">CVE-
2022-22965</a>
      Spring4Shell
      New Java bug affected popular Spring
<div style="margin-top:14px; color:#a9adc1; font-size:0.97em;">
    <b>Why These Matter:</b>
   Each event reshaped industry patching, compliance, and risk management.
    Major spikes in awareness and new best practices followed these
discoveries.
  </div>
 </div>
</div>
<!-- ==== Interactive Highlight/Tooltip JS ===== -->
<script>
```

```
const cveSampleTooltips = {
  'id': { title: "CVE ID", text: "A unique vulnerability identifier. Used to
track and search. Format: CVE-YYYY-NNNNN." },
  'published': { title: "Published Date", text: "Date the vulnerability was
publicly announced. Crucial for understanding risk exposure windows." },
  'severity': { title: "Severity", text: "Shows risk level (Critical, High,
Medium, Low)-often based on the CVSS score. Prioritize higher severities." },
  'cwe': { title: "CWE", text: "Specifies the underlying type of coding/design
flaw. Links to common patterns for prevention (e.g. Deserialization, XSS)." },
  'desc': { title: "Description", text: "A summary of what the vulnerability
is and how it can be exploited. Always read to see if it applies to your
environment." },
 'refs': { title: "References", text: "Links to authoritative advisories,
patches, vendor updates, and analysis. The best source of detailed remediation
steps." }
};
(function() {
 const section = document.getElementById('cve-sample-section');
 const tooltip = document.getElementById('cve-sample-tooltip');
 let active = null;
 function showTip(label, event) {
    const field = label.dataset.field;
    const data = cveSampleTooltips[field];
    if (!data) return;
    tooltip.innerHTML = "<b style='color:#63a4ff;'>" + data.title + "</b><br>"
+ data.text;
   tooltip.style.display = "block";
    const rect = label.getBoundingClientRect();
    tooltip.style.position = 'fixed';
   let left = rect.left;
   let top = rect.bottom + 8;
    if((left + tooltip.offsetWidth + 10) > window.innerWidth){
     left = window.innerWidth - tooltip.offsetWidth - 22;
    }
    tooltip.style.left = left + "px";
   tooltip.style.top = top + "px";
   active = label;
  }
 function hideTip(ev) {
   tooltip.style.display = "none";
   active = null;
 const labels = section.querySelectorAll('.field-label');
 labels.forEach(function(label) {
    label.addEventListener('mouseover', function(e) { showTip(label, e); });
```

```
label.addEventListener('focus', function(e){ showTip(label, e); });
   label.addEventListener('mouseleave', hideTip);
   label.addEventListener('blur', hideTip);
   label.setAttribute('tabindex', '0');
 });
 document.addEventListener('mousedown', function(e){ if(active &&
!active.contains(e.target)) hideTip(); });
 window.addEventListener('scroll', hideTip, {passive:true});
 window.addEventListener('resize', hideTip);
 document.addEventListener('keydown', function(e){ if(e.key === 'Escape')
hideTip(); });
})();
</script>
<div style="text-align:center; margin:2.5em 0 1em 0;">
 <a href="{{ url_for('index') }}" style="color:#63a4ff; padding:0.8em 2em;</pre>
border-radius:6px; font-weight:600; text-decoration:none;">
   ← Back to Dashboard
 </a>
</div>
{% endblock %}
```