cve_detail.html

```
{% extends "base.html" %}
{% block content %}
<!-- ==== CVE DETAILS PAGE ======= -->
<div style="max-width: 1400px; margin: 2em auto; background: #1a2236; border-</pre>
radius: 16px; box-shadow: 0 8px 32px rgba(0,0,0,0.3); padding: 2.5em 3em;
color: #e2e8f0;">
    <!-- HEADER SECTION (CVE ID, published date, etc) -->
    <div style="display: flex; align-items: center; margin-bottom: 1.5em;">
        <div style="flex: 1;">
            <!-- Main CVE title with lock icon -->
            <h2 style="margin: 0; font-size: 1.8em; color: #63a4ff; letter-</pre>
spacing: 0.5px;">
                <span style="font-size:1.3em; vertical-align:middle;">@</span>
                {{ cve.get('ID', '-') }}
            </h2>
            <!-- Sub-info: published date, last modified, CVSS score -->
            <div style="display: flex; gap: 1.5em; margin-top: 0.5em; color:</pre>
#94a3b8; font-size: 0.95em;">
                <div>
                    <strong>Published:</strong> {{ cve.get('Published', '-')
[:10] }}
                </div>
                <div>
                    <strong>Last Modified:</strong> {{ cve.get('lastModified',
'-')[:10] if cve.get('lastModified') else '-' }}
                </div>
                {% if cve.get('CVSS_Score') %}
                <div>
                    <strong>CVSS:</strong> {{ cve.get('CVSS_Score', '-') }}
                </div>
                {% endif %}
            </div>
        </div>
        <!-- Severity Badge (CRITICAL, HIGH, MEDIUM, LOW) with colors -->
        {% if cve.get('Severity') %}
        <div style="background:</pre>
            {% if cve.get('Severity') == 'CRITICAL' %}#f41717
```

```
{% elif cve.get('Severity') == 'HIGH' %}#fc2311
            {% elif cve.get('Severity') == 'MEDIUM' %}#3498db
            {% elif cve.get('Severity') == 'LOW' %}#4126392
            {% else %}#888{% endif %};
            color: white; padding: 0.5em 1em; border-radius: 6px; font-weight:
bold; font-size: 1.1em;">
            {{ cve.get('Severity', 'UNKNOWN') }}
        </div>
        {% endif %}
    </div>
    <!-- == DESCRIPTION SECTION === -->
    <div style="margin-bottom: 2em;">
        <h3 style="margin: 0 0 0.8em 0; font-size: 1.3em; color: #cdd7ff;</pre>
display: flex; align-items: center;">
            <span style="margin-right: 8px;">></span> Description
        </h3>
        <div style="background: #212d46; padding: 1.2em; border-radius: 8px;</pre>
line-height: 1.6;">
            {{ cve.get('Description', 'No description available') }}
        </div>
    </div>
    <!-- == METRICS SECTION (CVSS Scores) === -->
    <div style="margin-bottom: 2em;">
        <h3 style="margin: 0 0 0.8em 0; font-size: 1.3em; color: #cdd7ff;</pre>
display: flex; align-items: center;">
            <span style="margin-right: 8px;"> \( \lambda /span> Severity & Metrics
        </h3>
        {% set metrics = cve.get('metrics', {}) %}
        {% set cvss = metrics.get('cvssMetricV31',
metrics.get('cvssMetricV30', metrics.get('cvssMetricV2', []))) %}
        {% if cvss|length > 0 %}
            <!-- Grid of CVSS metric cards (auto wraps per screen size) -->
            <div style="display: grid; grid-template-columns: repeat(auto-</pre>
fill, minmax(380px, 1fr)); gap: 1em;">
            {% for metric in cvss %}
                {% set cvssData = metric.get('cvssData', {}) %}
                <div style="background: #212d46; border-radius: 8px; padding:</pre>
1.2em; box-shadow: 0 2px 8px rgba(0,0,0,0.2);">
                    <!-- Severity + Score -->
                    <div style="display: flex; justify-content: space-between;</pre>
```

```
align-items: center; margin-bottom: 0.8em;">
                         <div style="font-size: 1.1em; font-weight: bold;</pre>
color:
                             {% if cvssData.get('baseSeverity') == 'CRITICAL'
%}#f47174
                             {% elif cvssData.get('baseSeverity') == 'HIGH'
%}#fca311
                             {% elif cvssData.get('baseSeverity') == 'MEDIUM'
%}#3b8ded
                             {% elif cvssData.get('baseSeverity') == 'LOW'
%}#42d392
                             {% else %}#a9adc1{% endif %};">
                             {{ cvssData.get('baseSeverity', 'UNKNOWN') }}
                        </div>
                         <div style="font-size: 1.4em; font-weight: bold;">
                             {{ cvssData.get('baseScore', '-') }}
                         </div>
                    </div>
                    <!-- Vector String -->
                    <div style="margin-bottom: 0.5em;">
                         <div style="font-size: 0.9em; color: #94a3b8;">Vector
String</div>
                        <div style="font-family: monospace; word-break: break-</pre>
all;">{{ cvssData.get('vectorString', '-') }}</div>
                    </div>
                    <!-- Version (CVSS v2/v3.0/v3.1) -->
                    <div style="margin-bottom: 0.5em;">
                         <div style="font-size: 0.9em; color:</pre>
#94a3b8;">Version</div>
                         <div>{{ metric.get('type', '').replace('cvssMetricV',
'CVSS v') }}</div>
                    </div>
                    <!-- Source of the scoring -->
                        <div style="font-size: 0.9em; color:</pre>
#94a3b8; ">Source</div>
                         <div>{{ metric.get('source', '-') }}</div>
                    </div>
                </div>
            {% endfor %}
            </div>
        {% else %}
            <div style="background: #212d46; padding: 1.2em; border-radius:</pre>
```

```
8px; text-align: center; color: #94a3b8;">
                No CVSS metrics available for this vulnerability
            </div>
        {% endif %}
    </div>
    <!-- === WEAKNESSES SECTION (CWE Mappings) === -->
    <div style="margin-bottom: 2em;">
        <h3 style="margin: 0 0 0.8em 0; font-size: 1.3em; color: #cdd7ff;</pre>
display: flex; align-items: center;">
            <span style="margin-right: 8px;"> / </span> Weaknesses (CWE)
        </h3>
        {% if cve.get('CWE') %}
            <div style="background: #212d46; padding: 1.2em; border-radius:</pre>
8px;">
                <div style="display: flex; flex-wrap: wrap; gap: 0.5em;">
                     {% set cwe_code = cve.get('CWE') %}
                     {% if cwe_code.startswith('CWE-') %}
                         <!-- Link to CWE official page -->
                         <a href="https://cwe.mitre.org/data/definitions/{{</pre>
cwe_code[4:] }}.html" target="_blank"
                            style="background: #263159; color: #63a4ff;
padding: 0.5em 1em; border-radius: 20px;
                                   text-decoration: none; font-weight: 500;
display: inline-flex; align-items: center;">
                             {{ cwe_code }}
                             <span style="margin-left: 6px; font-size:</pre>
0.9em;"></span>
                        </a>
                     {% else %}
                         <!-- Non-standard CWE string -->
                         <span style="background: #263159; color: #a9adc1;</pre>
padding: 0.5em 1em; border-radius: 20px;">
                             {{ cwe_code }}
                        </span>
                     {% endif %}
                </div>
            </div>
        {% else %}
            <div style="background: #212d46; padding: 1.2em; border-radius:</pre>
8px; text-align: center; color: #94a3b8;">
                No CWE information available
            </div>
        {% endif %}
```

```
</div>
   <!-- == AFFECTED PRODUCTS SECTION === -->
   {% if cve.get('Products') and cve.get('Products')|length > 0 %}
   <div style="margin-bottom: 2em;">
       <h3 style="margin: 0 0 0.8em 0; font-size: 1.3em; color: #cdd7ff;</pre>
display: flex; align-items: center;">
           <span style="margin-right: 8px;"> € </span> Affected Products
       </h3>
       <div style="background: #212d46; padding: 1.2em; border-radius: 8px;">
           {% for product in cve.get('Products', []) %}
               style="margin-bottom: 0.5em;">{{ product }}
           {% endfor %}
           </div>
   </div>
   {% endif %}
   <!-- === REFERENCES SECTION ==== -->
   <div style="margin-bottom: 2em;">
       <h3 style="margin: 0 0 0.8em 0; font-size: 1.3em; color: #cdd7ff;</pre>
display: flex; align-items: center;">
           <span style="margin-right: 8px;"> Ø </span> References
       </h3>
       {% if cve.get('References') and cve.get('References')|length > 0 %}
           <div style="background: #212d46; padding: 1.2em; border-radius:</pre>
8px;">
               {% for ref in cve.get('References', []) %}
                  style="margin-bottom: 0.8em; padding-bottom: 0.8em;
border-bottom: 1px solid #2a364f;">
                      <!-- Reference links (external) -->
                      <a href="{{ ref }}" target="_blank"
                         style="color: #63a4ff; text-decoration: none; word-
break: break-all;
                                display: inline-flex; align-items: center;">
                          {{ ref }}
                          <span style="margin-left: 6px; font-size:</pre>
0.9em;"></span>
                      </a>
                  {% endfor %}
               </div>
```

```
{% else %}
            <div style="background: #212d46; padding: 1.2em; border-radius:</pre>
8px; text-align: center; color: #94a3b8;">
                No references available
            </div>
        {% endif %}
    </div>
    <!-- === BACK TO DASHBOARD BUTTON ==== -->
    <div style="text-align:center; margin:2.5em 0 1em 0;">
        <a href="{{ url_for('index') }}" style="color:#63a4ff; padding:0.8em</pre>
2em; border-radius:6px; font-weight:600; text-decoration:none;">
            ← Back to Dashboard
        </a>
    </div>
</div>
{% endblock %}
```