

templates\references\references.html

```
{% extends "base.html" %}

{% block content %}
<!-- Main container with consistent max-width and spacing -->
<div style="max-width:1400px;margin:0 auto 32px auto;padding-top:20px;">
<!-- Page Header -->
<!-- Primary title with muted accent color -->
<h1 style="color:#d3bb7a;">References & Resources</h1>
<!-- Comprehensive page description explaining purpose and value -->
<p style="color:#e2e8f0;font-size:1.1em;line-height:1.6;margin-bottom:32px;">
This page contains all the authoritative sources, APIs, documentation,
and resources that power VulnEdu. Understanding these resources helps you dive deeper
into cybersecurity
vulnerability research and build your own security tools.
</p>

<!-- Quick Navigation - Scroll-to-section links for single-page experience -->
<div style="background:#1a2236;border-radius:12px;padding:20px;margin-bottom:32px;">
<h3 style="color:#a79881;margin:0 0 16px 0;">Quick Navigation</h3>
<!-- Responsive grid for navigation buttons -->
<div
style="display:grid;grid-template-columns:repeat(auto-fit,minmax(200px,1fr));gap:12px;">
<!-- Anchor links with consistent styling and emoji icons -->
<a href="#data-sources" style="color:#a79881;text-decoration:none;padding:8px
12px;background:#263159;border-radius:6px;font-weight:500;">?? Primary Data Sources</a>
<a href="#apis-feeds" style="color:#a79881;text-decoration:none;padding:8px
12px;background:#263159;border-radius:6px;font-weight:500;">? APIs & Data Feeds</a>
<a href="#tech-docs" style="color:#a79881;text-decoration:none;padding:8px
12px;background:#263159;border-radius:6px;font-weight:500;">?? Technical
Documentation</a>
<a href="#dev-tools" style="color:#a79881;text-decoration:none;padding:8px
12px;background:#263159;border-radius:6px;font-weight:500;">?? Development Tools</a>
</div>
</div>

<!-- Resource Categories Overview -->
<section style="background:#1a2236;border-radius:14px;padding:28px;margin-bottom:32px;">
<h2 style="color:#a79881;margin:0 0 20px 0;">Resource Categories</h2>
<!-- Grid layout for category descriptions -->
<div style="display:grid;gap:20px;">
<!-- Data Sources category with muted orange accent -->
<div style="border-left:4px solid #d3bb7a;padding-left:20px;">
<h3 style="color:#d3bb7a;margin:0 0 8px 0;">Data Sources</h3>
<div style="color:#e2e8f0;margin-bottom:12px;">
The foundational databases (NVD, MITRE) that provide core vulnerability data.
</div>
</div>
<!-- APIs & Feeds category with muted green accent -->
<div style="border-left:4px solid #a79881;padding-left:20px;">
<h3 style="color:#a79881;margin:0 0 8px 0;">APIs & Feeds</h3>
<div style="color:#e2e8f0;margin-bottom:12px;">
Technical interfaces for programmatic access to vulnerability information.
</div>
</div>
<!-- Standards & Documentation category with muted accent -->
<div style="border-left:4px solid #d3bb7a;padding-left:20px;">
<h3 style="color:#d3bb7a;margin:0 0 8px 0;">Standards & Documentation</h3>
<div style="color:#e2e8f0;margin-bottom:12px;">
CVSS scoring methodology, security standards, and technical specifications.
</div>
</div>
<!-- Tools & Frameworks category with muted accent -->
<div style="border-left:4px solid #a79881;padding-left:20px;">
<h3 style="color:#a79881;margin:0 0 8px 0;">Tools & Frameworks</h3>
<div style="color:#e2e8f0;margin-bottom:12px;">
Development tools, security scanners, and frameworks used in the project.
</div>
</div>
</div>
</section>

<!-- Modular Content Sections - Template Includes for Maintainability -->
```

```

<!-- Data Sources section with anchor ID for navigation -->
<div id="data-sources">
{% include 'references/data-sources.html' %}
</div>

<!-- APIs & Data Feeds section -->
<div id="apis-feeds">
{% include 'references/apis-feeds.html' %}
</div>

<!-- Technical Documentation section -->
<div id="tech-docs">
{% include 'references/tech-docs.html' %}
</div>

<!-- Development Tools section -->
<div id="dev-tools">
{% include 'references/dev_tools.html' %}
</div>

<!-- Attribution & Acknowledgments Section -->
<section style="background:#1a2236;border-radius:14px;padding:28px;">
<h2 style="color:#a79881;margin:0 0 20px 0;">Attribution & Acknowledgments</h2>
<div style="color:#e2e8f0;line-height:1.6;">
<!-- Introduction to attribution importance -->
<p>VulnEdu is built using publicly available data from government and nonprofit organizations dedicated to improving cybersecurity. We acknowledge:</p>
<!-- List of acknowledged organizations and contributions -->
<ul style="margin-left:20px;color:#a9adc1;">
<li><strong>NIST</strong> for maintaining the National Vulnerability Database</li>
<li><strong>MITRE Corporation</strong> for the CVE and CWE programs</li>
<li><strong>FIRST.org</strong> for the CVSS scoring methodology</li>
<li><strong>OWASP</strong> for educational resources and best practices</li>
<li>The global <strong>cybersecurity research community</strong> for continuous improvements</li>
</ul>
</div>
</section>
</div>

<!-- Navigation back to dashboard -->
<div style="text-align:center; margin:2.5em 0 1em 0;">
<a href="{{ url_for('main.index') }}" style="color:#a79881; padding:0.8em 2em; border-radius:6px; font-weight:600; text-decoration:none;">
? Back to Dashboard
</a>
</div>

<!-- JavaScript Enhancement for Smooth Scrolling Navigation -->
<script>
// Smooth scrolling implementation for better user experience
document.addEventListener('DOMContentLoaded', function() {
// Select all anchor links that point to sections on the same page
const links = document.querySelectorAll('a[href^="#"]');
for (const link of links) {
// Add click event listener to each anchor link
link.addEventListener('click', function(e) {
// Prevent default anchor link behavior
e.preventDefault();
// Extract target element ID from href attribute
const targetId = this.getAttribute('href').substring(1);
// Find the target element by ID
const targetElement = document.getElementById(targetId);
if (targetElement) {
// Smooth scroll to target element with modern API
targetElement.scrollIntoView({
behavior: 'smooth', // Smooth scrolling animation
block: 'start' // Align to top of viewport
});
}
});
}
});
</script>
{% endblock %}

```