

templates\pages\cve_detail.html

```
{% extends "base.html" %}

{% block content %}
<div style="max-width: 1400px; margin: 2em auto; background: #1a2236; border-radius:
16px; box-shadow: 0 8px 32px rgba(0,0,0,0.3); padding: 2.5em 3em; color: #e2e8f0;">

<div style="display: flex; align-items: center; justify-content: space-between;
margin-bottom: 2em; padding-bottom: 1.5em; border-bottom: 2px solid #263159;">
<div style="flex: 1;">
<h1 style="margin: 0; font-size: 2.2em; color: #C9B896; letter-spacing: 0.5px;">
{{ cve.get('ID', '-') }}
</h1>
<div style="display: flex; gap: 2em; margin-top: 1em; color: #94a3b8; font-size: 1em;">
<div><strong>Published:</strong>&nbsp;{{ cve.get('Published', '-')[:10] }}</div>
<div><strong>Last Modified:</strong>&nbsp;{{ cve.get('lastModified', '-')[:10] if
cve.get('lastModified') else '-' }}</div>
{% set metrics = cve.get('metrics', {}) %}
{% set cvss = metrics.get('cvssMetricV31', metrics.get('cvssMetricV30',
metrics.get('cvssMetricV2', []))) %}
{% if cvss|length > 0 %}
{% set primary_metric = cvss[0] %}
{% set cvssData = primary_metric.get('cvssData', {}) %}
{% set header_score = cvssData.get('baseScore', 0) %}
<div><strong>CVSS:</strong>&nbsp;{{ header_score }}</div>
{% elif cve.get('CVSS_Score') %}
<div><strong>CVSS:</strong>&nbsp;{{ cve.get('CVSS_Score', '-') }}</div>
{% endif %}
</div>
</div>

{% if cve.get('Severity') %}
<div style="text-align: center;">
<div style="background: {% if cve.get('Severity') == 'CRITICAL' %}#f41717{% elif
cve.get('Severity') == 'HIGH' %}#fc2311{% elif cve.get('Severity') == 'MEDIUM'
%}#3498db{% elif cve.get('Severity') == 'LOW' %}#42d392{% else %}#888{% endif %}; color:
white; padding: 0.8em 1.5em; border-radius: 12px; font-weight: bold; font-size: 1.2em;
box-shadow: 0 4px 12px rgba(0,0,0,0.3);">
{{ cve.get('Severity', 'UNKNOWN') }}
</div>
<div style="margin-top: 8px; color: #94a3b8; font-size: 0.9em;">Severity Level</div>
</div>
{% endif %}
</div>

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Description</h2>
<div style="background: linear-gradient(135deg, #212d46 0%, #1e2640 100%); padding:
1.5em; border-radius: 12px; line-height: 1.7; border-left: 4px solid #C9B896;">
{{ cve.get('Description', 'No description available') }}
</div>
</div>

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Severity & Risk
Assessment</h2>
{% set metrics = cve.get('metrics', {}) %}
{% set cvss = metrics.get('cvssMetricV31', metrics.get('cvssMetricV30',
metrics.get('cvssMetricV2', []))) %}
{% if cvss|length > 0 %}
{% set primary_metric = cvss[0] %}
{% set cvssData = primary_metric.get('cvssData', {}) %}
{% set score = cvssData.get('baseScore', 0) %}
{% set severity = cvssData.get('baseSeverity', 'UNKNOWN') %}

<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%);
border-radius: 12px; padding: 1.5em; border: 1px solid rgba(201, 184, 150, 0.2);">
<div style="display: flex; justify-content: space-between; align-items: center;
margin-bottom: 1.5em;">
<div>
<div style="font-size: 2.5em; font-weight: bold; color: {% if severity == 'CRITICAL'
%}#f47174{% elif severity == 'HIGH' %}#fca311{% elif severity == 'MEDIUM' %}#3b8ded{%
elif severity == 'LOW' %}#42d392{% else %}#a9adc1{% endif %};">
```

```

{{ score }} <span style="font-size: 0.6em;">({{ severity }})</span>
</div>
</div>
<div style="flex: 1; max-width: 400px; margin-left: 2em;">
<div style="background: #263159; height: 20px; border-radius: 10px; overflow: hidden;
position: relative;">
<div style="background: linear-gradient(90deg, {% if severity == 'CRITICAL' %}#f47174{%
elif severity == 'HIGH' %}#fca311{% elif severity == 'MEDIUM' %}#3b8ded{% elif severity
== 'LOW' %}#42d392{% else %}#a9adc1{% endif %}, {% if severity == 'CRITICAL' %}#f47174{%
elif severity == 'HIGH' %}#fca311{% elif severity == 'MEDIUM' %}#3b8ded{% elif severity
== 'LOW' %}#42d392{% else %}#a9adc1{% endif %}); width: {{ (score/10*100)|round }}%;
height: 100%; border-radius: 10px;"></div>
<div style="position: absolute; top: 0; left: 0; right: 0; bottom: 0; display: flex;
align-items: center; justify-content: center; color: white; font-size: 0.8em;
font-weight: bold;">{{ score }}/10</div>
</div>
<div style="display: flex; justify-content: space-between; margin-top: 8px; font-size:
0.8em; color: #94a3b8;">
<span>0.0</span><span>Low</span><span>Medium</span><span>High</span><span>Critical</span>
<span>10.0</span>
</div>
</div>
</div>
<div>
<div style="font-size: 0.9em; color: #94a3b8; margin-bottom: 4px;">Vector String</div>
<div style="font-family: monospace; background: #263159; padding: 8px; border-radius:
6px; word-break: break-all; font-size: 0.9em;">{{ cvssData.get('vectorString', '-')
}}</div>
</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px; text-align:
center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No CVSS metrics available for this vulnerability</div>
</div>
{% endif %}
</div>

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Weakness Classification
(CWE)</h2>
{% if cve.get('CWE') %}
{% set cwe_code = cve.get('CWE') %}
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%); padding:
1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150, 0.2);">
<div style="display: flex; align-items: center; justify-content: space-between;
margin-bottom: 1em;">
<div>
<div style="font-size: 1.3em; font-weight: bold; color: #C9B896; margin-bottom: 4px;">{{
cwe_code }}</div>
<div style="color: #a9adc1; font-size: 1em;">
{% if cwe_code == 'CWE-79' %}Cross-Site Scripting (XSS)
{% elif cwe_code == 'CWE-89' %}SQL Injection
{% elif cwe_code == 'CWE-20' %}Improper Input Validation
{% elif cwe_code == 'CWE-22' %}Path Traversal
{% elif cwe_code == 'CWE-119' %}Buffer Overflow
{% elif cwe_code == 'CWE-200' %}Information Exposure
{% elif cwe_code == 'CWE-287' %}Improper Authentication
{% elif cwe_code == 'CWE-78' %}OS Command Injection
{% elif cwe_code == 'CWE-266' %}Incorrect Privilege Assignment
{% else %}Common Weakness Enumeration{% endif %}
</div>
</div>
<div style="display: flex; gap: 12px;">
{% if cwe_code.startswith('CWE-') %}
<a href="https://cwe.mitre.org/data/definitions/{{ cwe_code[4:] }}.html" target="_blank"
style="background: #263159; color: #C9B896; padding: 8px 16px; border-radius: 8px;
text-decoration: none; font-weight: 500;">View MITRE Details<span style="margin-left:
6px;">?</span></a>
<a href="{{ url_for('learn.learn_topic', topic='what-is-cwe') }}" style="background:
#42d392; color: white; padding: 8px 16px; border-radius: 8px; text-decoration: none;
font-weight: 500;">Learn About CWEs</a>
{% endif %}
</div>
</div>
<div style="background: #1a2236; padding: 12px; border-radius: 8px; border-left: 4px

```

```

solid #C9B896;">
<div style="color: #94a3b8; font-size: 0.9em; margin-bottom: 4px;">What this
means:</div>
<div style="color: #e2e8f0; line-height: 1.5;">
{% if cwe_code == 'CWE-79' %}This vulnerability allows attackers to inject malicious
scripts into web pages viewed by other users, potentially stealing sensitive information
or performing actions on their behalf.
{% elif cwe_code == 'CWE-89' %}This vulnerability allows attackers to manipulate
database queries, potentially accessing, modifying, or deleting sensitive data.
{% elif cwe_code == 'CWE-20' %}This vulnerability occurs when software fails to properly
validate input data, potentially allowing attackers to provide malicious input that
causes unexpected behavior.
{% elif cwe_code == 'CWE-266' %}This vulnerability involves incorrect assignment of
privileges, potentially allowing users to access resources or perform actions beyond
their intended authorization level.
{% else %}This represents a common pattern of software weakness that can lead to
security vulnerabilities. Click the links above to learn more about this specific
weakness type.{% endif %}
</div>
</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px; text-align:
center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No CWE classification available for this vulnerability</div>
</div>
{% endif %}
</div>

{% if cve.get('Products') and cve.get('Products')|length > 0 %}
<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Affected Products</h2>
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%); padding:
1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150, 0.2);">
<div style="display: grid; gap: 8px;">
{% for product in cve.get('Products', []) %}
<div style="background: #263159; padding: 12px; border-radius: 8px; border-left: 4px
solid #f8a541;">
<span style="color: #f8a541; margin-right: 8px;">?</span>{{ product }}
</div>
{% endfor %}
</div>
</div>
</div>
{% endif %}

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">References &
Additional Information</h2>
{% if cve.get('References') and cve.get('References')|length > 0 %}
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%); padding:
1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150, 0.2);">
<div style="display: grid; gap: 12px;">
{% for ref in cve.get('References', []) %}
<div style="background: #263159; padding: 14px; border-radius: 8px; display: flex;
align-items: center;" onmouseover="this.style.background='#2d3d6b'"
onmouseout="this.style.background='#263159'">
<span style="color: #C9B896; margin-right: 12px; font-size: 1.2em;">
{% if 'nvd.nist.gov' in ref %}?{% elif 'cve.mitre.org' in ref %}?{% elif 'github.com' in
ref %}?{% elif 'advisory' in ref.lower() or 'security' in ref.lower() %}?{% else %}?{%
endif %}
</span>
<a href="{{ ref }}" target="_blank" style="color: #C9B896; text-decoration: none; flex:
1; word-break: break-all; line-height: 1.4;">{{ ref }}</a>
<span style="margin-left: 8px; color: #94a3b8; font-size: 0.9em;">?</span>
</div>
{% endfor %}
</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px; text-align:
center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No additional references available</div>
</div>
{% endif %}

```

</div>

```
<div style="text-align: center; margin: 3em 0 1em 0; padding-top: 2em; border-top: 1px
solid #394a6b;">
<a href="{{ url_for('main.index') }}" style="background: linear-gradient(135deg, #9370DB
0%, #7B68EE 100%); color: white; padding: 12px 24px; border-radius: 8px; font-weight:
600; text-decoration: none; display: inline-flex; align-items: center;"
onmouseover="this.style.transform='translateY(-2px)'"
onmouseout="this.style.transform='translateY(0)'">
? Back to Dashboard
</a>
</div>
```

```
</div>
{% endblock %}
```