

templates\pages\cve_detail.html

```
{% extends "base.html" %}

{% block content %}
<div style="max-width: 1400px; margin: 2em auto; background: #1a2236;
border-radius: 16px; box-shadow: 0 8px 32px rgba(0,0,0,0.3); padding:
2.5em 3em; color: #e2e8f0;">

<div style="display: flex; align-items: center; justify-content:
space-between; margin-bottom: 2em; padding-bottom: 1.5em; border-bottom:
2px solid #263159;">
<div style="flex: 1;">
<h1 style="margin: 0; font-size: 2.2em; color: #C9B896; letter-spacing:
0.5px;">
{{ cve.get('ID', '-') }}
</h1>
<div style="display: flex; gap: 2em; margin-top: 1em; color: #94a3b8;
font-size: 1em;">
<div><strong>Published:</strong>&nbsp;{{ cve.get('Published', '-')[:10]
}}</div>
<div><strong>Last Modified:</strong>&nbsp;{{ cve.get('lastModified',
'-')[:10] if cve.get('lastModified') else '-' }}</div>
{% set metrics = cve.get('metrics', {}) %}
{% set cvss = metrics.get('cvssMetricV31', metrics.get('cvssMetricV30',
metrics.get('cvssMetricV2', []))) %}
{% if cvss|length > 0 %}
{% set primary_metric = cvss[0] %}
{% set cvssData = primary_metric.get('cvssData', {}) %}
{% set header_score = cvssData.get('baseScore', 0) %}
<div><strong>CVSS:</strong>&nbsp;{{ header_score }}</div>
{% elif cve.get('CVSS_Score') %}
<div><strong>CVSS:</strong>&nbsp;{{ cve.get('CVSS_Score', '-') }}</div>
{% endif %}
</div>
</div>

{% if cve.get('Severity') %}
<div style="text-align: center;">
<div style="background: {% if cve.get('Severity') == 'CRITICAL'
%}#f41717{% elif cve.get('Severity') == 'HIGH' %}#fc2311{% elif
cve.get('Severity') == 'MEDIUM' %}#3498db{% elif cve.get('Severity') ==
'LOW' %}#42d392{% else %}#888{% endif %}; color: white; padding: 0.8em
1.5em; border-radius: 12px; font-weight: bold; font-size: 1.2em;
box-shadow: 0 4px 12px rgba(0,0,0,0.3);">
{{ cve.get('Severity', 'UNKNOWN') }}
</div>
<div style="margin-top: 8px; color: #94a3b8; font-size: 0.9em;">Severity
Level</div>
</div>
{% endif %}
</div>

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color:
#cdd7ff;">Description</h2>
<div style="background: linear-gradient(135deg, #212d46 0%, #1e2640 100%);
padding: 1.5em; border-radius: 12px; line-height: 1.7; border-left: 4px
solid #C9B896;">
{{ cve.get('Description', 'No description available') }}
</div>
</div>
```

```

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Severity
& Risk Assessment</h2>
{% set metrics = cve.get('metrics', {}) %}
{% set cvss = metrics.get('cvssMetricV31', metrics.get('cvssMetricV30',
metrics.get('cvssMetricV2', []))) %}
{% if cvss|length > 0 %}
{% set primary_metric = cvss[0] %}
{% set cvssData = primary_metric.get('cvssData', {}) %}
{% set score = cvssData.get('baseScore', 0) %}
{% set severity = cvssData.get('baseSeverity', 'UNKNOWN') %}

<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%);
border-radius: 12px; padding: 1.5em; border: 1px solid rgba(201, 184, 150,
0.2);">
<div style="display: flex; justify-content: space-between; align-items:
center; margin-bottom: 1.5em;">
<div>
<div style="font-size: 2.5em; font-weight: bold; color: {% if severity ==
'CRITICAL' %}#f47174{% elif severity == 'HIGH' %}#fca311{% elif severity
== 'MEDIUM' %}#3b8ded{% elif severity == 'LOW' %}#42d392{% else
%}#a9adc1{% endif %};">
{{ score }} <span style="font-size: 0.6em;">({{ severity }})</span>
</div>
</div>
<div style="flex: 1; max-width: 400px; margin-left: 2em;">
<div style="background: #263159; height: 20px; border-radius: 10px;
overflow: hidden; position: relative;">
<div style="background: linear-gradient(90deg, {% if severity ==
'CRITICAL' %}#f47174{% elif severity == 'HIGH' %}#fca311{% elif severity
== 'MEDIUM' %}#3b8ded{% elif severity == 'LOW' %}#42d392{% else
%}#a9adc1{% endif %}, {% if severity == 'CRITICAL' %}#f47174{% elif
severity == 'HIGH' %}#fca311{% elif severity == 'MEDIUM' %}#3b8ded{% elif
severity == 'LOW' %}#42d392{% else %}#a9adc1{% endif %}); width: {{
(score/10*100)|round }}%; height: 100%; border-radius: 10px;"></div>
<div style="position: absolute; top: 0; left: 0; right: 0; bottom: 0;
display: flex; align-items: center; justify-content: center; color: white;
font-size: 0.8em; font-weight: bold;">{{ score }}/10</div>
</div>
<div style="display: flex; justify-content: space-between; margin-top:
8px; font-size: 0.8em; color: #94a3b8;">
<span>0.0</span><span>Low</span><span>Medium</span><span>High</span><span>
Critical</span><span>10.0</span>
</div>
</div>
</div>
<div>
<div style="font-size: 0.9em; color: #94a3b8; margin-bottom: 4px;">Vector
String</div>
<div style="font-family: monospace; background: #263159; padding: 8px;
border-radius: 6px; word-break: break-all; font-size: 0.9em;">{{
cvssData.get('vectorString', '-') }}</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px;
text-align: center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No CVSS metrics available for this vulnerability</div>
</div>
{% endif %}
</div>

```

```

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Weakness
Classification (CWE)</h2>
{% if cve.get('CWE') %}
{% set cwe_code = cve.get('CWE') %}
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%);
padding: 1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150,
0.2);">
<div style="display: flex; align-items: center; justify-content:
space-between; margin-bottom: 1em;">
<div>
<div style="font-size: 1.3em; font-weight: bold; color: #C9B896;
margin-bottom: 4px;">{{ cwe_code }}</div>
<div style="color: #a9adc1; font-size: 1em;">
{% if cwe_code == 'CWE-79' %}Cross-Site Scripting (XSS)
{% elif cwe_code == 'CWE-89' %}SQL Injection
{% elif cwe_code == 'CWE-20' %}Improper Input Validation
{% elif cwe_code == 'CWE-22' %}Path Traversal
{% elif cwe_code == 'CWE-119' %}Buffer Overflow
{% elif cwe_code == 'CWE-200' %}Information Exposure
{% elif cwe_code == 'CWE-287' %}Improper Authentication
{% elif cwe_code == 'CWE-78' %}OS Command Injection
{% elif cwe_code == 'CWE-266' %}Incorrect Privilege Assignment
{% else %}Common Weakness Enumeration{% endif %}
</div>
</div>
<div style="display: flex; gap: 12px;">
{% if cwe_code.startswith('CWE-') %}
<a href="https://cwe.mitre.org/data/definitions/{{ cwe_code[4:] }}.html"
target="_blank" style="background: #263159; color: #C9B896; padding: 8px
16px; border-radius: 8px; text-decoration: none; font-weight: 500;">View
MITRE Details<span style="margin-left: 6px;">?</span></a>
<a href="{{ url_for('learn.learn_topic', topic='what-is-cwe') }}"
style="background: #42d392; color: white; padding: 8px 16px;
border-radius: 8px; text-decoration: none; font-weight: 500;">Learn About
CWEs</a>
{% endif %}
</div>
</div>
<div style="background: #1a2236; padding: 12px; border-radius: 8px;
border-left: 4px solid #C9B896;">
<div style="color: #94a3b8; font-size: 0.9em; margin-bottom: 4px;">What
this means:</div>
<div style="color: #e2e8f0; line-height: 1.5;">
{% if cwe_code == 'CWE-79' %}This vulnerability allows attackers to inject
malicious scripts into web pages viewed by other users, potentially
stealing sensitive information or performing actions on their behalf.
{% elif cwe_code == 'CWE-89' %}This vulnerability allows attackers to
manipulate database queries, potentially accessing, modifying, or deleting
sensitive data.
{% elif cwe_code == 'CWE-20' %}This vulnerability occurs when software
fails to properly validate input data, potentially allowing attackers to
provide malicious input that causes unexpected behavior.
{% elif cwe_code == 'CWE-266' %}This vulnerability involves incorrect
assignment of privileges, potentially allowing users to access resources
or perform actions beyond their intended authorization level.
{% else %}This represents a common pattern of software weakness that can
lead to security vulnerabilities. Click the links above to learn more
about this specific weakness type.{% endif %}
</div>
</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px;

```

```

text-align: center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No CWE classification available for this vulnerability</div>
</div>
{% endif %}
</div>

{% if cve.get('Products') and cve.get('Products')|length > 0 %}
<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color: #cdd7ff;">Affected
Products</h2>
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%);
padding: 1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150,
0.2);">
<div style="display: grid; gap: 8px;">
{% for product in cve.get('Products', []) %}
<div style="background: #263159; padding: 12px; border-radius: 8px;
border-left: 4px solid #f8a541;">
<span style="color: #f8a541; margin-right: 8px;">?</span>{{ product }}
</div>
{% endfor %}
</div>
</div>
</div>
{% endif %}

<div style="margin-bottom: 2.5em;">
<h2 style="margin: 0 0 1em 0; font-size: 1.4em; color:
#cdd7ff;">References & Additional Information</h2>
{% if cve.get('References') and cve.get('References')|length > 0 %}
<div style="background: linear-gradient(135deg, #232b45 0%, #1e2640 100%);
padding: 1.5em; border-radius: 12px; border: 1px solid rgba(201, 184, 150,
0.2);">
<div style="display: grid; gap: 12px;">
{% for ref in cve.get('References', []) %}
<div style="background: #263159; padding: 14px; border-radius: 8px;
display: flex; align-items: center;"
onmouseover="this.style.background='#2d3d6b'"
onmouseout="this.style.background='#263159'">
<span style="color: #C9B896; margin-right: 12px; font-size: 1.2em;">
{% if 'nvd.nist.gov' in ref %}?{% elif 'cve.mitre.org' in ref %}?{% elif
'github.com' in ref %}?{% elif 'advisory' in ref.lower() or 'security' in
ref.lower() %}?{% else %}?{% endif %}
</span>
<a href="{{ ref }}" target="_blank" style="color: #C9B896;
text-decoration: none; flex: 1; word-break: break-all; line-height:
1.4;">{{ ref }}</a>
<span style="margin-left: 8px; color: #94a3b8; font-size: 0.9em;">?</span>
</div>
{% endfor %}
</div>
</div>
{% else %}
<div style="background: #212d46; padding: 1.5em; border-radius: 12px;
text-align: center; color: #94a3b8; border: 2px dashed #394a6b;">
<div style="font-size: 2em; margin-bottom: 8px;">?</div>
<div>No additional references available</div>
</div>
{% endif %}
</div>

<div style="text-align: center; margin: 3em 0 1em 0; padding-top: 2em;
border-top: 1px solid #394a6b;">
<a href="{{ url_for('main.index') }}" style="background:

```

```
linear-gradient(135deg, #9370DB 0%, #7B68EE 100%); color: white; padding:
12px 24px; border-radius: 8px; font-weight: 600; text-decoration: none;
display: inline-flex; align-items: center;
onmouseover="this.style.transform='translateY(-2px)'"
onmouseout="this.style.transform='translateY(0)'">
? Back to Dashboard
</a>
</div>

</div>
{% endblock %}
```