

templates\learn\cvss-scores.html

```
{% extends "base.html" %}
{% block content %}

<!-- Main container with responsive max-width -->
<div style="max-width:1400px;margin:0 auto 32px auto;padding-top:20px;">

<!-- Page title with CVSS blue theme -->
<h1 style="color:#F5E8D8;">Understanding CVSS Scores</h1>

<!-- Introduction explaining CVSS purpose and usage -->
<div style="color:#e2e8f0; font-size:1.07em; margin-bottom:28px; margin-top:9px;
line-height:1.66;">
CVSS scores help you measure, compare, and prioritize vulnerabilities. Use the range and
severity to decide: Patch now, or monitor?
</div>

<!-- Section header for score breakdown -->
<h2 style="color:#cdd7ff;">Score Breakdown</h2>

<!-- Interactive table showing CVSS score ranges and severities -->
<table id="cvss-score-table" style="color:#e3e8f0;background:linear-gradient(135deg,
#232b45 0%, #1e2640 100%);border-radius:12px;width:75%;margin-bottom:18px;
border-collapse:collapse;border: 1px solid rgba(99, 164, 255, 0.1);box-shadow: 0 6px
24px rgba(0,0,0,0.3);">

<!-- Table header with column titles -->
<tr style="background:#232b45;">
<th style="text-align:center;padding:12px 8px;border-radius:12px 0 0 0;">Score
Range</th>
<th style="text-align:center;padding:12px 8px;">Severity</th>
<th style="text-align:center;padding:12px 8px;">What this means</th>
<th style="text-align:center;padding:12px 8px;border-radius:0 12px 0 0;">Examples</th>
</tr>

<!-- Critical severity row (9.0-10.0) with red color scheme -->
<tr class="cvss-score-row" data-severity="CRITICAL" tabindex="0"
style="background:rgba(38, 49, 89, 0.4);cursor:pointer;">
<td style="text-align:center;padding:10px 8px;">9.0 ? 10.0</td>
<td style="text-align:center;padding:10px 8px;">
<span class="cvss-badger" style="background:#f55855;">Critical</span>
</td>
<td class="cvss-meaning-cell" style="text-align:center;padding:10px 8px;">Immediate
action needed.</td>
<td style="text-align:center;padding:10px 8px;"><a href="{{
url_for('main.vulnerabilities', severity='CRITICAL') }}" class="cvss-link-cve"
style="color:#f55855;text-decoration:underline;">Show Critical CVEs</a></td>
</tr>

<!-- High severity row (7.0-8.9) with orange color scheme -->
<tr class="cvss-score-row" data-severity="HIGH" tabindex="0" style="background:rgba(38,
49, 89, 0.4);cursor:pointer;">
<td style="text-align:center;padding:10px 8px;">7.0 ? 8.9</td>
<td style="text-align:center;padding:10px 8px;">
<span class="cvss-badger" style="background:#f8a541;">High</span>
</td>
<td class="cvss-meaning-cell" style="text-align:center;padding:10px 8px;">Patch as soon
as possible.</td>
<td style="text-align:center;padding:10px 8px;"><a href="{{
url_for('main.vulnerabilities', severity='HIGH') }}" class="cvss-link-cve"
style="color:#f8a541;text-decoration:underline;">Show High CVEs</a></td>
</tr>

<!-- Medium severity row (4.0-6.9) with blue color scheme -->
<tr class="cvss-score-row" data-severity="MEDIUM" tabindex="0"
style="background:rgba(38, 49, 89, 0.4);cursor:pointer;">
<td style="text-align:center;padding:10px 8px;">4.0 ? 6.9</td>
<td style="text-align:center;padding:10px 8px;">
<span class="cvss-badger" style="background:#3b8ded;">Medium</span>
</td>
<td class="cvss-meaning-cell" style="text-align:center;padding:10px 8px;">Review and
patch soon.</td>
```

```

<td style="text-align:center;padding:10px 8px;"><a href="{url_for('main.vulnerabilities', severity='MEDIUM') }}" class="cvss-link-cve" style="color:#3b8ded;text-decoration:underline;">Show Medium CVEs</a></td>
</tr>

<!-- Low severity row (0.1-3.9) with green color scheme -->
<tr class="cvss-score-row" data-severity="LOW" tabindex="0" style="background:rgba(38, 49, 89, 0.4);cursor:pointer;">
<td style="text-align:center;padding:10px 8px;border-radius:0 0 0 12px;">0.1 ? 3.9</td>
<td style="text-align:center;padding:10px 8px;">
<span class="cvss-badger" style="background:#42d392;">Low</span>
</td>
<td class="cvss-meaning-cell" style="text-align:center;padding:10px 8px;">Monitor for now.</td>
<td style="text-align:center;padding:10px 8px;border-radius:0 0 12px 0;"><a href="{url_for('main.vulnerabilities', severity='LOW') }}" class="cvss-link-cve" style="color:#42d392;text-decoration:underline;">Show Low CVEs</a></td>
</tr>
</table>

<!-- Educational section explaining CVSS methodology -->
<h2 style="color:#cdd7ff;">How CVSS v3.1 Works</h2>
<div style="background:#232b45;padding:24px;border-radius:12px;margin-bottom:28px;border:1px solid rgba(99, 164, 255, 0.1);">

<!-- Introduction to CVSS calculation process -->
<div style="color:#e2e8f0;line-height:1.6;margin-bottom:20px;">
<p>CVSS (Common Vulnerability Scoring System) v3.1 calculates vulnerability severity using 8 metrics across 3 groups:</p>
</div>

<!-- Three-column grid showing CVSS metric groups -->
<div style="display:grid;grid-template-columns:1fr 1fr 1fr;gap:24px;margin-bottom:24px;">

<!-- Exploitability metrics group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid #63a4ff;">
<h3 style="color:#F5E8D8;margin:0 0 12px 0;text-align:center;">Exploitability Metrics</h3>
<div style="color:#e2e8f0;font-size:0.95em;line-height:1.5;">
<p style="margin-bottom:8px;"><strong>How easy is it to exploit?</strong></p>
<ul style="margin:0;padding-left:16px;color:#a9adc1;">
<li>Attack Vector</li>
<li>Attack Complexity</li>
<li>Privileges Required</li>
<li>User Interaction</li>
</ul>
</div>
</div>

<!-- Impact metrics group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid #42d392;">
<h3 style="color:#F5E8D8;margin:0 0 12px 0;text-align:center;">Impact Metrics</h3>
<div style="color:#e2e8f0;font-size:0.95em;line-height:1.5;">
<p style="margin-bottom:8px;"><strong>What damage can be done?</strong></p>
<ul style="margin:0;padding-left:16px;color:#a9adc1;">
<li>Confidentiality Impact</li>
<li>Integrity Impact</li>
<li>Availability Impact</li>
</ul>
</div>
</div>

<!-- Scope metric group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid #f8a541;">
<h3 style="color:#F5E8D8;margin:0 0 12px 0;text-align:center;">Scope</h3>
<div style="color:#e2e8f0;font-size:0.95em;line-height:1.5;">
<p style="margin-bottom:8px;"><strong>Boundary consideration</strong></p>
<ul style="margin:0;padding-left:16px;color:#a9adc1;">
<li>Unchanged: Same component</li>
<li>Changed: Affects other components</li>
</ul>
</div>
</div>

```

```

</div>
</div>

<!-- Interactive calculator section -->
<h2 style="color:#cdd7ff;">CVSS v3.1 Calculator <span
style="font-size:0.82em;color:#a9adc1;">(interactive demo)</span></h2>

<!-- Main calculator wrapper with styling -->
<div id="cvss-calc-wrapper" style="background:linear-gradient(135deg,#232b45 0%, #1e2640
100%);padding:24px;border-radius:12px;margin-bottom:28px;box-shadow:0 6px 24px
rgba(0,0,0,0.3);border:1px solid rgba(99, 164, 255, 0.1);">

<!-- Three-column grid for metric input groups -->
<div style="display:grid;grid-template-columns:1fr 1fr
1fr;gap:24px;margin-bottom:32px;">

<!-- Exploitability metrics input group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid
#63a4ff;">
<h3 style="color:#F5E8D8;margin:0 0 16px 0;text-align:center;">Exploitability</h3>
<form id="cvss-calc-form" autocomplete="off">
<div style="display:flex;flex-direction:column;gap:12px;">

<!-- Attack Vector dropdown with tooltip -->
<div class="cvss-input-group">
<label class="cvss-label">Attack Vector <span class="cvss-info" title="How can the
attacker reach the vulnerable component?"></span></label>
<select name="AV" class="cvss-select">
<option value="N">? Network (Remote)</option>
<option value="A">? Adjacent Network</option>
<option value="L">? Local Access</option>
<option value="P">? Physical Access</option>
</select>
</div>

<!-- Attack Complexity dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Attack Complexity <span class="cvss-info" title="How difficult
is the attack to execute?"></span></label>
<select name="AC" class="cvss-select">
<option value="L">? Low (Easy to exploit)</option>
<option value="H">? High (Complex conditions)</option>
</select>
</div>

<!-- Privileges Required dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Privileges Required <span class="cvss-info" title="What access
level does attacker need?"></span></label>
<select name="PR" class="cvss-select">
<option value="N">? None</option>
<option value="L">? Low (Basic user)</option>
<option value="H">? High (Admin privileges)</option>
</select>
</div>

<!-- User Interaction dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">User Interaction <span class="cvss-info" title="Does a user
need to do something?"></span></label>
<select name="UI" class="cvss-select">
<option value="N">? None (Automatic)</option>
<option value="R">? Required (User must click/act)</option>
</select>
</div>
</div>
</div>

<!-- Impact metrics input group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid
#42d392;">
<h3 style="color:#F5E8D8;margin:0 0 16px 0;text-align:center;">Impact</h3>
<div style="display:flex;flex-direction:column;gap:12px;">

<!-- Confidentiality Impact dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Confidentiality Impact <span class="cvss-info" title="Can

```

```

attacker read protected information?">?</span></label>
<select name="C" class="cvss-select">
<option value="H">? High (Full disclosure)</option>
<option value="L">? Low (Limited disclosure)</option>
<option value="N">? None</option>
</select>
</div>

<!-- Integrity Impact dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Integrity Impact <span class="cvss-info" title="Can attacker
modify data?">?</span></label>
<select name="I" class="cvss-select">
<option value="H">?? High (Full modification)</option>
<option value="L">? Low (Limited modification)</option>
<option value="N">? None</option>
</select>
</div>

<!-- Availability Impact dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Availability Impact <span class="cvss-info" title="Can
attacker disrupt service?">?</span></label>
<select name="A" class="cvss-select">
<option value="H">?? High (Complete shutdown)</option>
<option value="L">?? Low (Performance impact)</option>
<option value="N">? None</option>
</select>
</div>
</div>
</div>

<!-- Scope metric input group -->
<div style="background:#263159;border-radius:8px;padding:20px;border-top:3px solid
#f8a541;">
<h3 style="color:#F5E8D8;margin:0 0 16px 0;text-align:center;">Scope</h3>
<div style="display:flex;flex-direction:column;gap:12px;">

<!-- Scope dropdown -->
<div class="cvss-input-group">
<label class="cvss-label">Scope <span class="cvss-info" title="Does vulnerability affect
other components?">?</span></label>
<select name="S" class="cvss-select">
<option value="U">? Unchanged (Same component)</option>
<option value="C">? Changed (Affects others)</option>
</select>
</div>

<!-- Calculate button triggers form submission -->
<button type="submit" class="cvss-calculate-btn">
<span>? Calculate CVSS Score</span>
</button>
</div>
</div>
</form>
</div>

<!-- Score display and explanation section -->
<div style="display:grid;grid-template-columns:1fr 2fr;gap:32px;align-items:center;">

<!-- Left column: Score visualization -->
<div style="display:flex;flex-direction:column;align-items:center;">
<!-- Dynamic badge showing current score and severity -->
<div id="cvss-calc-badge" aria-live="polite" style="margin-bottom:8px;"></div>

<!-- Container for Chart.js gauge -->
<div style="position:relative;display:flex;align-items:center;justify-content:center;">
<canvas id="cvssScoreGauge" width="180" height="120" style="background:none;"></canvas>
</div>

<!-- Score label below gauge -->
<div id="cvssGaugeLabel"
style="text-align:center;margin-top:8px;color:#a9adc1;font-size:0.95em;"></div>
</div>

<!-- Right column: Calculation explanation -->
<div id="cvssExplanation" style="color:#e2e8f0;line-height:1.6;">

```

```
<h4 style="color:#63a4ff;margin:0 0 12px 0;">Calculation Details:</h4>
<p style="margin-bottom:12px;">Adjust the metrics above to see how different attack
scenarios affect the CVSS score. The calculator uses the official CVSS v3.1 formula.</p>
<div style="background:#1a2236;padding:12px;border-radius:8px;border-left:4px solid
#63a4ff;">
<strong style="color:#fca311;">Tip:</strong> Higher exploitability and impact scores
result in higher overall CVSS scores. Scope changes can significantly affect the final
calculation.
</div>
</div>
</div>
</div>
```

```
<!-- Chart.js library from CDN for gauge visualization -->
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
```

```
<script>
// Enhanced tooltip handling for help icons
document.querySelectorAll('.cvss-info').forEach(function(el){
el.setAttribute('tabindex','0'); // Make focusable for keyboard navigation
el.style.display = 'inline-block';
el.style.transition = 'color 0.18s';
el.style.color = '#63a4ff';
el.style.borderRadius = '50%';
el.style.fontWeight = '900';
el.style.cursor = 'help';
// Hover effect for visual feedback
el.addEventListener('mouseover',function(){el.style.color='#fca311'});
el.addEventListener('mouseout',function(){el.style.color='#63a4ff'});
});

// Global variable to track current gauge chart instance
let gaugeChart = null;

// Severity-specific styling and advice configuration
const scoreAdvice = {
'CRITICAL': {
msg: "Critical severity: Immediate action required. Patch now or take system offline if
patch unavailable.",
color: "#f55855"
},
'HIGH': {
msg: "High severity: Patch quickly, ideally within days. High risk of active
exploitation.",
color: "#f8a541"
},
'MEDIUM': {
msg: "Medium severity: Review and patch soon, especially if combined with other
vulnerabilities.",
color: "#3b8ded"
},
'LOW': {
msg: "Low severity: Monitor and patch in next maintenance cycle unless actively
targeted.",
color: "#42d392"
}
};

// Function to create/update the gauge visualization
function drawScoreGauge(score, label, severity) {
const ctx = document.getElementById("cvssScoreGauge").getContext("2d");
// Destroy existing chart to prevent memory leaks
if (gaugeChart) gaugeChart.destroy();

// Create gradient for visual appeal
const gradient = ctx.createLinearGradient(0, 0, 180, 0);
gradient.addColorStop(0, scoreAdvice[severity].color);
gradient.addColorStop(1, scoreAdvice[severity].color + '80');

// Configure Chart.js doughnut as semicircle gauge
gaugeChart = new Chart(ctx, {
type: 'doughnut',
data: {
datasets: [{
data: [score, 10 - score], // Score portion and remaining portion
backgroundColor: [gradient, "rgba(35, 43, 69, 0.3)"], // Active and inactive colors
borderWidth: 0,
}]
}
});
}
```

```

cutout: "75%" // Creates ring shape instead of solid circle
}]
},
options: {
  circumference: 180, // Half circle (semicircle)
  rotation: 270, // Start from top
  plugins: {
    legend: { display: false }, // Hide default legend
    tooltip: { enabled: false } // Disable tooltips for cleaner look
  },
  animation: {
    animateRotate: true, // Smooth rotation animation
    duration: 800 // 800ms animation duration
  }
}
});

// Update gauge label with score and severity
document.getElementById("cvssGaugeLabel").innerHTML =
`<div style="font-size: 2.2em; font-weight: 800; color: ${scoreAdvice[severity].color};
text-shadow: 0 2px 4px rgba(0,0,0,0.3);">${score.toFixed(1)}</div>
<div style="font-weight: 600; color: ${scoreAdvice[severity].color}; font-size: 1em;
margin-top: 4px;">${label}</div>`;

// Update explanation section with context-specific advice
document.getElementById("cvssExplanation").innerHTML = `
<h4 style="color:#63a4ff;margin:0 0 12px 0;">Score Analysis:</h4>
<p style="margin-bottom:12px;">${scoreAdvice[severity].msg}</p>
<div style="background:#1a2236;padding:12px;border-radius:8px;border-left:4px solid
${scoreAdvice[severity].color};">
<strong style="color:#fca311;">Score: ${score.toFixed(1)}/10 (${label})</strong>
</div>`;
}

// Function to update the severity badge display
function updateCalcBadge(score, severity) {
  const badge = document.getElementById("cvss-calc-badge");
  if (!severity) { badge.style.display = "none"; return; }

  // Icons for different severity levels
  const icons = { CRITICAL: '?', HIGH: '??', MEDIUM: '?', LOW: '??' };

  // Create styled badge with gradient background
  badge.innerHTML = `<div style="background: linear-gradient(135deg,
${scoreAdvice[severity].color}, ${scoreAdvice[severity].color}dd);
color: white;
padding: 8px 16px;
border-radius: 20px;
font-weight: 700;
font-size: 1em;
display: inline-flex;
align-items: center;
gap: 8px;
box-shadow: 0 4px 16px rgba(0,0,0,0.2);
border: 1px solid rgba(255,255,255,0.2);">
${icons[severity]} ${score.toFixed(1)} ? ${severity.charAt(0) +
severity.slice(1).toLowerCase()}
</div>`;
  badge.style.display = '';
}

// Function to reset calculator to default state
function resetCalculator() {
  const form = document.getElementById('cvss-calc-form');
  form.reset();

  // Set default values for worst-case scenario (Critical rating)
  form.AV.value = 'N'; // Network access
  form.AC.value = 'L'; // Low complexity
  form.PR.value = 'N'; // No privileges required
  form.UI.value = 'N'; // No user interaction
  form.C.value = 'H'; // High confidentiality impact
  form.I.value = 'H'; // High integrity impact
  form.A.value = 'H'; // High availability impact
  form.S.value = 'U'; // Unchanged scope

  // Clear visual displays

```

```

document.getElementById("cvss-calc-badge").style.display = "none";
document.getElementById("cvssGaugeLabel").innerHTML = '';
if (gaugeChart) gaugeChart.destroy();

// Reset explanation to default text
document.getElementById("cvssExplanation").innerHTML = `
<h4 style="color:#63a4ff;margin:0 0 12px 0;">Calculation Details:</h4>
<p style="margin-bottom:12px;">Adjust the metrics above to see how different attack
scenarios affect the CVSS score. The calculator uses the official CVSS v3.1 formula.</p>
<div style="background:#1a2236;padding:12px;border-radius:8px;border-left:4px solid
#63a4ff;">
<strong style="color:#fca311;">Tip:</strong> Higher exploitability and impact scores
result in higher overall CVSS scores. Scope changes can significantly affect the final
calculation.
</div>`;
}

// CVSS v3.1 calculation using official NIST formula
const cvssCalcForm = document.getElementById('cvss-calc-form');
cvssCalcForm.addEventListener('submit', function(e){
e.preventDefault(); // Prevent form submission and page reload

// Extract metric values using official CVSS v3.1 scoring weights
const AV = {'N': 0.85, 'A': 0.62, 'L': 0.55, 'P': 0.2}[this.AV.value];
const AC = {'L': 0.77, 'H': 0.44}[this.AC.value];
const PR_vals = {'N': 0.85, 'L': 0.62, 'H': 0.27}; // Base privileges required values
const UI = {'N': 0.85, 'R': 0.62}[this.UI.value];
const S = this.S.value; // Scope affects calculation

// Scope affects Privileges Required values (CVSS specification requirement)
let PR = PR_vals[this.PR.value];
if (S === 'C' && this.PR.value === 'L') PR = 0.68; // Changed scope, low privileges
if (S === 'C' && this.PR.value === 'H') PR = 0.50; // Changed scope, high privileges

// Impact metric values
const C = {'H': 0.56, 'L': 0.22, 'N': 0}[this.C.value]; // Confidentiality
const I = {'H': 0.56, 'L': 0.22, 'N': 0}[this.I.value]; // Integrity
const A = {'H': 0.56, 'L': 0.22, 'N': 0}[this.A.value]; // Availability

// Calculate ISS (Impact Sub Score) using CIA triad
const ISS = 1 - (1 - C) * (1 - I) * (1 - A);

// Calculate Impact score based on scope
let impact;
if (S === 'U') {
// Unchanged scope formula
impact = 6.42 * ISS;
} else {
// Changed scope formula (more complex calculation)
impact = 7.52 * (ISS - 0.029) - 3.25 * Math.pow(ISS - 0.02, 15);
}

// Calculate Exploitability score from attack metrics
const exploitability = 8.22 * AV * AC * PR * UI;

// Calculate final Base Score using CVSS v3.1 formula
let baseScore;
if (impact <= 0) {
baseScore = 0; // No impact means zero score
} else {
if (S === 'U') {
// Unchanged scope: simple addition
baseScore = Math.min(impact + exploitability, 10);
} else {
// Changed scope: apply multiplier
baseScore = Math.min(1.08 * (impact + exploitability), 10);
}
}

// Round to one decimal place per CVSS standard
baseScore = Math.round(baseScore * 10) / 10;

// Determine severity category based on score ranges
let severity = "LOW";
if (baseScore >= 9.0) severity = "CRITICAL";
else if (baseScore >= 7.0) severity = "HIGH";
else if (baseScore >= 4.0) severity = "MEDIUM";

```

```

// Update UI with calculated results
updateCalcBadge(baseScore, severity);
drawScoreGauge(baseScore, severity.charAt(0) + severity.slice(1).toLowerCase(),
severity);
});

// Calculate initial score when page loads
document.addEventListener('DOMContentLoaded', function() {
cvssCalcForm.dispatchEvent(new Event('submit'));
});
</script>

<!-- CSS styles for calculator components -->
<style>
/* Severity badge styling with consistent colors */
.cvss-badge {
color:#fff;
border-radius:12px;
padding:3px 13px;
font-size:0.93em;
font-weight:600;
display:inline-block;
}

/* Interactive table row states */
.cvss-score-row:focus, .cvss-score-row:active {
outline:none;
background:rgba(35, 43, 69, 0.8) !important; /* Darker on focus/active */
}

.cvss-score-row:hover {
background:rgba(35, 43, 69, 0.6) !important; /* Lighter on hover */
}

/* Help icon styling with interactive states */
.cvss-info {
cursor:help !important;
border-bottom:1px dotted #63a4ff;
margin-left:2px;
font-size:0.97em;
}

/* Form input group layout */
.cvss-input-group {
display: flex;
flex-direction: column;
gap: 4px;
}

/* Form label styling */
.cvss-label {
font-weight: 600;
color: #cdd7ff;
font-size: 0.95em;
display: flex;
align-items: center;
gap: 6px;
}

/* Dropdown select styling */
.cvss-select {
background: #232b45;
border: 1px solid rgba(99, 164, 255, 0.2);
border-radius: 8px;
padding: 8px 12px;
color: #e3e8f0;
font-size: 0.95em;
cursor: pointer;
transition: all 0.2s ease;
outline: none;
}

/* Dropdown hover state */
.cvss-select:hover {
border-color: rgba(99, 164, 255, 0.4);
background: #2a3650;
}

```



```

}

/* Dropdown focus state for accessibility */
.cvss-select:focus {
border-color: #63a4ff;
box-shadow: 0 0 2px rgba(99, 164, 255, 0.2);
}

/* Dropdown option styling */
.cvss-select option {
background: #1e2640;
color: #e3e8f0;
padding: 8px;
}

/* Calculate button styling */
.cvss-calculate-btn {
background: linear-gradient(135deg, #63a4ff 0%, #4d8ef7 100%);
border: none;
border-radius: 10px;
padding: 12px 18px;
color: white;
font-weight: 700;
font-size: 1em;
cursor: pointer;
transition: all 0.2s ease;
box-shadow: 0 4px 16px rgba(99, 164, 255, 0.3);
}

/* Calculate button hover effect */
.cvss-calculate-btn:hover {
transform: translateY(-1px); /* Subtle lift effect */
box-shadow: 0 6px 20px rgba(99, 164, 255, 0.4);
}

/* Calculate button active state */
.cvss-calculate-btn:active {
transform: translateY(0); /* Return to original position */
}

/* Reset button styling (if needed) */
.cvss-reset-btn {
background: linear-gradient(135deg, #6b7280 0%, #4b5563 100%);
border: none;
border-radius: 10px;
padding: 10px 18px;
color: white;
font-weight: 600;
font-size: 0.95em;
cursor: pointer;
transition: all 0.2s ease;
box-shadow: 0 2px 8px rgba(0, 0, 0, 0.2);
}

.cvss-reset-btn:hover {
transform: translateY(-1px);
box-shadow: 0 4px 12px rgba(0, 0, 0, 0.3);
background: linear-gradient(135deg, #4b5563 0%, #374151 100%);
}

.cvss-reset-btn:active {
transform: translateY(0);
}

/* Responsive design breakpoints */
@media (max-width: 1024px) {
/* Tablet layout: stack calculator columns */
#cvss-calc-wrapper > div:first-child {
grid-template-columns: 1fr;
gap: 24px;
}

#cvss-calc-wrapper > div:last-child {
grid-template-columns: 1fr;
gap: 24px;
text-align: center;
}
}

```

```
}

@media (max-width: 768px) {
/* Mobile layout: single column for all grids */
div[style*="grid-template-columns:1fr 1fr 1fr"] {
grid-template-columns: 1fr !important;
}
}
</style>

<!-- Navigation back to main dashboard -->
<div style="text-align:center; margin:2.5em 0 1em 0;">
<a href="{{ url_for('main.index') }}" style="color:#F5E8D8; padding:0.8em 2em;
border-radius:6px; font-weight:600; text-decoration:none;">
? Back to Dashboard
</a>
</div>

</div>
<!-- End content block -->
{% endblock %}
```