

templates\base.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>{{ APP_NAME or "VulnEdu" }}</title>
<link rel="stylesheet" href="{{ url_for('static',
filename='css/styles.css') }}" />
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
<style>
body {
margin: 0;
font-family: 'Segoe UI', 'Arial', 'sans-serif';
background-color: #101828;
color: #f8fafc;
}
.sidebar {
width: 250px;
background: #1a2236;
color: #fff;
padding: 30px 0 0 0;
height: 100vh;
position: fixed;
left: 0; top: 0; bottom: 0;
box-shadow: 2px 0 14px rgba(0,0,0,0.1);
}
.sidebar-header {
font-weight: 700;
font-size: 1.5rem;
color: #F5E8D8;
text-align: center;
margin-bottom: 30px;
}
.sidebar-links {
padding-left: 24px;
display: flex;
flex-direction: column;
gap: 12px;
}
.sidebar-links a,
.sidebar-links .sidebar-parent {
color: #a9adc1;
text-decoration: none;
font-weight: 600;
padding: 8px 6px;
border-radius: 4px;
transition: background 0.2s, color 0.2s;
}
.sidebar-links a.active, .sidebar-links a:hover {
background: #263159;
color: #fff;
}
.sidebar-links .sidebar-parent {
padding-bottom: 4px;
}
.sidebar-submenu {
display: flex;
flex-direction: column;
gap: 4px;
}
```

```

margin-left: 20px;
margin-top: 3px;
}
.sidebar-submenu a {
font-weight: 520;
font-size: 0.97em;
padding: 7px 7px 7px 18px;
color: #a9adc1;
border-radius: 3px;
transition: background 0.2s, color 0.2s;
}
.sidebar-submenu a.active, .sidebar-submenu a:hover {
background: #263159;
color: #F5E8D8;
}
.mainwrap {
margin-left: 250px;
min-height: 100vh;
background: #101828;
box-sizing: border-box;
}
header {
padding: 0;
background: transparent;
color: inherit;
}
main {
max-width: 1500px;
margin: 0 auto;
padding: 36px 40px;
}
footer {
padding: 16px;
background: #151e37;
color: #94a3b8;
font-size: 0.91em;
text-align: right;
}
</style>
{% block head %}{% endblock %}
</head>
<body>
<aside class="sidebar">
<div class="sidebar-header">VulnEdu</div>
<div class="sidebar-links">
<a href="{% url_for('main.index') %}" class="{% if request.endpoint ==
'main.index' %}active{% endif %}">Dashboard</a>
<a href="{% url_for('main.vulnerabilities') %}" class="{% if
request.endpoint == 'main.vulnerabilities' %}active{% endif
%}">Vulnerabilities</a>

<div class="sidebar-parent" style="font-size:1.05em;
color:#a9adc1;">Learn</div>
<div class="sidebar-submenu">
<a href="{% url_for('learn.learn_topic', topic='what-is-cwe') %}"
class="{% if request.endpoint == 'learn.learn_topic' and
request.view_args.topic == 'what-is-cwe' %}active{% endif %}">
What is a CWE?
</a>
<a href="{% url_for('learn.learn_topic', topic='what-is-cve') %}"
class="{% if request.endpoint == 'learn.learn_topic' and
request.view_args.topic == 'what-is-cve' %}active{% endif %}">
What is a CVE?
</a>

```

```
<a href="{{ url_for('learn.learn_topic', topic='cvss-scores') }}"
class="{% if request.endpoint == 'learn.learn_topic' and
request.view_args.topic == 'cvss-scores' %}active{% endif %}">
Understanding CVSS Scores
</a>
<a href="{{ url_for('learn.learn_topic', topic='what-is-nvd-mitre') }}"
class="{% if request.endpoint == 'learn.learn_topic' and
request.view_args.topic == 'what-is-nvd-mitre' %}active{% endif %}">
What is NVD & MITRE?
</a>
<a href="{{ url_for('learn.learn_topic', topic='cve-vs-cwe-vs-cvss') }}"
class="{% if request.endpoint == 'learn.learn_topic' and
request.view_args.topic == 'cve-vs-cwe-vs-cvss' %}active{% endif %}">
CVE vs CWE vs CVSS
</a>
</div>

<a href="{{ url_for('utility.references') }}" class="{% if
request.endpoint == 'utility.references' %}active{% endif %}">References
& Resources</a>
</div>
</aside>

<div class="mainwrap">
<header></header>
<main>
{% block content %}{% endblock %}
</main>
<footer>© 2025 VulnEdu · Educational CVE Analysis Tool</footer>
</div>

<script src="{{ url_for('static', filename='js/main.js') }}"></script>
{% block scripts %}{% endblock %}
</body>
</html>
```