


HQDFM Design for Manufacture(DFM) Report



File name: 0000A1086856_1

Time: 2026-10-01Layer count:2PCB Thickness: 1.60Quantity: 5mm



Basic Board Specs	Trace Width/Spacing	8.00/8.00mil+
	Milling Density	
	Surface Finish Area	12.17%
	Test Point Count	
	Panel Efficiency	

The file size is small, which can affect the surface mount assembly process. It is recommended to have a size larger than 7*7cm. You can optimize the size by adding a process edge or increasing the panelization.



Type	Category	No. of Checks	Result
General Analysis	Ipc Check	1	
	Types Devices	1	
PCB_SOLDERMASK	Solder Mask Analysis	4	Pass
	Missing Mask Opening	2	Pass
PCB_SILKSCREEN	Silkscreen Analysis	2	Pass 3
PCB_SIGNAL	Signal Integrity	5	Pass 2
	Smallest Trace Width	1	Pass 2
	Smallest Trace Spacing	4	Pass 1
	SMD Pad Spacing	2	Pass
	Pad Size	3	Pass
	Annular Ring Size	4	Pass
	Drill to Copper	4	Pass
	Copper/Edge Gap	3	Pass
	Drill On Pad	4	Pass
	Special Pad	1	Pass 2
	Hatched Copper	1	Pass
	Drill Size	14	Pass 9
PCB_DRILL	Drill Spacing	32	Pass
	Drill to Edge	4	Pass
	Special Drills	3	Pass

ID	Check	Limits	Value	Issue	Image	Position	Qty	Level
----	-------	--------	-------	-------	-------	----------	-----	-------