

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepus.springsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target

Markers Properties Servers Snippets Console

Mar 17, 2017 6:21:24 PM org.apache.catalina.startup.Catalina start
INFO: Server startup in 3532 ms

Hibernate:

```
select
  team0_.id as id1_1_,
  team0_.name as name2_1_,
  team0_.rating as rating3_1_
from
  public.teams team0_
```

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer



- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepus.springsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target

Markers Properties Servers Snippets Console

Mar 17, 2017 6:21:24 PM org.apache.catalina.startup.Catalina start
INFO: Server startup in 3532 ms

Hibernate:

```
select
  team0_.id as id1_1_,
  team0_.name as name2_1_,
  team0_.rating as rating3_1_
from
  public.teams team0_
```



Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepuspringsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target

Markers Properties Servers Snippets Console

values
(?, ?)

Hibernate:

```
select
team0_.id as id1_1_,
team0_.name as name2_1_,
team0_.rating as rating3_1_
from
public.teams team0_
```

Done

Screenshot saved
The screenshot was added to your OneDrive.

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepuspringsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target

Markers Properties Servers Snippets Console

values
(?, ?)

Hibernate:

```
select
team0_.id as id1_1_,
team0_.name as name2_1_,
team0_.rating as rating3_1_
from
public.teams team0_
```

Done

Ask me anything

ENG US 6:27 PM 3/17/2017

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepuspringsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target
 - com.xml

Markers Properties Servers Snippets Console

Player was successfully Added

[Add New Player](#)

[Players List](#)

[Home page](#)

```
from
public.teams team0_
Hibernate:
insert
into
public.player
(age, noc, playername, specialization, teamname, totalruns)
values
(?, ?, ?, ?, ?, ?)
```

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples
 - src/main/java
 - com.deepuspringsscenarios
 - Address.java
 - Answer.java
 - Employee.java
 - Question.java
 - Student.java
 - Test.java
 - Test1.java
 - Test2.java
 - User.java
 - src/test/java
 - JRE System Library [J2SE-1.5]
 - Maven Dependencies
 - src
 - main
 - resources
 - applicationContext.xml
 - applicationContext1.xml
 - applicationContext2.xml
 - test
 - target
 - com.xml

Markers Properties Servers Snippets Console

Here you can see the list of the players, edit them, delete.

ID	Team Name	PlayerName	Age	Specialization	Number of Centuries	Total Runs	Actions
1	India	Deepak	23	Batsman	3	600	Edit Player Delete Player
2	Pakistan	Deepak	23	Batsman	300	600	Edit Player Delete Player
3	Pakistan	Afridi	35	All-Rounder	2	500	Edit Player Delete Player
4	India	Dhoni	38	All-rounder	5	900	Edit Player Delete Player

[Add Player](#)

[Player Home page](#)

[Home page](#)

```
player0.id as id1_0_,
player0.age as age2_0_,
player0.noc as noc3_0_,
player0.playername as playername4_0_,
player0.specialization as special15_0_,
player0.teamname as teamname6_0_,
player0.totalruns as totalrun7_0_
from
public.player player0_
```

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - main
 - java
 - resources
 - webapp
 - WEB-INF
 - pages
 - add-player-form.jsp
 - add-team-form.jsp
 - contactus.jsp
 - edit-player-form.jsp
 - edit-team-form.jsp
 - home.jsp
 - list-of-players.jsp
 - list-of-teams.jsp
 - playerhome.jsp
 - registration-form.jsp
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples

Markers Properties Servers Snippets Console

```
public.player player0_
where
  player0_.id=?
Hibernate:
delete
from
  public.player
where
  id=?
```

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - main
 - java
 - resources
 - webapp
 - WEB-INF
 - pages
 - add-player-form.jsp
 - add-team-form.jsp
 - contactus.jsp
 - edit-player-form.jsp
 - edit-team-form.jsp
 - home.jsp
 - list-of-players.jsp
 - list-of-teams.jsp
 - playerhome.jsp
 - registration-form.jsp
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples

Markers Properties Servers Snippets Console

```
where
  id=?
Hibernate:
insert
into
  public.teams
  (name, rating)
values
  (?, ?)
```

Team was successfully added
[Add new team](#)
[Teams List](#)

Screenshot saved
The screenshot was added to your OneDrive.

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - main
 - java
 - resources
 - webapp
 - WEB-INF
 - pages
 - add-player-form.jsp
 - add-team-form.jsp
 - contactus.jsp
 - edit-player-form.jsp
 - edit-team-form.jsp
 - home.jsp
 - list-of-players.jsp
 - list-of-teams.jsp
 - playerhome.jsp
 - registration-form.jsp
 - web.xml
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples

Markers Properties Servers Snippets Console

values

(?, ?)

Hibernate:

```
select
team0_id as id1_1,
team0_name as name2_1,
team0_rating as rating3_1_
from
public.teams team0_
```

Screenshot saved
The screenshot was added to your OneDrive.

Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

- cricket-team-ratings
 - JAX-WS Web Services
 - Java Resources
 - JavaScript Resources
 - Deployed Resources
 - src
 - main
 - java
 - resources
 - webapp
 - WEB-INF
 - pages
 - add-player-form.jsp
 - add-team-form.jsp
 - contactus.jsp
 - edit-player-form.jsp
 - edit-team-form.jsp
 - home.jsp
 - list-of-players.jsp
 - list-of-teams.jsp
 - playerhome.jsp
 - registration-form.jsp
 - web.xml
 - target
 - pom.xml
 - Hibernate-Examples
 - in28Minutes-springmvc
 - Jdbc-Demo
 - Servers
 - Spring-Examples

Markers Properties Servers Snippets Console

values

(?, ?)

Hibernate:

```
select
team0_id as id1_1,
team0_name as name2_1,
team0_rating as rating3_1_
from
public.teams team0_
```

IPL Cricket Tournament

2017

Registrations Open for 2017

Add player page

Here you can add a new player.

Team Name:

PlayerName:

Age:



Specialization:

Number of Centuries:

Total Runs:

Add

Player Home page



Java EE - http://localhost:8080/cricket-team-ratings/ - Eclipse

File Edit Navigate Search Project Run Window Help

Project Explorer

cricket-team-ratings

JAX-WS Web Services

Java Resources

JavaScript Resources

Deployed Resources

src

main

java

resources

webapp

WEB-INF

pages

add-player-form.jsp

add-team-form.jsp

contactus.jsp

edit-player-form.jsp

edit-team-form.jsp

home.jsp

list-of-players.jsp

list-of-teams.jsp

playerhome.jsp

registration-form.jsp

web.xml

target

pom.xml

Hibernate-Examples

in28Minutes-springmvc

Jdbc-Demo

Servers

Spring-Examples

List of Players

http://localhost:8080/cricket-team-ratings/team/playerlist.html

IPL Cricket Tournament

2017

Here you can see the list of the players, edit them, delete.

Registrations Open for 2

Id	Team Name	PlayerName	Age	Specialization	Number of Centuries	Total Runs	Actions
1	India	Deepak	23	Batsman	3	600	Edit Player Delete Player
3	Pakistan	Afridi	35	All-Rounder	2	500	Edit Player Delete Player
4	India	Dhoni	38	All-rounder	5	900	Edit Player Delete Player
5	England	Gilham	33	Batsman	1	300	Edit Player Delete Player

Markers

Properties

Servers

Snippets

Console

player0_.id as id1_0,
player0_.age as age2_0,
player0_.noc as noc3_0,
player0_.playername as playerna4_0,
player0_.specialization as speciali5_0,
player0_.teamname as teamname6_0,
player0_.totalruns as totalrun7_0
from
public.player player0_

Screenshot saved

The screenshot was added to your OneDrive.

OneDrive

Windows Taskbar

Ask me anything

7:38 PM 3/17/2017