



## mongodbs



MongoDB



an anonymous user · 8 minutes ago







## Output

```
mycompiler mongodb> admin
                                 59 B
config
            0 B
local 2.45 KiB
mycompiler_mongodb> switched to db deepak
deepak> { ok: 1 }
deepak> book
deepak> {
  acknowledged: true,
  insertedId:
ObjectId("6446843c8ea7d4c31ddf5e75")
deepak> ... {
  acknowledged: true,
  insertedIds: {
    '0':
ObjectId("6446843d8ea7d4c31ddf5e76"),
```

```
'1':
ObjectId("6446843d8ea7d4c31ddf5e77"),
    '2':
ObjectId("6446843d8ea7d4c31ddf5e78")
deepak> [
    _id:
ObjectId("6446843c8ea7d4c31ddf5e75"),
    name: 'Deepak',
    age: 20
 },
 { _id:
ObjectId("6446843d8ea7d4c31ddf5e76"),
name: 'sagar', age: 21 },
 { _id:
ObjectId("6446843d8ea7d4c31ddf5e77"),
name: 'manas', age: 22 },
  { _id:
ObjectId("6446843d8ea7d4c31ddf5e78"),
name: 'vikas', age: 20 }
deepak>
[Execution complete with exit code 0]
```



Get 10 Free Images From Adobe Stock. Start Now.

ADS VIA CARBON

## Comments

Please sign up or log in to contribute to the discussion.

Supported languages						
Deno	JavaScript	NodeJS	Python	Ruby	Go	
С	C++	Java	C#	TypeScript	PHP	
Bash	Lua	R	Fortran	Erlang	SQL	
MySQL	MongoDB	Clojure	D	Perl	Kotlin	
Swift	Rust	Assembly				
Programming guides   Terms of service   Privacy policy   Contact us   © 2019 - 2023 mycompiler.io.						