
Pflichenheft


<u>Tasks</u>

- DB structure (sum = 3.5h) - TBL_Login_User (0.5h) - UserID (PK) - Password - TBL_User (1h) - UserID (PK) - Name - Adress - ZIP_Code - City - OrderID - Bill ID - TBL_Order (1h) - OrderID (PK) - OrderDate - ArticleID - Amount - SumTotal - Status - TBL_Bill (1h) - Bill ID (PK) - Date of delivery - ArticleID - Amount

- SumTotal




- Login (2h)
 - GUI Login
 - Funktion Login: check with existing users
 - allocate session ID
 - direct to window -> select template needed (radiobutton or dropdown)
 - error message + redirect if login failed



- -Logout (1h)
 - deallocate session ID
 - return to login page
 - clear login fields

- Create account (0.5h)
 - new entry in the TBL_Login_User and TBL_User
 - Check with existing users to avoid duplicates
- Select template and specify data export (2h)
 - select template needed (radiobutton or dropdown)
 - insert data needed (date)
 - direct to selected template



- Template design + functionality (6h)
 - Lieferschein Template
 - search for specific order which was already delivered
 - Rechnung Template
 - search for specific order which wasn't delivered yet
 - Bestellungen Jahresabrechnung
 - sums amount of all orders placed by logged in user in specific year
- Import data (4h)
 - Check with User in TBL User -> Bestellungen, Rechnungen
 - Check with existing users to avoid duplicates

ASP FrameNetwork 45