Xindex v4

The hybrid multichain index

How one ERC-20 can hold the largest crypto assets in kind, across chains, with no custodian inside the protocol.

Status: proposal. Stage A is built (branch v4-stage-a), not yet audited or deployed; nothing beyond it is. Measurements dated 29 Sep 2026.

13
tokens held in kind: WBTC, WETH, LINK, UNI and 9 chains' coins

89.5%
of the top 100's value (without stablecoins and wrapped copies)

2.6%
tracking error per year against the top 100 (one-year backtest)

≤ 0.5%
of an index per day: the most any single failure can cost (WBTC excepted)

Contents

1. Summary
2. Why a new model
3. Which assets it holds
4. Architecture at a glance
5. Components
6. Data model and cross-chain messages
7. How it works: the flows
8. Accounting and invariants
9. Security model
10. Surviving upgrades
11. Scale, liquidity and reliability
12. Valuing the index
13. Trade-offs
14. Parameters
15. Recorded decisions and funding
16. Build stages and verification
17. Open questions
Appendix: data sources

1. Summary

Xindex v3 holds only tokens that exist on Ethereum, prices them with Chainlink and allows up to 20 of them. That rules out a broad top-100 index: most of the market's value lives on other chains, most tokens have no Chainlink feed on Ethereum, and one-click minting of many tokens does not fit in a transaction.

v4 keeps one ERC-20 per index and holds every asset in kind, where it naturally lives:

- **On Ethereum:** WBTC, WETH and the tokens native to Ethereum sit in the index contract itself, exactly as in v3.
- **On other smart-contract chains:** native BNB, SOL, TRX, HYPE and others sit in **ownerless vault contracts** on their own chains. A vault pays out only against a cryptographic proof of what happened on Ethereum, so no person or company holds their keys.
- **No prices where money moves:** units follow market caps through *units* = *k* × *supply*, so prices cancel out, and rebalancing auctions are bounded by supply ratios alone.
- **Minters** (market makers) create and redeem shares in kind across chains; everyone else buys and sells the index token on Uniswap or through mint and redeem requests, without leaving Ethereum.
- **The bounded-loss standard:** no single failure in anything v4 builds can cost holders more than about 0.5% of an index per day, anyone can check everything, and holders can always take the rest out.
- **A weight floor keeps it practical:** the flagship index holds the 13 tokens above 0.2% of the market that pass the liquidity screen and the listing check, 89.5% of the value on 9 vault chains, instead of all 54 holdable tokens on 22.

The one exception. Bitcoin's chain cannot verify proofs, so Bitcoin enters as WBTC, whose custodian holds 73–83% of an index's value. The owner accepted this on 29 Sep 2026 ("WBTC only for now"); section 9.4 shows the measured options for later.

Revised 30 Sep 2026 after an external review: two proof systems only where coins leave a vault; the 0.2% weight floor; upgrade prevention for vault chains too; weekly supply updates; a units-anchored rebalance formula that corrects the first draft's; automatic voiding, look-through snapshot claims, concentration caps and in-place migration; 4% daily limits; funding set out as a decision. The owner decided on 30 Sep 2026 that v4 replaces v3, that Stage A has no fee, that WBT stays off after its listing check, that the floor buffer applies, and that the owner Safe needs at least 3 signatures.

2. Why a new model

A literal top-100 index fails on four walls in v3, each measured on 29 September 2026:

Wall	What stops it	Measured
Contract limit	*MAX_COMPONENTS* = 20 in the factory, a constant	20 tokens
Gas	EIP-7825 caps a transaction at 2^{24} ≈ 16.8M gas; a one-click mint costs about 265k–430k gas per token	one-click tops out near 40–60 tokens
Universe	A component must be an ERC-20 on Ethereum with a Chainlink feed and Uniswap depth	only 8 of the top 100 qualify
Membership	Constituents are fixed at creation, while the top 100 changes	—

The deciding question is custody. Index shares change hands freely, so when a coin is deposited nobody knows who will eventually redeem it. On a chain that cannot check anything about Ethereum, coins move only with a signature, and a signature made in advance must name its recipient, so someone has to sign at redemption time and that someone is a custodian. On a chain that can verify a proof, a contract takes the signer's place.

A coin can be held with no custodian if and only if its own chain can verify a proof about Ethereum.

v4 is built on that rule: it holds everything that can be held without a custodian, and admits exactly one custodian, WBTC, for the asset whose chain cannot.

3. Which assets it holds

The top 100 by market cap on 29 Sep 2026, without stablecoins, gold and wrapped or staked copies, leaves 66 assets. They fall into three tiers:

Tier	Where the coins live	Assets	Share of value
1	Ethereum, in the index contract	24: ETH, LINK, UNI, AAVE, SHIB, PEPE, ENA, ONDO, …	15.8%
2	A vault on their own smart-contract chain	29: BNB, SOL, TRX, HYPE, ADA, XLM, NEAR, AVAX, SUI, TON, …	11.5%
3	Script-only chains (out of scope)	9: BTC (65.8%), XRP, ZEC, DOGE, XMR, BCH, LTC, KAS, DASH	72.1%

Bitcoin enters Tier 1 as WBTC. Holding everything that can be held, 54 tokens, would cover 93.1% of the value at 2.0% tracking error a year, but it needs 22 vault chains, and most of those tokens weigh under 0.1%.

3.1 The weight floor

A small weight still costs a minter a native withdrawal, a deposit and a proof on its own chain for every mint: a $250k mint needs about $125 of the smallest coin, and fewer minters means a wider spread on the index token. The flagship index holds only tokens weighing at least **0.2%** that also pass the liquidity screen (daily volume at least 0.1% of market cap):

Weight floor	Tokens	Coverage	Tracking error/yr	Vault chains
none	54	93.1%	2.0%	22
0.1%	28	91.8%	2.3%	14
0.2%	**15**	**90.2%**	**2.6%**	**9**
0.5%	6	87.5%	3.2%	4 (BNB Chain, HyperEVM, Solana, Tron)

Token	Weight	Held on	Token	Weight	Held on
WBTC	73.0%	Ethereum	ADA	0.42%	Cardano
ETH	14.4%	Ethereum	LEO	0.36%	Ethereum: **fails the screen**
BNB	4.4%	BNB Chain	XLM	0.35%	Stellar
SOL	3.1%	Solana	NEAR	0.28%	NEAR
TRX	1.4%	Tron	UNI	0.24%	Ethereum
HYPE	0.85%	HyperEVM	HBAR	0.21%	Hedera
LINK	0.49%	Ethereum	AVAX	0.21%	Avalanche
WBT	0.43%	Ethereum: **fails its listing check**			

LEO trades 0.006% of its market cap a day, and WBT failed its listing check (a single key can blacklist any holder and destroy its balance, and no Uniswap pool holds it on Ethereum), so the flagship holds **13 tokens: 89.5% of the value at 2.6% a year**, and the smallest coin in a $250k mint is about $530. It is built in three stages, each of which works on its own:




Figure 5. Coverage and one-year tracking error by build stage under the 0.2% weight floor (backtest to 29 Sep 2026).

Stage	Holds	Tokens	Coverage	Tracking error/yr	WBTC share	Vault share
A	WBTC, ETH, LINK, UNI	4	79.4%	4.2%	82.9%	0
B	A + BNB, SOL, TRX, HYPE	8	88.2%	3.1%	74.6%	9.9%
C	B + ADA, XLM, NEAR, HBAR, AVAX	13	89.5%	2.6%	73.5%	11.3%

Vault share is the part of the index held in vaults; every per-day bound in section 9 is a vault share times a daily limit. With WBT, Stage A would hold 5 tokens and cover 79.8%.

The backtest understates tracking error. It held today's supplies constant, so it measures drift from price moves only. Tokens whose supply grows through unlocks drift as well, which weekly supply updates follow (7.6); a re-run with real supply histories is an open task.

4. Architecture at a glance




Figure 1. The hub on Ethereum and one ownerless vault per chain, joined only by proofs. The two Ethereum proof systems are shared by every chain.

4.1 Trust boundaries

Party	Can do	Cannot do
Contracts (hub, vaults, verifiers)	Move coins exactly as proofs and invariants allow	Anything else
Owner Safe	List chains and tokens; propose weekly reference supplies and caps (timelocked, guardian veto); rotate a vault's Ethereum verifiers after 30 days, a chain's state verifier after 2; after a 7-day stall, propose a successor verifier that must pass a continuity test and 30 days of review	Move funds; change an existing index's tokens, units rule or vault addresses; manufacture a stall
Guardian	Veto listings, cancel rebalances, freeze a vault (the freeze expires by itself)	Move funds; unfreeze early
Minters, provers, executors	Deliver coins and proofs; earn spreads and auction discounts	Receive anything they have not paid for first
WBTC's custodian	Hold the Bitcoin behind WBTC	— (outside the protocol)

5. Components

5.1 IndexFactory (Ethereum)

- **Chain registry:** a vault chain is linked by a timelocked proposal naming its vault and its state verifier on Ethereum (listing delay, guardian veto). During the delay anyone checks the vault's code against the audited build and its fixed settings.
- **Token registry:** each token is listed with its chain, identifier, decimals, a dated reference supply and a quantity cap.
- **Supply batches:** one week's reference supplies are proposed as a single batch that executes all or nothing after the listing delay, one batch at a time, each supply within 0.5% of the figure in force. A half-executed batch could turn a uniform revision into a trade.
- **Creation:** *createIndex(name, symbol, tokens, k)* sets each token's units from $k \times supply$, copies each chain's vault address into the index and deploys it at a CREATE2 address over the **computed units**, so the address commits to the basket itself. No price is read. Up to 100 tokens per index.

5.2 IndexHub (Ethereum, one per index)

- The ERC-20 shares: the only place shares exist. Transfers never touch another chain.
- Tier 1 coins in real balances, issued and redeemed atomically as in v3, with v3's skip-and-claim for a frozen or paused token.
- The **mirror**: for each vault token, the last proven balance and paid total, plus the hub's own running total of burns.
- Mint orders, burns, the rebalancing auction, the mint cap and a per-chain freeze flag.

5.3 Vault (one per chain, shared by all indexes)

- Holds native coins and the chain's listed tokens in a separate balance for each index, and per order while a mint is open.
- Pays out only against proven Ethereum messages, within a speed limit, and marks each message as used.
- Coins sent to it without a deposit call are never credited to any index.
- Moves the coins two index versions share from one index to the other on a proven Migrate message, and after a snapshot exit refuses every burn issued later.
- Immutable code with no owner. Its P1 and P2 verifiers change only through a proven rotation or, after a stall, the continuity-tested recovery of section 10. A guardian address can freeze it and do nothing else.

5.4 Verifiers: two systems where coins leave, one for deposits

- **Ethereum → vault chain: two independent proof systems, P1 and P2**, from different teams and proving stacks, each proving an event of the hub or factory in a block with **full finality**. The statement is about Ethereum alone, so the same two systems serve every chain: each vault runs a P1 and a P2 verifier. The smaller sync committee alone is not accepted, because its members are not penalized for signing a false header.
- **Vault chain → Ethereum: one system per chain**, proving the vault's per-index state at a block that is final under that chain's rules. A forged state can only make a mint look backed, which the 24-hour lock, the mint cap and the real Ethereum balances already contain.
- **Conflicting proofs are evidence:** two valid proofs of different states for the same vault and height void every order resting on either and freeze that chain's mints.
- **Count:** Stage B needs 6 proving systems (2 shared + 4 chains) instead of about 10; the floor list needs 11 instead of 20.

> Coins leaving a vault need **P1 AND P2**. Protecting (freeze, lower a cap) needs **P1 OR P2**.
> Breaking one Ethereum-side system can stop coins moving; it cannot move them.

Fallback, if full-finality proofs prove impractical: the sync committee plus a challenge delay on every payout and lower caps, a weaker trust assumption stated as such: bribing 342 of 512 unslashable members replaces a circuit bug as the way in, so the worst case becomes 0 if anyone challenges within the delay and about 0.45% a day if nobody does. Adopting it is the owner's call.

5.5 MintRequests, IndexZap and off-chain actors

- **MintRequests:** a user escrows USDC or USDT with a minimum number of shares; any minter fills it by delivering the shares in the same transaction; otherwise it is refunded at the deadline. Redemption requests mirror it. No price is read.
- **IndexZap:** v3's one-click zap, kept for indexes held entirely on Ethereum, up to about 35 tokens (EIP-7825 caps a transaction at 16.8M gas).

Actor (anyone)	Job	Paid by
Minter	Buys tokens anywhere, deposits in kind, redeems and sells	Spread between price and value
Prover	Generates proofs with open-source software on ordinary or rented GPUs	Whoever needs the proof
Rebalance executor	Delivers bought tokens first, collects sold tokens after	The auction's discount
Watcher	Recomputes every vault against the mirror; submits shortfall evidence	Public good
App	Publishes index value, suggests request limits, routes users	—

6. Data model and cross-chain messages

6.1 What each side stores

IndexHub (per index)	Vault (per chain)
Components (chain, token id, decimals) and units	Settled balance per index and token
Each chain's vault address, fixed at creation	Deposits locked to each open order, and their depositor
Last proven settled balance and paid total per vault token	Total paid per index and token; each message nonce usable once
Running total of burns per chain and token; next nonce	Rolling 24-hour outflow (speed limit)

IndexHub (per index)	Vault (per chain)
Mint orders and their state; rolling mint window	Quantity cap per token
Claims for skipped Tier 1 tokens; freeze flag per chain	Current P1 and P2 verifiers, freeze address, freeze state
Rebalance ratios and λ band; contract holders' recovery addresses	Snapshot checkpoint, if an exit began

6.2 Messages between chains

Message	Direction	Proof	Effect
VaultState	vault → Ethereum	the chain's system	Settles a mint order; confirms rebalance deliveries; refreshes the mirror
Shortfall, or a conflicting VaultState	vault → Ethereum	the chain's system	Voids the orders resting on it and freezes the chain's mints, in the same transaction
Burn	Ethereum → vault	P1 AND P2	Pays a redeemer or a rebalance executor
OrderSettled / OrderFailed	Ethereum → vault	P1 AND P2	Moves pending coins into the index / refunds the depositor
RebalanceFailed	Ethereum → vault	P1 AND P2	Refunds an executor's deliveries
Migrate	Ethereum → vault	P1 AND P2	Moves coins two versions share to the new version
CapUpdate	Ethereum → vault	raise AND · lower OR	Adjusts a quantity cap
Freeze	Ethereum → vault	P1 OR P2	Freezes the vault (the guardian can also freeze directly)
VerifierRotation	Ethereum → vault	P1 AND P2	Installs a new verifier after 30 days

Every message names its source chain, destination chain, vault and index, so no proof can be replayed anywhere else.

7. How it works: the flows

7.1 Setup (once)

1. Deploy the factory, hub template, verifiers, MintRequests and zap on Ethereum, none upgradeable.
2. Deploy one vault per chain with fixed settings and remove any upgrade authority.
3. Link each chain through the timelocked proposal; anyone checks the code during the delay.
4. List tokens with dated reference supplies and quantity caps. A liquidity screen applies: daily volume of at least 0.1% of market cap, measured over 30 days.

7.2 Creating an index

1. The creator picks listed tokens and k; the factory sets *units* = *k* × *supply*, copies the vault addresses and deploys.
2. The first mint seeds it, and the creator opens the index token's Uniswap pool. That official pool has a deterministic address fixed at creation, which the snapshot exit's look-through claims use.

7.3 Minting (minters, in batches of about $250k or more)




Figure 2. A mint: every token is deposited and proven before shares exist, new shares stay locked for 24 hours, and a proven shortfall voids the order automatically.

A minter can source native coins anywhere: typically it deposits USDT on an exchange from Ethereum, buys SOL, and withdraws native SOL on Solana straight to its own wallet before calling the vault's deposit. The exchange is the minter's risk, never the index's: the index counts only coins that arrive in its vaults. The 24-hour lock lets watchers compare every proven deposit with the chains themselves.

- **Voiding is automatic:** a shortfall proof, or a second proof of the same vault and height that contradicts the one the order rests on, fails the order in the same transaction that proves it. No guardian or owner act is involved, so a forged deposit never becomes a transferable share.
- **A freeze holds an order until it is re-confirmed:** an order touching a chain that froze during its lock needs a fresh vault-state proof from after the freeze, so an expiring freeze never releases shares by itself.

7.4 How users get in and out

Path	In	Out
Uniswap	Swap USDC/USDT for the index token	Swap back
Requests	Mint request, filled by a minter from stock	Redeem request, filled by a minter
Zap (Ethereum-only indexes)	One transaction	One transaction
In kind	Minters only (7.3)	Anyone (7.5)

7.5 In-kind redemption




Figure 3. An in-kind redemption. Any chain can be skipped and collected later; nothing expires.

7.6 Rebalancing

Price moves need nothing. Units are proportional to supplies, so prices cancel out of the weights and a market-cap index never has to trade when prices move. Trades happen only when a reference supply changes (weekly) or the list of tokens changes (a new version).

Supply updates are weekly, one atomic batch, each supply within 0.5% of the figure in force. That follows a token whose supply grows up to about 30% a year faster than the index's average; monthly updates would follow only about 6.7%, leaving tokens that unlock 10–40% a year underweight.

The auction is anchored to units. For each moving component *i*, with units *u* and reference supply *f*, the hub computes $\rho = u / f$ and a centred, clamped ratio; a single number λ then falls through the band those ratios span:

$$r_i = \text{clamp}(2\rho_i / (\rho_{min} + \rho_{max}),\ 1 - 0.5\%,\ 1 + 0.5\%)$$

$$\text{new units } u'_i = \lambda \cdot u_i / r_i, \text{ rounded up}$$

$$\text{value-neutral } \lambda^* = \Sigma\, u_i\, p_i / \Sigma\, (u_i / r_i)\, p_i, \text{ a weighted average of the } r_i, \text{ so without knowing any price:}$$

$$\textbf{min r} \le \lambda^* \le \textbf{max r}$$

1. The owner Safe proposes the week's supplies (timelocked, guardian veto). After 7 days, anyone starts the rebalance; a band narrower than 0.1% means units already follow supplies, and nothing starts.
2. After 2 days of notice, λ falls from max r to min r over 24 hours. Components whose ratio is above λ are sold, those below are bought; kept components do not move.
3. Ethereum-only indexes settle atomically with v3's callback. For vault tokens, an executor accepts at the current λ, posts a bond of 0.1% of supply and delivers every bought token first, Ethereum tokens at once and other chains' tokens within 6 hours.
4. Once the deliveries are proven, the units update and the sold tokens are released. The bond is held 24 hours more and burned if a delivery proves forged; a missed window burns it and refunds the deliveries.

Worst case, stated plainly	Bound
Per rebalance, to a lone executor who waits for the floor	$1 - \lambda min/\lambda max \le$ **0.995%**
Per day, weekly cadence (a cycle takes 9 days or more)	≈ **0.11%**
Per year, if every week's supplies moved the full step apart and no executor ever competed	≈ **33%** (monthly: ≈ 11%)
Units per rebalance	within 0.990× to 1.010×, plus one raw unit

The band applies to the whole moving value, however small the trade. A 0.5% revision of a token weighing 1% trades about 0.005% of the index, yet a lone executor at the floor can take up to about 0.5%. Any price-free scalar auction has this property; competition, the guardian's cancel and the keep mask are the recourse.

Why units-anchored. A full fill makes units exactly proportional to supplies again, so keep-mask skew and rounding drift heal instead of compounding, and the centred clamp narrows a wide band to 1.005% without ever collapsing it. The first draft's formula, u' = λ·k·s' with the band from old and new supplies, could let λ* leave the band after a keep mask and overpay the executor.

7.7 Membership changes and freezes

- **Versions:** a new top-100 list is a new index (for example, quarterly). A coin enters only at rank 80 or better and leaves only below 120; under the weight floor it joins at 0.2% and leaves only below 0.1% (adopted on 30 Sep 2026), so tokens near the line do not flip in and out.
- **In-place migration:** burning old-version shares into the new version moves the coins both versions share inside each vault, by a proven Migrate message, so only the differences trade. The old version stays fully backed.
- **Freeze:** triggered by the guardian, by a proven Freeze message, or automatically by a proven shortfall or conflicting proof. The vault stops payouts and deposits; mints involving that chain stop; redemption continues with that chain skipped. It ends by itself after 14 days, and orders it touched need a fresh proof before they become claimable. A hostile guardian can only re-freeze (delay, not loss) until the owner replaces it.

8. Accounting and invariants

For Ethereum tokens, v3's invariant is unchanged: real balance ≥ shares × units + claims. For a token *t* held in the vault on chain *c*, with *S* the supply after the operation:

$$\text{settled}[c][t] - (\ \text{burned}[c][t] - \text{paid}[c][t]\ ) \geq S \times u_t$$

- **Checked at every mint** against a fresh proof of the vault's balance, so the mirror is re-anchored to proven state each time and a replayed or duplicated deposit cannot inflate it.
- **Preserved in between without any proof:** a burn lowers the required backing by exactly what it adds to the burned total, and a vault payout lowers the balance and raises the paid total by the same amount.

A worked example (index #7, each share = 0.001 WBTC + 0.01 BNB + 0.05 SOL):

Event	Hub on Ethereum	BNB vault	Solana vault	Shares
Start	WBTC 1.0 · mirror BNB 10, SOL 50	10	50	1,000
Mint 100 shares (deposits proven)	WBTC 1.1 · mirror 11 / 55	11	55	1,100
Redeem 200 shares	WBTC 0.9 · 2 BNB and 10 SOL owed	11 (2 owed)	55 (10 owed)	900
Burn proofs delivered	unchanged	9	45	900

Invariant	Enforced by
A vault pays a message at most once, and never more than its balance for that index	Vault
Every order ends settled or failed exactly once; every deposit counts for exactly one order	Hub and vault
Per rolling 24 hours, a vault's outflow per token ≤ 4% of that index's balance	Vault
Per rolling 24 hours, newly claimable shares ≤ 4% of supply (seed mint exempt)	Hub
A rebalance fill leaves holders at least λmin/λmax of the moving value	Hub
No amount in any money path depends on a price	Code review and tests
An index's vault addresses never change	Factory and hub

9. Security model

9.1 The bounded-loss standard

Requirement	Meaning
Bounded single failure	No single failure in anything v4 builds costs more than about 0.5% of an index per day (WBTC excepted)
Nobody can move funds	No key, person or company can move index coins; only code acting on proofs
Everything checkable	Anyone can recompute every balance, unit and payout from public chain data
Exit always exists	Holders can redeem the chains that work; claims on the rest never expire
No price where money moves	No amount in any money path is computed from a price
Limits in code	Every bound is enforced by contracts, not by operators or process

9.2 Every failure and its bound

For the floor list (11.3% of the index in vaults, BNB the largest at 4.4%) with 4% daily limits. The Ethereum proofs are shared by every chain, so a failure there reaches every vault at once; limits of 5% and 10% would give 0.56% and 1.1% a day below, which is why both are 4%.

Failure	Defense	Worst case
One Ethereum-side proof system broken	Coins leave a vault only on P1 and P2	Nothing moves
Both Ethereum-side systems broken (double failure)	Speed limit, watchers, freeze	Every vault at once: 11.3% × 4% ≈ 0.45%/day
A chain's deposit proof broken: forged deposit	A mint needs every token and Tier 1 in real balances; any honest proof contradicts it; 24h lock; mint cap	In the lock: 0. Undetected (double failure): 4.4% × 4% ≈ 0.18%/day one chain; 0.45%/day all chains
A chain's deposit proof broken: forged rebalance delivery	Band-bounded legs; bond held 24h	≤ 0.11% per rebalance, mostly covered by the 0.1% bond
Lone executor at the auction's floor	Competition; guardian cancel	0.995% per rebalance; ≈ 0.11%/day weekly
A vault chain's validators corrupted	Caps below the lower of the economic and the concentration cap	Unprofitable by construction
A vault-chain upgrade breaks the vault program	Chains that keep programs working; tests against release candidates	That chain frozen: ≤ 4.4%
Replay, look-alike contracts, misparsing	Used-marks, domain separation, exact identities, parsing inside the proof, formal verification	Code-level
Owner Safe compromised	Timelocks, guardian veto, fixed vault addresses	0 immediately; 30 days' public notice
Owner and guardian both compromised (double failure)	A state verifier swapped in 2 days could admit forged mints; watchers alert holders	≤ 0.45%/day after 2 days
Guardian compromised	Freeze only, expiring; owner replaces it	Delay
Ethereum upgrade breaks proofs	Section 10's four layers	Delay: 37–97 days; 180 at most
Provers disappear · a chain halts	Open-source prover · skip the chain; claims never expire	Delay
Liquidity disappears	In-kind exit always available	A discount, not a loss
WBTC custodian fails or freezes	Accepted exception (9.4)	**73.5–82.9%**

9.3 Cost-to-corrupt caps

> value held in a chain's vault (all indexes) ≤ α × cost of corrupting that chain's finality
> with α well below one (for example 0.1)

That bound assumes an economic attacker. Where a few known entities can finalize a block alone, coercion or insider risk is not priced by stake, so each chain also has a **validator-concentration cap**, set from the smallest number of entities holding two thirds of its finality weight; a chain's cap is the lower of the two, and the concentration cap binds for BNB Chain, Tron and HyperEVM. Caps are quantities, so the contracts need no price; lowering one is a protective message either proof system can carry. Chains without certain finality stay out: Ethereum Classic, 51%-attacked in 2019 and 2020, is excluded.

9.4 The Bitcoin exception

Bitcoin weight cap	Tracking error/yr	Loss if one custodian fails: WBTC only	With a WBTC/tBTC split
none (70.7%)	2.0%	70.7%	35.4%
60%	2.5%	60%	30%
50%	4.1%	50%	25%
40%	6.0%	40%	20%

The only way to bring Bitcoin inside the standard is a Bitcoin vault built on a pre-signed transaction tree, where one honest signer out of n keeps the coins safe. tBTC's supply (4,177 BTC on 29 Sep 2026) limits how large a split index can grow.

9.5 Trust assumptions and keys

The complete list of what v4 trusts: Ethereum's consensus (full finality); each vault chain's consensus, bounded by 9.3; at least one of P1 and P2 being sound for coins in vaults; for mints, each chain's deposit proof being sound or one watcher being live within 24 hours; the proof systems' setup; WBTC's custodian; token issuers' own admin powers (labelled in the app); the owner Safe for listings, caps, supplies and rotation; the guardian for freezes.

Key	Holder	Power
Owner	Safe, 3-of-5 hardware wallets, separate people, no modules	Timelocked governance, including 30-day rotation
Owner emergency multisig	The owner's signers, one multisig per vault chain	Nothing, unless that vault has stalled for 7 days; then only propose a continuity-tested successor
Guardian	Separate signers; one freezer address per vault chain	Veto, cancel, freeze
Deployer	Hardware wallet or encrypted keystore	None after deployment
Everyone else	Gas wallets	None

No custody provider is needed. No company holds the index's coins; the only outside custodian is the one inside WBTC.

10. Surviving upgrades

A vault follows Ethereum with fixed verification code. If Ethereum changes a format the code relies on, and no rotation happened first, the vault can no longer verify burns. No code written in advance can know rules nobody anticipated, so the design makes whoever supplies new rules powerless in normal times, constrains them with validator signatures in an emergency, and guarantees coins are never stuck for good.

Layer 1 · Prevention	Fork-aware verifiers, rotated 90 days before every scheduled upgrade
Layer 2 · Fail closed	An unknown format is rejected: payouts can stop, never go to the wrong person
Layer 3 · Stall-gated recovery	After 7 days of stall: successor proposed, continuity test, 30 days of review, ≤ 2 guardian vetoes
Layer 4 · Snapshot exit	After 180 days: holders at the last verified checkpoint are paid directly



Figure 4. Four layers turn an unexpected Ethereum format change into a bounded delay.

- **Prevention.** Verifiers understand the current Ethereum version and the next, chosen by the version number validators sign into every block. New ones are rotated in 90 days before each scheduled upgrade, enough to absorb a hostile veto, a guardian replacement and a second rotation.
- **Fail closed.** An unknown format is rejected; payouts can stop but never go to the wrong person.
- **Stall-gated recovery.** A vault enters stall mode after 7 days without a new checkpoint. While formats are unchanged anyone can feed it checkpoints, so nobody can fake a stall. Only then may the owner's emergency multisig propose a successor, which must pass a **continuity test**: start from the last checkpoint the old verifier trusted, show every later checkpoint signed by two thirds of the known validators' stake (with Ethereum's churn limits), and re-verify past messages. Validator keys do not change with data formats, so a successor cannot invent blocks. 30 days of public review follow; the guardian may veto at most twice.
- **Snapshot exit.** If nothing is adopted within 180 days, holders at the last verified checkpoint are paid directly: ordinary wallets sign with their Ethereum key, contracts use a recovery address registered in advance, and liquidity providers of the official Uniswap pool claim through it, each proving its position at the checkpoint. From then on the vault refuses every burn issued after the checkpoint, so no coin is paid twice.

What remains open: a change of Ethereum's signature scheme itself (a future post-quantum migration) would remove the continuity test's anchor and must be handled by prevention, years ahead; and the cost of proving long chains of full-finality checkpoints on each vault chain.

10.1 Vault chains upgrade too

BNB Chain and Solana upgrade several times a year, and Solana has adopted Alpenglow, a new consensus. The same prevention applies in the other direction:

- **Fork-aware state verifiers** on Ethereum accept each chain's current and next announced formats, chosen by the version its validators sign.
- **Rotated ahead through the listing timelock:** the next verifier executes 2 days after it is proposed unless the guardian cancels, well inside any chain's upgrade lead time.
- **Solana's proof is built for Alpenglow** from the start, so its switch is not a rotation.
- **Fail closed:** an unknown format stops only mints, rebalance deliveries and shortfall evidence for that chain; burns still reach the vault, so no coin is stuck.

A new risk: an upgrade that breaks the vault program itself. A vault is immutable, so a runtime change that stops it running would freeze that chain's coins until the chain restores compatibility: at most its weight, 4.4% for BNB. Defenses: prefer chains that keep deployed programs working, use only long-stable features, and run every vault's tests against each chain's release candidates.

11. Scale, liquidity and reliability

11.1 Gas and latency (estimates to confirm with prototypes)

Operation	Main costs	Time
Mint settlement	One proof verification per vault chain (~0.3–0.5M gas each) + ~50k per Ethereum token	Inside a 2-hour deadline; claimable 24h later
In-kind redemption	~50k gas per Ethereum token + ~30k per chain's Burn	~15–30 min per chain
Create an index	One clone; ~49k gas per component, cold (4.9M at 100)	One transaction
Rebalance	Deliveries, one combined proof, releases; at 100 tokens an atomic fill fits the 16.8M cap only for an executor holding inventory	2-day notice + ≤ 24h auction + 6h delivery

11.2 Liquidity: the real throughput limit

Minters can trade on any venue, but each token still has limited daily volume. Since weight is proportional to market cap, the index's daily capacity at participation rate *p* is set by its least-traded token:

$$\text{capacity} = p \times \text{basket market cap} \times \min_{\text{tokens}} \left(\frac{\text{daily volume}}{\text{market cap}} \right)$$

Binding token (29 Sep 2026)	Weight	24h volume	Daily limit at 1% of volume
LEO	0.35–0.40%	$0.5M on an $8.3B cap	$1.3–1.5M
WBTC	70–81%	$201M (Bitcoin: $23.8B)	$2.5–2.8M
M	0.10%	$1.9M	$18.8M
GT	0.05–0.06%	$2.6M	$42–48M

That table holds all 54 tokens. **Under the 0.2% floor** the thin tail is gone: with LEO screened out, the least-traded token is BNB (0.70% of its market cap a day), which sets the bound at about **$160M a day**, or $2.75M if minters use only WBTC's own volume. The index never sells anything itself, so thin liquidity can widen the index token's discount but cannot cost holders their coins.

11.3 Liveness and monitoring

- Proving is permissionless and open source; any holder can prove their own burn.
- A halted chain affects only its own leg.
- Watchers check every block: vault state against the mirror, payouts against burns, the unit invariants and the upgrade calendars of Ethereum and every vault chain. Provable problems go on-chain as Shortfall or a conflicting proof; others alert the guardian.
- Launch is guarded: low quantity caps and per-index value limits that rise over months.

12. Valuing the index

Proofs establish quantities, not worth. The value is calculated off-chain, the same way an ETF's is, and nothing on-chain depends on it:

$$\text{value of one share} = \Sigma\ \text{units}_i \times \text{price}_i$$
$$\text{value of the index} = \text{value of one share} \times \text{total shares}$$

Choice	Method
Sources	Several exchanges and aggregators, and Chainlink where it exists
Combining	The median, dropping any source more than ~2% from the rest
Which asset	Exactly what the index holds: WBTC at WBTC's own price, with Bitcoin's shown beside it as a warning light
Stale data	A price older than ~10 minutes marks the value as estimated
Timing	A live value every ~15 seconds; an official value at 00:00 UTC
Payouts owed	Excluded: they belong to people who already redeemed

13. Trade-offs

Chosen	Rejected	Why
Ownerless proof vaults	Bonded operator multisigs	Operators can sign coins away; bonds and speed limits only bound it
Hold only what can be held	A swap tracking the rest	Tracks rather than holds; oracle-sized payments
WBTC for Bitcoin (for now)	THORChain	~$70M of pools in total, ~$43M of bonded security, Bitcoin halted when checked, positions half RUNE
One vault per chain	One vault per index	Fewer deployments and audits; per-index balances keep indexes separate
Balance proofs for the mirror	Adding up deposit events	Replayed or missed events cannot drift the books
Price-free units and λ bounds	Chainlink or DEX prices	No manipulation surface; most tokens have no feed
Minters and requests	The protocol bridging and swapping	No bridge, no keeper, no multi-chain price risk for users
Versions for membership	Constituent changes by auction	No price needed; holders choose when to move
Two proof systems where coins leave, one for deposits	Two everywhere	Deposits are contained by the lock, the mint cap and conflicting-proof evidence; Stage B needs 6 systems, not 10
Two Ethereum-side systems	One	A single circuit or verifier bug would otherwise be total
A 0.2% weight floor	Every holdable token	0.6 points of tracking error for 22 → 9 vault chains
Weekly supply updates	Monthly	Follows supply growth up to 30% a year, not 6.7%
Units-anchored λ, centred clamp	Old and new supply ratios	Bounded after keep masks; heals drift; cannot stall

14. Parameters (initial values, to tune)

Parameter	Value
Maximum tokens per index	100
Minimum raw units per token	10,000
Mint order deadline	2 hours (maximum 6)
Lock on newly minted shares	24 hours
Mint cap	4% of supply per rolling 24 hours
Speed limit	4% of an index's vault balance per token per rolling 24 hours
Freeze duration	14 days
Verifier rotation delay · lead before an upgrade	30 days · 90 days
Stall period · recovery review · guardian vetoes	7 days · 30 days · 2 per stall
Snapshot exit	180 days after a stall began
Listing delay · proposal window · guardian-change delay	2 days · 7 days · 7 days (as v3)
Reference supply step	0.5% per update (factory) and per rebalance (hub clamp)
Minimum band	0.1%
Rebalance interval · notice · auction · delivery	7 days · 2 days · 24 hours · 6 hours
Rebalance bond	0.1% of supply, in index shares; held 24 hours after settlement
Weight floor · membership buffer (flagship policy)	Join at 0.2%, leave below 0.1% (adopted) · enter at rank ≤ 80, leave below 120
Quantity caps	Per token, from 9.3; low at launch
Liquidity screen (listing policy)	Daily volume ≥ 0.1% of market cap over 30 days

15. Recorded decisions and funding

Recorded decision (AGENTS.md)	Change in v4
Components on Ethereum mainnet only	Tier 2 coins live in vaults on their own chains
Prices from Chainlink USD feeds	No prices in money paths; units from supplies
At most 20 components	100
No pause	Guardian freeze that expires by itself (owner decision, 29 Sep 2026)
No upgrade	30-day verifier rotation (owner decision, 29 Sep 2026) and stall-gated recovery
One-click mint and burn for every index	Only for Ethereum-only indexes up to ~35 tokens
Capped 30/20 methodology	Retired: it trades on every price move and needs every price
Monthly rebalancing	Weekly supply updates, 7-day interval (owner decision, 30 Sep 2026)
The seven-token launch whitelist	The floor list's Ethereum tokens: WBTC, WETH, LINK, UNI (WBT failed its check); native SOL comes with Stage B
v3 as the product	v4 replaces v3, kept at tag v3.0.0 and on Sepolia (owner decision, 30 Sep 2026)
No fees	Kept for Stage A, funded from outside (owner decision, 30 Sep 2026)
Owner Safe of at least 2 signatures	At least 3, checked at deployment; 3-of-5 hardware wallets, because rotation can reach existing funds after 30 days

Kept from v3: in-kind backing, addresses that commit to contents, fixed constituents per index, untrusted executors behind a reentrancy guard, standard ERC-20s only on Ethereum.

15.1 Funding: no fee in Stage A

Minters earn spreads and executors earn auction discounts, but nobody is paid for two audits per component, ZK-specialist audits, watchers on every chain, or a bug bounty sized to the largest vault: 4.4% of the index, **$4.4M at $100M**. Three price-free models:

Model	How	Revenue at $100M	Who pays
Minter fee	e.g. 5 bp per in-kind mint and redemption, paid in index shares to a fixed treasury	≈ $100k/yr at two turnovers a year	Minters, via a ~5 bp wider spread; holders who never mint or redeem pay nothing directly
Management fee	e.g. 0.10% a year through a unit scale that shrinks over time	≈ $100k/yr	Every holder, 0.10% a year
No fee	The team or grants fund it	—	Outside funders

In each case the treasury is fixed at creation and can do nothing but receive, so no model gives anyone power over index coins. **The owner decided on 30 Sep 2026: no fee in Stage A.** Audits, the bounty and watchers are funded from outside; a fee, if one comes, arrives with a later index version.

16. Build stages and verification

Stage	Build	Not needed yet
A	Price-free factory and hub, supply batches, MintRequests, the λ auction (atomic, on Ethereum), zap limit; holds WBTC, WETH, LINK, UNI	Vaults, proofs, mirror, freeze
Prototype	A full-finality Ethereum proof verified on BNB Chain and on Solana, and a BNB Chain state proof verified on Ethereum, with measured cost and latency: decides Stage B	—
B	One EVM vault for BNB Chain, HyperEVM and Tron; one for Solana; P1/P2 Ethereum verifiers on each; one state verifier per chain; mirror, orders, limits, freeze, migration, rotation, recovery, snapshot exit, watchers; BNB Chain end to end first	—
C	Avalanche, NEAR, Stellar, Hedera, Cardano, one at a time, each only if its finality, proof cost, cap and value justify it (together +1.3 points of coverage)	—

- Formal proofs of the invariants in section 8 for the hub and every vault.
- 100% coverage and invariant fuzzing, as v3 already requires.
- Differential tests running P1 and P2 on the same real chain data; parser fuzzing against recorded transactions.
- Fork tests on every chain, a testnet period, two independent audits per component, and a bug bounty sized to the largest vault.
- Regression tests named after each finding id, as v3's gate 6 requires.

17. Open questions

- **Continuity proofs:** the cost of proving long chains of full-finality checkpoints on each vault chain; and a change of Ethereum's signature scheme, which prevention must handle years ahead.
- **Bitcoin:** add tBTC and a weight cap, then a Bitcoin vault.
- **Proving costs and times** per chain, and whether one combined proof per mint is practical across the 9 floor chains; the sync-committee fallback's parameters if needed.
- **Cost to corrupt** and validator concentration of each vault chain, to set the quantity caps. **Cardano's finality is probabilistic**, which the deterministic-finality rule excludes; its Stage C gate decides. Hedera's permissioned council gets the same check.
- **Real supply histories** for the backtest, since constant supplies understate tracking error.
- **A tighter auction** whose exposure scales with the trade's size.
- **Small indexes and the speed limit:** a floor so the 4% limit never blocks small redemptions.
- **On-chain value** for lending markets, if wanted: a time-weighted average of the index token's own Uniswap price, never a posted price.
- **Issuer tokens** (WBT, LEO, OKB, BGB, GT, KCS, WLFI): which can freeze or mint; whether GT, KCS and ARB are canonical on Ethereum or belong in a vault on their home chain.
- **Regulation:** whether any market served expects a named custodian.

Appendix: data sources

Data	Source	Date
Top 100, market caps, 24h volumes, Ethereum contract map	CoinPaprika public API	29 Sep 2026
One-year daily prices for the backtests	DefiLlama coins API (CoinGecko identifiers)	365 days to 29 Sep 2026
Uniswap V3 depth and quotes, token facts, feed answers	Ethereum mainnet via a public RPC, block ~26,083,340	29 Sep 2026
Chainlink feeds on Ethereum (heartbeat, deviation)	Chainlink's public feed directory	29 Sep 2026
THORChain chains, pools and bond	THORNode and Midgard through a public gateway	29 Sep 2026
v3 gas at 20 components	Mainnet-fork measurements recorded in ARCHITECTURE.md (CR-I08)	2026
Floors, stages and capacity	design/analysis/floor.py over the saved snapshot	29 Sep 2026

Backtests hold today's top-100 membership and current supplies constant over the year, so they understate tracking error for tokens whose supply grows; they measure tracking, not future returns. Some exchange tokens' reported volumes are unreliable; re-measure over 30 days before setting the liquidity screen.