jsonToBatProject

Generated on Tue Feb 27 2024 12:53:01 for jsonToBatProject by Doxygen 1.9.8

Tue Feb 27 2024 12:53:01

Chapter 1

README

Doxygen Documentation

Sonar Cloud

1.1 README

Current workflows:

- build
  - build and test the application on:
    - windows with cl
    - ubunut with g++
    - ubuntu with clang++
- CodeQl
  - Code security
- Doxygen Action
  - Generate Doxygen documentation
  - Deploys generated documentation to gh-pages
- Microsoft C++ Code Analysis
- pages-build-deployment
- SonarCloud
  - Static code analysis *For Scanning Alerts -> Security*

Regarding coding style (?):

- no classes in global namespace
- no "using NAMESPACE"
- 4 space indenting
- ? *setup astyle options?*

Git (?):

- no direct commits onto main (only via pull-requests)
-

Libraries

- jsoncpp
- Easyloggingpp
- Catch2

Libraries can be found in ./lib. They are subprojects and will be compiled when building the project for the first time. Alternately compiled versions can be found at ./lib/compiled. As is, this approach works on linux (gcc, clang) and Windows (Mingw). As steps found in the tutorial (checking for compiler in cmake) are not necessary.

Chapter 2

Todo List

Global main (int argc, char ∗argv[])

Github

- "Dev-Ops"
- Doxygen settings
- Template-Comment
- Template-Header-Comment

Global WIP::exampleEasyLogging ()

Configure easylogging properly

- outsource easylogging config
  - e.g. startup class?

Chapter 3

Namespace Index

3.1 Namespace List

Here is a list of all namespaces with brief descriptions:

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

Chapter 5

Namespace Documentation

5.1 WIP Namespace Reference

Includes for test.

Functions

- void exampleEasyLogging ()
  Example of how to use easylogging with a configuration file.

5.1.1 Detailed Description

Includes for test.

Namespace for work in progress.

Namespace I used for testing and trying out new things To be deleted

5.1.2 Function Documentation

5.1.2.1 exampleEasyLogging()

```
void WIP::exampleEasyLogging ( )
```

Example of how to use easylogging with a configuration file.

- This function is an example of how to use easylogging
- The configuration file is located in ../conf
- Before proper integration, config has to be done properly

  Todo

Definition at line 54 of file main.cpp.

Chapter 6

File Documentation

6.1 README.md File Reference

6.2 src/main.cpp File Reference

```
#include "easylogging++.h"
#include <iostream>
#include "json/json.h"
#include "catch2/catch_all.hpp"
```

Namespaces

- namespace WIP

  Includes for test.

Functions

- void WIP::exampleEasyLogging ()

  Example of how to use easylogging with a configuration file.
- int main (int argc, char ∗argv[ ])

  Main function.

6.2.1 Function Documentation

6.2.1.1 main()

```
int main (
            int argc,
            char * argv[] )
```

Main function.

Codeconvention:

- Formatter: astyle

  Todo

Definition at line 26 of file main.cpp.

References WIP::exampleEasyLogging().

6.3 main.cpp

Go to the documentation of this file.

```
00001 #include "easylogging++.h"
00002 #include <iostream>
00003
00005 #include "json/json.h"
00006 #include "catch2/catch_all.hpp"
00007
00008 namespace WIP {
00009 void exampleEasyLogging();
00010 }
00011
00026 int main(int argc, char *argv[]) {
00027   WIP::exampleEasyLogging();
00028   std::cout « "Hello, World!" « std::endl;
00029   return 0;
00030 }
00031
00032 INITIALIZE_EASYLOGGINGPP
00040 namespace WIP {
00054 void exampleEasyLogging() {
00055   el::Configurations conf("conf/easylogging.conf");
00056   el::Loggers::reconfigureLogger("default", conf);
00057   el::Loggers::reconfigureAllLoggers(conf);
00058
00059   LOG(INFO) « "My first info log using default logger";
00060 }
00061 } // namespace WIP
```

Index