



PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.10 - DOOR AND FRAME TYPES
Autodesk Docs://20240011 Cincinnati Convention Center Hotel/20240011_r23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:36:20 AM



DOOR TYPES



DOOR FRAME TYPES

SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing (and execution) of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated design, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES		
No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	2024-09-18
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

CINCINNATI CONVENTION CENTER HOTEL

444 PLUM STREET
CINCINNATI, OHIO
Cincinnati CH (OH), LLC

DOOR AND FRAME TYPES

Designer	20240011
Principal in Charge	Project No.
Approver	09/18/24
Project Manager	Date
Checker	
Project Architect	
Author	
Staff Architect	

A9.10

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.11 - DOOR SCHEDULE - EXTERIOR
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_R23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:36:54 AM

DOOR SCHEDULE - EXTERIOR ENVELOPE																
DOOR NO.	ROOM NAME	DOOR TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	HARDWARE SET	FRAME TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH	FIRE RATING	COMMENTS
LEVEL 1 - MOTOR LOBBY																
102B	MOTOR LOBBY	REVOLVING	12'-0"	10'-0"	0'-1 3/4"	MFR	MFR	111.0	MFR	MFR	MFR	MFR	AL	MFR		AUTOMATIC REVOLVING DOOR
102C	MOTOR LOBBY	FG1	3'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	8.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
105A	NORTH VESTIBULE	SGD	12'-0"	8'-8 7/8"	0'-2 1/2"	MFR	MFR	111.0	CW	MFR	MFR	MFR	AL	MFR		
106	RESTAURANT BAR	FG1	3'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	7.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
107A	RESTAURANT VESTIBULE	F1	4'-7 13/16"	8'-0"	0'-3 1/32"	AL/WD	AL/WD	111.0	MFR	MFR	MFR	MFR				FLUSH ALUMINUM RIBBED PATTERN PIVOT DOOR - BASIS OF DESIGN: ALUPROF PD08 LINEO HARMONY
109A	RESTAURANT TERRACE	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	3.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
109B	RESTAURANT TERRACE	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	3.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
113A	PRIVATE DINING	FG1	3'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	8.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
124C	LUGGAGE STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PAINT	56.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
130B	EMPLOYEE ENTRANCE	FG1	3'-0"	7'-0"	0'-1 3/4"	AL/GL	AL/GL	4.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		REMOTE CARD READER, ELECTRONIC LATCH, REMOTE LOCK TO SECURITY ROOM, FIRE ALARM FAIL SAFE.
135C	LOADING DOCK	OH1	18'-0"	14'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
135D	LOADING DOCK	OH1	18'-0"	14'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
135E	LOADING DOCK	OH1	18'-0"	14'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
135F	LOADING DOCK	OH1	13'-6"	14'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
135G	LOADING DOCK	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
138	FIRE COMMAND	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	53.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
139	VALET	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	53.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
144B	MAIN ELECTRIC	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
145B	EMERGENCY ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
146	FIRE PUMP	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PAINT	11.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
147A	TRANSFORMER VAULTS	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	120 MIN	
147B	TRANSFORMER VAULTS	F2	8'-0"	7'-0"	0'-1 3/4"	HM	FACT	12.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	120 MIN	
147C	TRANSFORMER VAULTS	F2	8'-0"	7'-0"	0'-1 3/4"	HM	FACT	12.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	120 MIN	
147D	TRANSFORMER VAULTS	OH2	14'-5"	10'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
147E	TRANSFORMER VAULTS	OH2	14'-5"	10'-0"	0'-2"	MFR	MFR	111.0					MFR	MFR		
148A	RETAIL	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	86.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
148B	RETAIL	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	2.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
148C	RETAIL	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	2.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
148D	RETAIL	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	2.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
151	STORAGE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	17.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
153A	SOUTH VESTIBULE	FG2	6'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	1.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		REMOTE CARD READER, ELECTRONIC LATCH, REMOTE LOCK TO SECURITY ROOM AND FRONT DESK, FIRE ALARM FAIL SAFE.
154A	STAIR 1	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
154B	STAIR 1	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
156A	STAIR 3	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PAINT	11.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
156B	STAIR 3	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PAINT	12.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
157A	STAIR 4	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PAINT	11.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
157B	STAIR 4	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PAINT	12.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
158A	STAIR 5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
158B	STAIR 5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	12.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
159A	STAIR 6	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PAINT	12.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
159B	STAIR 6	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
159C	STAIR 6	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	16.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
FE-1	FREIGHT ELEVATOR	OH1	8'-0"	9'-0"	0'-2"	MFR	MFR	111.0	HMOH	J5/A9.20	E5/A9.20	A5/A9.20	AL	MFR		
LEVEL 2 - LOBBY																
201A	LOBBY TERRACE	FG2	6'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	5.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
201B	LOBBY TERRACE	FG2	6'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	5.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
LEVEL 6 - AMENITY																
605A	EVENT LAWN	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	21.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
605B	EVENT LAWN	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	6.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
605C	EVENT LAWN	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL		GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
606B	EVENT LAWN	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	6.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
622A	FITNESS TERRACE	FG1	3'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	10.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
622B	FITNESS	FG1	3'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	9.0	GLAZING SYS	N14/A9.20	E14/A9.20	A14/A9.20	AL	MFR		
627	BOH CORRIDOR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	18.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		ROOF ACCESS
627B	JUNIOR BALLROOM	FG1	3'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	9.0	GLAZING SYS	N14/A9.20	E14/A9.20	A10/A9.20	AL	MFR		
627C	JUNIOR BALLROOM	SGD	25'-9 1/2"	10'-0"	0'-2"	AL/GL	AL/GL	111.0	GLAZING SYS	BY MANUF	BY MANUF	1E/A9.20	AL	MFR		MULTI-PANEL LIFTSIDE THERMAL SLIDING DOOR BY ANDERSEN
627D	JUNIOR BALLROOM	FG1	3'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	9.0	GLAZING SYS	N14/A9.20	E14/A9.20	A10/A9.20	AL	MFR		
628A	BOH CORRIDOR	F2	8'-0"	8'-0"	0'-1 3/4"	HM	PAINT	13.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
628B	BOH CORRIDOR	F2	8'-0"	8'-0"	0'-1 3/4"	HM	PAINT	13.0	HMF3	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
628C	BOH CORRIDOR	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PAINT	14.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
635	FAMILY RESTROOM	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PAINT	19.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
636	RESTROOM	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	20.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
637	RESTROOM	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PAINT	20.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
643	EVENT LAWN	F1	3'-6"	7'-0"	0'-1 3/4"	HM	PAINT		HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		ROOF ACCESS
649A	STAIR 5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	15.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
649B	STAIR 5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	15.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	
LEVEL 7 - GUESTROOMS																
763	ELEVATOR MACHINE ROOM	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PAINT	17.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
LEVEL 22 - LOW ROOF - HOT WTR RM																
2203	ELECT.	F1	3'-0"	6'-8"	0'-1 3/4"	HM	PAINT	17.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT		
2204A	STAIR 2	F1	3'-0"	6'-8"	0'-1 3/4"	HM	PAINT	18.0	HMF1	J10/A.920	E10/A9.20	A10/A9.20	HM	PAINT	90 MIN	

GENERAL NOTES:

- REFER TO SHEET A9.10 FOR DOOR AND FRAME TYPES.
- REFER TO SHEET A9.20 FOR EXTERIOR DOOR DETAILS.



COOPER CARRY
THE CENTER FOR CONNECTIVE ARCHITECTURE

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000
coopercarry.com



Moody Nolan

ASSOCIATE ARCHITECT:

©2025 COOPER CARRY

SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing [and execution] of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES

No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	2024-09-18
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

CINCINNATI CONVENTION
CENTER HOTEL

444 PLUM STREET
CINCINNATI, OHIO

Cincinnati CH (OH), LLC

DOOR SCHEDULE - EXTERIOR

Designer	20240011
Principal in Charge	Project No.
Approver	09/18/24
Project Manager	Date
Checker	
Project Architect	
Author	
Staff Architect	

A9.11

Drawings No.

NOT ISSUED FOR CONSTRUCTION

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.12 - DOOR SCHEDULE - INTERIOR - LEVEL 1-2
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_r23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:37:02 AM

DOOR SCHEDULE - LEVELS 1-2																		
DOOR NO.	ROOM NAME	DOOR						FRAME									FIRE RATING	COMMENTS
		TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	HARDWARE SET	TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH				
LEVEL 1 - MOTOR LOBBY																		
101	STOR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	81.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
103	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
104	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
105B	NORTH VESTIBULE	SGD	12'-0"	9'-0"	0'-2 1/2"	MFR	MFR	111.0	GLAZING SYS			NOTE 4	MFR	MFR		MOTION OPERATED		
107B	VESTIBULE	FG2	6'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	23.0	GLAZING SYS			NOTE 4	AL	MFR		NOTE 5		
108	BUFFET	F2	8'-0"	8'-0"	0'-1 3/4"	WD	ST	98.0	WDF1			NOTE 4	WD	ST		NOTE 5		
110	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF7	N12/A9.21	L12/A9.21	NOTE 4	HM	PT		NOTE 5		
111	JAN.	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	81.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
112	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF7	N12/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5		
113B	PDR	F5	6'-0"	8'-0"	0'-1 3/4"	WD	ST	99.0	HMF8			NOTE 4	WD	ST		NOTE 5		
114	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF7	N12/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5		
115	RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	90.0	HMF7	N12/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5		
116A	3-MEAL KITCHEN	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	66.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
116B	3-MEAL KITCHEN	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	49.0	HMF3	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
116C	3-MEAL KITCHEN	F2	6'-0"	8'-0"	0'-1 3/4"	WD	PT	96.0	HMF3	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
116D	3-MEAL KITCHEN	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	68.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
117	DRY STORAGE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	85.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
118	KITCHEN OFFICE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
119	JAN.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	81.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
120	BEVERAGE STORAGE	F1	3'-6"	7'-0"	0'-1 3/4"	HM	PT	84.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
121	BOH CORRIDOR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	PT	64.0	HMF1	N1/A9.21	L1/A9.21	NOTE 5	HM	PT				
122	SE LOBBY	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	47.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN	REMOTE CARD READER WITH ELECTRIC LATCH.		
123	LINEN CHUTE TERMINATION	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	47.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN	REMOTE CARD READER WITH ELECTRIC LATCH.		
124A	LUGGAGE STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	WD	ST	50.0	HMF3	N1/A9.21	L1/A9.21	NOTE 5	HM	PT	45 MIN			
124B	LUGGAGE STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	56.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN			
125	JAN.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	81.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
126	CLEAN LINEN	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	56.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
127	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN			
128	RR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	90.0	HMF1	N1/A9.21	L1/A9.21	F2/A9.21	HM	PT				
129	F&B HOLDING	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	77.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
130A	VESTIBULE	AG1	3'-0"	7'-0"	0'-1 3/4"	AL/GL	AL/GL	111.0	GLAZING SYS			A5/A9.21	AL	MFR				
131	H.R.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	68.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
132	CONF/INTERVIEW	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	95.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
133	DIRECTOR HR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
134	SECURITY	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
135A	LOADING DOCK	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	76.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
135B	LOADING DOCK	OH1	8'-0"	12'-0"	0'-1 1/2"	MFR	MFR	111.0	OHF1	D13/A9.22	A13/A9.22	A5/A9.21	MFR	MFR				
136	RECEIVING	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	86.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
140	AHU ROOM	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	79.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
141	RECYCLING	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	79.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN			
142	SOILED LINEN	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	79.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN			
143	DOMESTIC WATER	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	79.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
144A	MAIN ELECT.	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	29.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	REMOTE CARD READER, ELECTRIC LATCH, FIRE EXIT DEVICES		
145A	EMERGENCY ELECT.	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	29.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	REMOTE CARD READER, ELECTRIC LATCH, FIRE EXIT DEVICES		
149	STOR.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	85.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
150	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
153B	SOUTH VESTIBULE	FG2	6'-0"	10'-0"	0'-1 3/4"	AL/GL	AL/GL	22.0				NOTE 4	AL	MFR				
155	ST-2	F2	8'-0"	7'-6"	0'-1 3/4"	WD	ST	111.0	HMF8	N12/A9.21	L8/A9.21	NOTE 4	HM	PT	90 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
158C	ST-5	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	38.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	120 MIN			
LEVEL 2 - LOBBY																		
200A	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
200B	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM		45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
202	LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	52.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
203	WOMEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
203A	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
203B	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
203C	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
203D	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
203E	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST		WDF1			NOTE 4	WD	PT	-			
203F	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST		WDF1			NOTE 4	WD	PT	-			
204	MEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
204A	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
204B	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
204C	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-			
205	FAMILY RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	91.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
206A	FRONT OFFICE	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	59.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT				
206B	FRONT OFFICE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	58.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT				
207	FRONT OFFICE MANAGER	F1	3'-0"	7'-0"	0'-1 3/4"	WD	PT	73.0	HMF5	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
208	OFFICE	F1	3'-0"	7'-0"	0'-1 3/4"	WD	PT	73.0	HMF5	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
209	OFFICE	F1	3'-0"	7'-0"	0'-1 3/4"	WD	PT	73.0	HMF5	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT				
210A	MARKET	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	65.0	HMF1	N1/A9.21	L1/A9.21	NOTE 5	HM	PT				
210B	PANTRY/ WARMING KITCHEN	F1	3'-0"	8'-0"	0'-1 3/4"	WD	PT	67.0	HMF1	N1/A9.21	L1/A9.21	NOTE 5	HM	PT				

DOOR SCHEDULE - LEVELS 1-2																
DOOR NO.	ROOM NAME	DOOR							FRAME							
		TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	HARDWARE SET	TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH	FIRE RATING	COMMENTS
213A	FSAE LOBBY	F2	6'-0"	7'-0"	0'-1 3/4"	HM	ST	79.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	
214	STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	51.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	
215	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	
216A	BOH CORRIDOR	F3	6'-0"	7'-0"	0'-1 3/4"	HM	PT	56.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	DOUBLE ACTING
217B	BOH CORRIDOR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	PT	65.0	HMF1	N1/A9.21	L1/A9.21	NOTE 5	HM	PT		
218A	M CLUB	AG1	3'-0"	8'-0"	0'-1 3/4"	AL/GL	AL/GL	62.0	GLAZING SYS			NOTE 5	AL		45 MIN	NOTE 6
218B	BOH CORRIDOR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	PT	69.0	HMF1	N1/A9.21	L1/A9.21	NOTE 5	HM	PT	45 MIN	
219	M CLUB PANTRY	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	86.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT	45 MIN	
220	STORAGE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	81.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	
221	STORAGE	F1	3'-6"	7'-0"	0'-1 3/4"	HM	PT	74.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.13 - DOOR SCHEDULE - INTERIOR - LEVEL 3.3.5
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_r23_OCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:37:10 AM

DOOR SCHEDULE - LEVEL 3-3.5																
DOOR NO.	ROOM NAME	DOOR						HARDWARE SET	FRAME						FIRE RATING	COMMENTS
		TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH		TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH		
LEVEL 3 - BRIDGE																
300A	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.
300B	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.
301	PREFUNCTION NORTH 1	F2	8'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.
302	PREFUNCTION NORTH 1	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	48.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	REMOTE CARD READER, ELECTRIC LATCH, FIRE EXIT DEVICES
303	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN	
304	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		
305A	MEETING ROOM 9	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	
305B	MEETING ROOM 9	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN	REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER, FIRE ALARM FAIL SAFE
306A	MEETING ROOM 10	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN	REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER, FIRE ALARM FAIL SAFE
306B	MEETING ROOM 10	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
308A	MEETING ROOM 5	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
308B	PREFUNCTION NORTH 1	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER, FIRE ALARM FAIL SAFE
309A	PANTRY	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	72.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
309B	PANTRY	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	72.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
309C	PANTRY	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	72.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
310A	MEETING ROOM 4	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
310B	MEETING ROOM 4	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER
312	WOMEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER
312A	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312B	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312C	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312D	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312E	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312F	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312G	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312H	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312I	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312J	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312K	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312L	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312M	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312N	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312O	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312P	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312Q	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312R	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312S	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312T	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312U	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
312V	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
313	JAN.	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	82.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
314	FAMILY RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	91.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
315	MEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
315A	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315B	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315C	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315D	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315E	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315F	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315G	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315H	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315I	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
315J	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
316A	MEETING ROOM 3	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
316B	MEETING ROOM 3	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
317A	MEETING ROOM 7	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER WITH ELECTRIC LATCH.
317B	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	PT	26.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
318A	MEETING ROOM 2	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
318B	MEETING ROOM 2	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
319A	MEETING ROOM 6	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER WITH ELECTRIC LATCH.
319B	MEETING ROOM 6	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER WITH ELECTRIC LATCH.
320A	MEETING ROOM 1	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
320B	MEETING ROOM 1	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	43.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
321A	MEETING ROOM 8	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		REMOTE CARD READER WITH ELECTRIC LATCH.
321B	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
322	ELECT.	F1	3'-0"	8'-0"	0'-1 3/4"	WD	PT	61.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN	
323	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	71.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		
324A	BALLROOM SALON 1	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
324B	BALLROOM SALON 1	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
325A	BALLROOM SALON 2	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
326A	BALLROOM SALON 3	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
326B	BALLROOM SALON 3	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
326C	BALLROOM SALON 3	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	28.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
327A	BALLROOM SALON 4	F2	3'-0"	10'-0"	0'-1 3/4"	WD	ST	37.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5: REMOTE CARD READER WITH ELECTRIC LATCH.
327B	BALLROOM SALON 4	F2	3'-0"	10'-0"	0'-1 3/4"	WD	ST	37.0	HMF3	N8/A9.21						

DOOR SCHEDULE - LEVEL 4-6																
		DOOR						FRAME								
DOOR NO.	ROOM NAME	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	HARDWARE SET	TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH	FIRE RATING	COMMENTS
LEVEL 4 - BALLROOM																
400A	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.
400B	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.
401A	BOH CORRIDOR	F2	6'-0"	8'-0"	0'-2"	WD	ST	102.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	DOUBLE ACTING
401B	MEETING RM PREFUNCTION	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	32.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	
402	COATS	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	52.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN	
403A	MEETING RM SALON 2	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT	45 MIN	NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
403B	BOH CORRIDOR	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		
404A	MEETING RM SALON 1	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT	45 MIN	NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
404B	BOH CORRIDOR	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		
405A	BOH CORRIDOR	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	103.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		
405B	BOH CORRIDOR	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	103.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		
406	BOH CORRIDOR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	20 MIN	
407	FSAE LOBBY	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	48.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN	
408	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN	
409	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	20 MIN	
412A	NORTH PREFUNCTION	F2	8'-0"	8'-0"	0'-1 3/4"	WD	ST		HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
412B	NORTH PREFUNCTION	F2	8'-0"	8'-0"	0'-1 3/4"	WD	ST	36.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
413A	BOARD ROOM	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	26.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5
413B	BOARD ROOM	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	49.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5
414	FAMILY RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	91.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
415A	MEETING ROOM 3	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
415B	MEETING ROOM 3	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PT	26.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		
415C	MEETING ROOM 3	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PT	26.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		
416	WOMENS RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	-	
416A	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416B	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416C	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416D	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416E	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416F	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416G	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416H	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416I	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416J	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416K	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416L	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416M	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416N	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416O	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416P	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416Q	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416R	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416S	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
416T	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417	MENS RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	-	
417A	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417B	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417C	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417D	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417E	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417F	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417G	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417H	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417I	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
417J	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
419A	GRAND BALLROOM SALON 7	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
419B	BOH CORRIDOR	F2	10'-0"	12'-0"	0'-1 3/4"	HM	PT	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
420A	GRAND BALLROOM SALON 6	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5
420B	GRAND BALLROOM SALON 6	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
421A	GRAND BALLROOM SALON 5	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
421B	GRAND BALLROOM SALON 5	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
422A	GRAND BALLROOM SALON 4	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
422B	GRAND BALLROOM SALON 4	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
423A	GRAND BALLROOM SALON 3	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
423B	GRAND BALLROOM SALON 3	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
424A	GRAND BALLROOM SALON 2	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
424B	GRAND BALLROOM SALON 2	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
425A	GRAND BALLROOM SALON 1	F2	6'-0"	10'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT		NOTE 5; REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER. FIRE ALARM FAIL SAFE
426	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	58.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
427	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT		
428	BOH CORRIDOR	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	36.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
429	FAMILY RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	91.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
430A	WOMENS RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
430B	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
430C	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
430D	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
430E	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
430F	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
430G	WOMENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
431	MENS RR	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	101.0	HMF1	N1/A9.21		NOTE 4	HM	PT		
431A	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
431B	MENS RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-	
431C	MENS RR	F1	3'-0"	7'-0"	0'-1 3/4"	WD	ST	81.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT		
433	BANQUET BEVERAGE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT		

DOOR SCHEDULE - LEVEL 4-6																			
DOOR NO.	ROOM NAME	DOOR				FRAME												FIRE RATING	COMMENTS
		TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	HARDWARE SET	TYPE	HEAD	JAMB	SILL	MATERIAL	FINISH					
435A	PLATING AND BEVERAGE SERVICE	F1	3'-6"	7'-0"	0'-1 3/4"	HM	PT	70.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT					
435B	PLATING AND BEVERAGE SERVICE	OH1	8'-0"	9'-0"	0'-1 1/2"	MFR	MFR	111.0					MFR	MFR					
435C	PLATING AND BEVERAGE SERVICE	OH1	8'-0"	9'-0"	0'-1 1/2"	MFR	MFR	111.0					MFR	MFR					
435D	PLATING AND BEVERAGE SERVICE	F1	3'-6"	8'-0"	0'-1 3/4"	HM	PT	75.0	HMF3	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT					
436	STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	52.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN				
437	RR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	90.0	HMF1	N1/A9.21	L1/A9.21	F2/A9.21	HM	PT					
438	RR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	90.0	HMF1	N1/A9.21	L1/A9.21	F2/A9.21	HM	PT					
439	BANQUET STORAGE	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	52.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN				
440	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
441	POCKET	MFR	3'-0"	7'-0"	0'-1 3/4"	MFR	MFR	111.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	MFR	MFR	-		OPERABLE PARTITION STORAGE POCKET DOOR		
442	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
443	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
444	POCKET	MFR	3'-0"	7'-0"	0'-1 3/4"	MFR	MFR	111.0				NOTE 4	MFR	MFR	-		OPERABLE PARTITION STORAGE POCKET DOOR		
445	VESTIBULE	F1	3'-6"	8'-0"	0'-1 3/4"	WD	ST	25.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
446	JANITOR	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	81.0	HMF1	N1/A9.21	L1/A9.21	F5/A9.21	HM	PT					
447	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	88.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
448	MEETING RM SALON 2	MFR	3'-0"	7'-0"	0'-1 3/4"	MFR	MFR	111.0				NOTE 4	MFR	MFR	-		OPERABLE PARTITION STORAGE POCKET DOOR		
449A	ST-1	F1	4'-0"	8'-0"	0'-1 3/4"	HM	PT	39.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
449B	ST-1	F1	4'-0"	8'-0"	0'-1 3/4"	HM	PT	39.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
450	ST-2	F2	7'-0"	8'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
451A	ST 3	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
451B	ST 3	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
452A	ST-4	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
452B	ST-4	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
453A	ST-5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PT	40.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
453B	ST-5	F1	4'-0"	7'-0"	0'-1 3/4"	HM	PT	40.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
454A	ST-6	F2	7'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
454B	ST-6	F2	7'-0"	7'-0"	0'-1 3/4"	HM	PT	31.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	90 MIN				
455	JAN.	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	82.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT					
LEVEL 5 - MEZZANINE																			
501	FSAE LOBBY	F2	6'-0"	7'-0"	0'-1 3/4"	HM	PT	52.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN				
502	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN				
503	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	20 MIN				
504A	BANQUET STORAGE	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	54.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN				
504B	BANQUET STORAGE	F6	8'-0"	7'-0"	0'-1 3/4"	HM	PT	52.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	45 MIN				
505	ENGINEERING	F2	7'-0"	7'-0"	0'-1 3/4"	HM	PT	48.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
506	MECHANICAL	F2	7'-0"	7'-0"	0'-1 3/4"	HM	PT	48.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
507	ST-4	F2	8'-0"	7'-0"	0'-1 3/4"	HM	PT	48.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN				
508	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
510	ELEVATOR CONTROL RM	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
512	ST-2	F2	7'-0"	7'-0"	0'-1 3/4"	HM	PT	48.0	HMF3	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN				
514	ST-5	F1	3'-6"	7'-0"	0'-1 3/4"	HM	PT	55.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN				
LEVEL 6 - AMENITY																			
600A	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN		DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
600B	PE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN		DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
602	FSAE LOBBY	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	57.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN				
603	ELECT.	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	61.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT	90 MIN				
604	IDF	F1	3'-0"	7'-0"	0'-1 3/4"	HM	PT	73.0	HMF1	N1/A9.21	L1/A9.21	A5/A9.21	HM	PT					
605A	PREFUNCTION	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN		DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
605B	PREFUNCTION	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	111.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	45 MIN		DOOR AND HARDWARE BY TOTAL DOOR SYSTEMS. FIRE ALARM FAIL SAFE FOR MAGNETIC HOLD OPEN.		
606A	VESTIBULE	FG2	6'-0"	9'-9 1/4"	0'-1 3/4"	AL/GL	AL/GL	21.0	GLAZING SYS			NOTE 4	AL	MFR					
607	WOMEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PT	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT	-				
607A	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607B	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607C	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607D	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607E	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607F	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607G	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607H	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607I	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607J	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607K	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607L	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607M	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
607N	WOMEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
608	PANTRY	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PT	72.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT					
609	BOARDROOM	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	27.0	HMF3	N8/A9.21	L8/A9.21	NOTE 4	HM	PT			REMOTE CARD READER, ELECTRIC LATCH, HOLD OPEN IN CLOSER, FIRE ALARM FAIL SAFE		
610A	MEETING SUITE 1	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
610B	MEETING SUITE 1	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
611A	MEETING SUITE 2	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
611B	MEETING SUITE 2	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
612A	MEETING SUITE 3	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
612B	MEETING SUITE 3	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
613A	MEETING SUITE 4	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
613B	MEETING SUITE 4	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
614A	MEETING SUITE 5	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
614B	MEETING SUITE 5	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
615A	MEETING SUITE 6	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
615B	MEETING SUITE 6	F1	3'-0"	8'-0"	0'-1 3/4"	WD	ST	42.0	HMF1	N8/A9.21	L8/A9.21	NOTE 4	HM	PT					
616	MEN'S RR	F1	3'-0"	8'-0"	0'-1 3/4"	HM	PT	101.0	HMF1	N1/A9.21	L1/A9.21	NOTE 4	HM	PT					
616A	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616B	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616C	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616D	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616E	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616F	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616G	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
616H	MEN'S RR	FO	2'-10"	8'-0"	0'-1 3/4"	WD	ST	111.0	WDF1			NOTE 4	WD	PT	-				
617A	GUESTROOM CORRIDOR	F2	6'-0"	8'-0"	0'-1 3/4"	WD	ST	30.0	HMF3	N1/A9.21	L1/A9.21	NOTE 4	HM	PT			REMOTE CARD READER WITH ELECTRIC LATCH.		



COOPER CARRY
THE CENTER FOR CONNECTIVE ARCHITECTURE

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000
coopercarry.com



Moody Nolan

ASSOCIATE ARCHITECT

©2025 COOPER CARR

SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design/Builder] is responsible for complete and coordinated pricing (and execution) of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete and coordinated design. The [Construction Manager, Contractor, Design/Builder] shall coordinate the design of all components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design/Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES		
No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	2024-09-18
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

ISSUANCES		
No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	2024-09-18
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

CINCINNATI CONVENTION
CENTER HOTEL



444 PLUM STREET
CINCINNATI, OHIO

Cincinnati CH (OH), LLC


DOOR SCHEDULE - INTERIOR
- LEVEL 4-6

Designer	20240011
Principal-in-Charge	Project No.
Approver	09/18/24
Project Manager	Date
Checker	
Project Architect	
Author	
Staff Architect	


PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.20 - DOOR DETAILS - EXTERIOR
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_R23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:37:43 AM




E1 SILL - @ LIFT AND SLIDE PEDESTAL
A9.20 SCALE: 3" = 1'-0"




A1 SILL AT PEDESTAL
A9.20 SCALE: 3" = 1'-0"




N5 JAMB AT CMP
A9.20 SCALE: 3" = 1'-0"




J5 COILING OVERHEAD DOOR HEAD
A9.20 SCALE: 1 1/2" = 1'-0"




E5 OVERHEAD COILING DOOR JAMB
A9.20 SCALE: 3" = 1'-0"




A5 OVERHEAD COILING SILL
A9.20 SCALE: 1 1/2" = 1'-0"




N10 HEAD AT CMP
A9.20 SCALE: 3" = 1'-0"




J10 HEAD AT MP1
A9.20 SCALE: 3" = 1'-0"




E10 JAMB AT MP1
A9.20 SCALE: 3" = 1'-0"




A10 TYPICAL SILL - CONC. FOUND.
A9.20 SCALE: 3" = 1'-0"




N14 CURTAIN WALL TRANSOM
A9.20 SCALE: 3" = 1'-0"



J14 CURTAIN WALL SHADOW BOX HEAD @ CEILING
A9.20 SCALE: 3" = 1'-0"



E14 CURTAIN WALL DOOR JAMB
A9.20 SCALE: 3" = 1'-0"



A14 CURTAIN WALL DOOR SILL - CONC. FOUND.
A9.20 SCALE: 3" = 1'-0"

SCOPE DOCUMENTS
The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing [and execution] of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES		
No.	Drawing Issue Description	Date
DESIGN DEVELOPMENT		2025-06-04
A	BID PACKAGE #2 / CMP	2025-09-09

**CINCINNATI CONVENTION
CENTER HOTEL**

444 PLUM STREET
CINCINNATI, OHIO
Cincinnati CH (OH), LLC
DOOR DETAILS - EXTERIOR

Designer	20240011
Principal in Charge	Project No.
Approver	02/25/25
Project Manager	Date
Checker	
Project Architect	
Author	
Staff Architect	

A9.20



COOPER CARRY
THE CENTER FOR CONNECTIVE ARCHITECTURE

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000
coopercarry.com

ASSOCIATE ARCHITECT:



Moody Nolan

©2025 COOPER CARRY

SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing (and execution) of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES

No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

STEEL FRAME PARTITION DOOR DETAILS

STEEL FRAME PARTITION DOOR DETAILS

**CINCINNATI CONVENTION
CENTER HOTEL**

444 PLUM STREET
CINCINNATI, OHIO


Cincinnati CH (OH), LLC

**DOOR DETAILS - STEEL STUD
PARTITIONS**


BOB NEAL Principal in Charge	20240011 Project No.
BILL GARCIA Project Manager	Date
ARMAN TOLENTINO Project Architect	
MOISES VILLANUEVA Staff Architect	

A9.21


NOT ISSUED FOR CONSTRUCTION




N15 DOOR HEAD DTL - MTL STUD TRANSOM
A9.21 SCALE: 3" = 1'-0"




L15 DOOR JAMB DTL - MTL STUD SIDELIGHT
A9.21 SCALE: 3" = 1'-0"




N12 DOOR HEAD DTL - MTL STUD WOOD TRIM
A9.21 SCALE: 3" = 1'-0"




L12 DOOR JAMB DTL - MTL STUD WOOD TRIM
A9.21 SCALE: 3" = 1'-0"




N8 DOOR HEAD DTL - MTL STUD SOUND RATED
A9.21 SCALE: 3" = 1'-0"




L8 DOOR JAMB DTL - MTL STUD SOUND RATED
A9.21 SCALE: 3" = 1'-0"




N5 DOOR HEAD DTL - MTL STUD 4"
A9.21 SCALE: 3" = 1'-0"




L5 DOOR JAMB DTL - MTL STUD 4"
A9.21 SCALE: 3" = 1'-0"




N1 DOOR HEAD DTL - MTL STUD 2"
A9.21 SCALE: 3" = 1'-0"




L1 DOOR JAMB DTL - MTL STUD
A9.21 SCALE: 3" = 1'-0"




F15 SILL DETAIL - CARPET / TILE
A9.21 SCALE: 3" = 1'-0"




F12 SILL DETAIL - IN / OUTSWING DOOR CPT TO CPT
A9.21 SCALE: 3" = 1'-0"




F8 SILL DETAIL - VCT / TILE
A9.21 SCALE: 3" = 1'-0"




F5 SILL DETAIL - CONCRETE / RESILIENT
A9.21 SCALE: 3" = 1'-0"




F2 SILL DETAIL - CONCRETE / TILE
A9.21 SCALE: 3" = 1'-0"




C15 SILL DETAIL - CARPET / VCT
A9.21 SCALE: 3" = 1'-0"




C12 SILL DETAIL - CARPET / CONCRETE
A9.21 SCALE: 3" = 1'-0"




C8 STONE THRESHOLD - INSWING DOOR CPT TO TILE
A9.21 SCALE: 3" = 1'-0"




C5 SILL DETAIL - CARPET / CARPET
A9.21 SCALE: 3" = 1'-0"



A5 SILL DETAIL - CONTINUOUS
A9.21 SCALE: 3" = 1'-0"



A12 STONE THRESHOLD - OUTSWING DOOR CPT TO TILE
A9.21 SCALE: 3" = 1'-0"



A8 STONE THRESHOLD - INSWING DOOR CPT TO WOOD
A9.21 SCALE: 3" = 1'-0"

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.21 - DOOR DETAILS - STEEL STUD PARTITIONS
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_R23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:37:53 AM



COOPER CARRY

THE CENTER FOR CONNECTIVE ARCHITECTURE

191 Peachtree Street NE

Suite 2400

Atlanta, GA 30303-1770

(404) 237-2000

coopercarry.com

ASSOCIATE ARCHITECT:



Moody Nolan

©2025 COOPER CARRY


SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing [and execution] of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.


ISSUANCES

No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09


NESTED FRAME CMU DOOR DETAILS




N1 DOOR HEAD DTL - CMU
A9.22 SCALE: 3" = 1'-0"




N5 DOOR HEAD DTL - CMU SOUND RATED
A9.22 SCALE: 3" = 1'-0"




N8 DOOR HEAD DTL - CMU FURRING
A9.22 SCALE: 3" = 1'-0"




N12 DOOR HEAD DTL - CMU FURRING EA SIDE
A9.22 SCALE: 3" = 1'-0"




L1 DOOR JAMB DTL - CMU
A9.22 SCALE: 3" = 1'-0"




L5 DOOR JAMB DTL - CMU SOUND RATED
A9.22 SCALE: 3" = 1'-0"




L8 DOOR JAMB DTL - CMU FURRING
A9.22 SCALE: 3" = 1'-0"



L12 DOOR JAMB DTL - CMU FURRING EA SIDE
A9.22 SCALE: 3" = 1'-0"




H1 DOOR HEAD DTL - CMU FURRING OFFSET
A9.22 SCALE: 3" = 1'-0"




F1 DOOR JAMB DTL - CMU FURRING OFFSET
A9.22 SCALE: 3" = 1'-0"


HYBRID FRAME CMU DOOR DETAILS




D1 DOOR HEAD DTL - CMU TRANSOM
A9.22 SCALE: 3" = 1'-0"




D5 DOOR HEAD DTL - CMU TRANSOM FURRING
A9.22 SCALE: 3" = 1'-0"




D8 DOOR HEAD DTL - CMU TRANSOM FURRING EA SIDE
A9.22 SCALE: 3" = 1'-0"



A1 DOOR JAMB DTL - CMU SIDELIGHT
A9.22 SCALE: 3" = 1'-0"




A5 DOOR JAMB DTL - CMU SIDELIGHT FURRING
A9.22 SCALE: 3" = 1'-0"




A8 DOOR JAMB DTL - CMU SIDELIGHT FURRING EA SIDE
A9.22 SCALE: 3" = 1'-0"

NESTED FRAME CMU DOOR TRANSOM & SIDELIGHT DETAILS



D13 DOOR HEAD DTL - CMU/CONC. ROLLING
A9.22 SCALE: 3" = 1'-0"



A13 DOOR JAMB DTL - CMU/CONC. ROLLING
A9.22 SCALE: 3" = 1'-0"

MISC. PARTITION DOOR DETAILS

CINCINNATI CONVENTION CENTER HOTEL

444 PLUM STREET
CINCINNATI, OHIO

Cincinnati CH (OH), LLC

DOOR DETAILS - CMU PARTITIONS

BOB NEAL 20240011

Principal in Charge Project No.

BILL GARCIA Date

Project Manager

ARMAN TOLENTINO

Project Architect

MOISES VILLANUEVA















Staff Architect

A9.22

NOT ISSUED FOR CONSTRUCTION

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.22 DOOR DETAILS: CMU PARTITIONS
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_R23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:38:01 AM

PROJECT NUMBER: 20240011 PROJECT NAME: CINCINNATI CONVENTION CENTER HOTEL
SHEET NUMBER: A9.23 - DOOR DETAILS - CMU PARTITIONS
Autodesk Docs/20240011 Cincinnati Convention Center Hotel/20240011_r23_CCC-HOTEL_ARCH_BASE.rvt
9/10/2025 12:38:09 AM



THROATED FRAME CMU DOOR DETAILS

THROATED FRAME CMU DOOR TRANSOM & SIDELIGHT DETAILS

SCOPE DOCUMENTS
The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design Builder] is responsible for complete and coordinated pricing (and execution) of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs, systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES		
No.	Drawing Issue Description	Date
DESIGN DEVELOPMENT		2025-06-04
A	BID PACKAGE #2 / GMP	2025-09-09

**CINCINNATI CONVENTION
CENTER HOTEL**

444 PLUM STREET
CINCINNATI, OHIO

Cincinnati CH (OH), LLC

**DOOR DETAILS - CMU
PARTITIONS**

BOB NEAL	20240011
Principal in Charge	Project No.
BILL GARCIA	
Project Manager	Date
ARMAN TOLENTINO	
Project Architect	
MOISES VILLANUEVA	
Staff Architect	

A9.23