

Выполнил: Адаменко

activity_main:

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<LinearLayout
```

```
    xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    android:orientation="vertical"
```

```
    android:id="@+id/main"
```

```
    android:gravity="center"
```

```
    android:padding="16dp">
```

```
<TextView
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:text="Степаненко"
```

```
    android:textSize="20sp"
```

```
    android:textStyle="bold"
```

```
    android:textColor="@color/black"
```

```
    android:layout_marginBottom="32dp"/>
```

```
<ImageView
```

```
    android:layout_width="200dp"
```

```
    android:layout_height="200dp"
```

```
    android:src="@drawable/owl"
```

```
    android:contentDescription="Фото студента"
```

```
    android:layout_marginBottom="32dp"/>
```

```
<TextView
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:text="На следующем слайде написанна моя  
характеристика"
```

```
    android:textSize="16sp"
```

```
    android:textColor="@color/black"
```

```
    android:layout_marginBottom="32dp"
```

```
    android:gravity="center"/>
```

```
<Button
    android:id="@+id/nextButton"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Узнать характеристику"
    android:backgroundTint="@color/black"/>
</LinearLayout>
```

activity_second:

```
<?xml version="1.0" encoding="utf-8"?>
<ScrollView
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    android:fillViewport="true"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/second"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".SecondActivity">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical"
    android:padding="16dp">
```

```
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Характеристика"
    android:textSize="24sp"
    android:layout_marginBottom="16dp"/>
```

```
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
```

```

        android:text="@string/long_text"
        android:textSize="16sp"/>
    </LinearLayout>
</ScrollView>

```

MainActivity:

```
package com.example.lab4
```

```

import android.content.Intent
import android.os.Bundle
import android.widget.Button
import androidx.activity.enableEdgeToEdge
import androidx.appcompat.app.AppCompatActivity
import androidx.core.view.ViewCompat
import androidx.core.view.WindowInsetsCompat

```

```

class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        enableEdgeToEdge()
        setContentView(R.layout.activity_main)
    }

```

```

    ViewCompat.setOnApplyWindowInsetsListener(findViewById(
        R.id.main)) { v, insets ->

```

```

        val systemBars =
            insets.getInsets(WindowInsetsCompat.Type.systemBars())
        v.setPadding(systemBars.left, systemBars.top,
            systemBars.right, systemBars.bottom)
        insets
    }

```

```

    val btn: Button = findViewById(R.id.nextButton)
    btn.setOnClickListener {
        intent = Intent(this, SecondActivity::class.java)
        intent.putExtra("text", "asdfsdf")
        startActivity(intent)
    }

```

```
}  
}  
}
```

SecondActivity

```
package com.example.lab4
```

```
import android.os.Bundle  
import android.widget.TextView  
import androidx.activity.enableEdgeToEdge  
import androidx.appcompat.app.AppCompatActivity  
import androidx.core.view.ViewCompat  
import androidx.core.view.WindowInsetsCompat
```

```
class SecondActivity : AppCompatActivity() {  
    override fun onCreate(savedInstanceState: Bundle?) {  
        super.onCreate(savedInstanceState)  
        enableEdgeToEdge()  
        setContentView(R.layout.activity_second)  
  
        ViewCompat.setOnApplyWindowInsetsListener(findViewById(  
            R.id.second)) { v, insets ->  
            val systemBars =  
insets.getInsets(WindowInsetsCompat.Type.systemBars())  
            v.setPadding(systemBars.left, systemBars.top,  
systemBars.right, systemBars.bottom)  
            insets  
  
        }  
  
        val text : TextView = findViewById(R.id.nextButton)  
        val message = intent.getStringExtra("text")  
        text.text = message  
    }  
}
```

strings:

```
<resources>  
  <string name="app_name">lab4</string>  
  <string name="long_text">Здравствуйте </string>  
</resources>
```