

ELEN-0016 – Computer Vision

Student projects 2022-2023

Prof. M. Van Droogenbroeck, R.Vandeghen

Version 1.0

Introduction

The aim of the project is to design methods, to understand its components, and evaluate the quality of the results for an application.

The application consists to manage the image/video acquisition process with a NVIDIA Jetson TX2, to detect and segment motion in the images/video stream when the camera itself is in motion and to produce a panoramic view of the imaged background.

Organization of the working teams

Each team consists of a maximum of 5 or 6 persons.

If possible, each team should be composed of students with different orientations (electronics – computer sciences – biomedical engineering). It is believed that such a team composition will enrich your experience and lead to the best results.

The teams must be constituted and the project will start **the 5th of October 2022**.

Provided material

- NVIDIA Jetson TX2 with a camera module
- Power supply adapter
- USB Micro-B to USB A cable
- USB Micro-B to Female USB A cable
- Antennas to connect to Wi-Fi enabled devices

You should check as fast as possible that you can use python3 and OpenCV correctly.

Task subdivision

The project is subdivided into two tasks (described in more details in the following sections):

Task 1 Main modules (building blocks) development (image/video acquisition, camera motion estimation, panoramic view and video database)

Task 2 Ball tracking and ball position in 3D.

Each task will give rise to a report.

1 Task 1: Main modules development

1.1 Description

This task is aimed at developing the main modules required to detect and estimate the motion of the camera and to produce a first version of the panoramic view. This first task is further subdivided into 4 sub-tasks described hereafter:

1.1.1 Sub-task 1.1: Image/Video acquisition

- You will work with gray-scale and/or color images. You should preferentially use gray-scale images for performance reasons. Processing color images is much more demanding than grayscale images. Nevertheless, if you think that using color images is worth the extra cost, you are allowed to do so and to discuss the advantages and drawbacks of the color images compared to grayscale images.
- You have to write and put into place a(several) program(s) written in python3, based on `OpenCV` library (linux) or any other python library, running on the Jetson TX2 platform.
- This(these) application(s) will be able:
 - either to read (and process) from the disk/memory any video sequences.
 - or to read (and process) any video stream acquired by the camera module embedded in the Jetson TX2.
- The image processing part is under the responsibility of the other sub-tasks.

1.1.2 Sub-task 1.2: Camera motion estimation

- You have to write and put into place a program written in python3 based on the `OpenCV` library (linux) or any other python library, running on the Jetson TX2 platform.
- The principle of camera motion estimation is to provide a continuous measure describing the movement of the camera. In this project, we expect you to provide the direction (expressed as an angle) of the camera compared to its resting or initial position.
- The only allowed movement of the camera is panning from left to right or from right to left between two predefined angles.
- You are allowed to reuse any algorithms available in the `OpenCV` library. We expect you to understand not only the theory behind the algorithms but also their advantages, drawbacks and their internals.

1.1.3 Sub-task 1.3: Panoramic image construction - First version

- You have to write and put into place a program written in python3 based on the `OpenCV` library (linux) or any other python library, running on the Jetson TX2 platform.
- Based on the estimation of the camera motion (see 1.1.2), you have to build a panoramic view of the background and a visualization of where the camera is situated in this panoramic view. An example is illustrated in Figure 1. You should create this panoramic image, as much as possible, without the foreground objects in it. But, at this stage, without the detection of the moving objects, we do not expect you to completely remove the foreground (moving objects) from the panoramic view.



Figure 1: Panoramic image with the current image highlighted.

- As explained later (see 1.2), you will acquire two different types of sequence; the “working” sequences with moving objects and the corresponding “reference” sequences without any moving objects. You have to produce a panoramic view for both types of sequence (see 1.2 for details).
- You are allowed to reuse any algorithms available in the `OpenCV` library. We expect you to understand not only the theory behind the algorithms but also their advantages, drawbacks and their internals.

1.1.4 Sub-task 1.4: Image database

- In this sub-task, you will build a video database containing objects, persons and camera motion for different scene configurations.
- The videos will be acquired with the camera module of the Jetson TX2.
- The details concerning the videos and their formats are described hereafter.

1.2 Images database

Image size: The image size must be 1280×720 (width \times height) pixels. But, for performance reasons, you are allowed to process reduced versions of the images.

Frame rate: You will choose the frame rate of 25 Frames Per Second (FPS) and the duration of the sequences will be 1 min, so 1500 frames exactly in total.

Color: You will record colored images, even if you prefer to process grayscale images.

Number of working images/sequences: The video database must contain 2 video sequences saved as a sequence of images. You should make the scenes as dynamic as possible with up to three persons in total in the sequence. One sequence should be recorded indoors and one outdoors. In addition to displaying moving persons, the 2 sequences have to contain some other moving objects that are not human beings (cars, animals, balls, ...)

Number of references images/sequences: For each video sequence, you have to provide a companion sequence, which will serve as a reference to validate your motion detection algorithm and background panoramic view. These sequences will be acquired at the same time (before or after) and in the same conditions than the corresponding video sequences with moving objects. During these companion sequences, the camera will pan from left to right then back from right to left. The reference sequences must not contain any moving objects (just the background). The duration of these reference sequences must be 20 sec, acquired at the same frame rate and resolution than the regular sequences.

Image file name format: The video sequences will be stored as sequences of individual image files with the following syntax: "img_%1d_%1d_%04d.jpg". The first '%1d' one-digit number is the number of your group (from 1 to 7). The second '%1d' one-digit number is the number of the sequence (from 1 to 2). The '%04d' four-digits number is the number of the recorded image within the sequence, padded to the left with '0' (from '0000' to '1499'). So the file names for the second sequence of the group 3 will be : img_3_2_0000.jpg, ..., img_3_2_1499.jpg.

The naming convention for the reference sequences is the same as for the regular sequences excepted that the 'img' part of the name has to be replaced by 'ref'. So, the reference images for the second video of the third group will be named ref_3_2_0000.jpg, ..., ref_3_2_0499.jpg.

Panoramic view for the reference sequences: For each reference video sequence, you must provide the corresponding panoramic image. This panoramic image must be saved in four non overlapping parts. Each part is a 1280×720 image named "pan_%1d_%1d_%1d.jpg". The first '%1d' one-digit number is the number of your group (from 1 to 6). The second '%1d' one-digit number is the number of the sequence (from 1 to 2). The third '%1d' one-digit number is the part number in the panoramic image (from 0 to 3). As an example, the 4 images of the panorama for the second sequence of the group 3 will be : pan_3_2_0.jpg, ..., pan_3_2_3.jpg.

If the range of your panoramic view doesn't fill completely the four images, the panorama must start with the image 'pan_?_?_0.jpg', you must pad the right part of the four images panorama with zero (black) and you must provide the exact width of your panorama in a 'README' file (must not be larger than 5120).

For the project, you will use the sequences of all the different groups. Therefore, your sequences are due for **the 7th of October** on the submission platform.

1.3 Reporting

The report is due for **the 26th of October** on the submission platform.

The report will contain:

- A document with:
 - A short presentation of the whole task.
 - The contribution of each student of the team with respect to the 4 sub-tasks. Several students may work on the same task and a student may work on several tasks. But we expect the work to be reasonably and fairly distributed.
 - A description of your image database.
 - For each modules:
 - * A short description of the implemented algorithm, its advantages and drawbacks.
 - * A short note on the implementation.
 - * A short description of the validation test for the implementation.
 - Please, it is mandatory to limit the size of your document to **6 pages maximum** (including title page, figures, images, tables, graphics, etc.). Pages beyond 6 pages will be discarded.
- An optionnal video.
- The image database.
- The code of the applications/modules produced by the four/five students in the team **with a clear description** (README) of how to use the code (install, run and test).

2

2.1