

Velocity Shipping API Documentation for Custom Integration

Overview

This document serves as a complete and developer-friendly reference to the Velocity Shipping API suite. It is intended to help sellers and third-party platforms seamlessly integrate their custom websites, ERPs, or order management systems with Velocity Shipping (Formerly Shipfast).

The documentation covers:

- Clear and detailed API endpoint definitions
- Field-level request specifications
- Sample request and response payloads
- Standard error codes with explanations

By using these APIs, integrators can efficiently create, manage, and track shipments, enabling end-to-end order manifestation and shipping operations through Velocity Shipping.

Base URL: <https://shazam.velocity.in/>

Standard Error Codes:

HTTP Code	Description
400	Validation error in request parameters
401	Authorization failed due to invalid or missing credentials
422	Waybill operation failed
422	Shipment cancellation failed

1. Authentication - Get Token

Purpose

Obtain API token for Authorization header in subsequent requests.

Method: POST

Endpoint - </custom/api/v1/auth-token>

Request Fields

Field	Type	Required	Description	Example
username	string	Yes	Mobile number with country code (Velocity Shipping Username)	+91xxxxxxxxx
password	string	Yes	Velocity Shipping Account password	Your password

Notes

- Use `Authorization: {{token}}` in all secured endpoints.
- Token will be valid for 24 Hrs

Sample Request Curl

```
curl --location '/custom/api/v1/auth-token' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "username": "+919866340090",  
  "password": "Velocity@123"  
'
```

Response

```
{  
  "token": "bbqRkOXw0xWLuYj9ubnDwg",  
  "expires_at": "2025-09-17T10:11:40"  
}
```

2. Create Warehouse

Purpose

Creates a new pickup warehouse in the Velocity Shipping system.

Method: POST

Endpoint: </custom/api/v1/warehouse>

Request Fields

Field	Type	Required	Description	Example
name	string	Yes	Warehouse display name	Demo Warehouse
phone_number	string	Yes	POC Contact number	8860606061
gst_no	string	Optional	Gst no. of the warehouse	TY9782399913
email	string	Yes	POC email	shipfast-clickpost@velocity.in
contact_person	string	Yes	Warehouse POC	Raghuraj
address_attributes.street_address	string	Yes	Street address	Incubex HSR Layout ...
address_attributes.zip	string	Yes	PIN	560102
address_attributes.city	string	Yes	City	Bangalore
address_attributes	string	Yes	State	Karnataka

.state				
address_attributes .country	string	Yes	Country	India

Sample Request Curl

```
curl --location '/custom/api/v1/warehouse' \
--header 'Content-Type: application/json' \
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \
--data-raw '{
  "name": "Demo Warehouse",
  "phone_number": "8860606061",
  "gst_no": "886060608861",
  "email": "shipfast-clickpost@velocity.in",
  "contact_person": "Raghuraj",
  "address_attributes": {
    "street_address": "Incubex HSR Layout (HSR6) #1504, 19th Main, 11th Cross Rd,
opposite Decathlon, 1st Sector, HSR Layout",
    "zip": "560102",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India"
  }
}'
```

Response

```
{
  "status": "SUCCESS",
  "payload": {
    "warehouse_id": "WH66DU"
  }
}
```

3. Serviceability API

Purpose

Checks whether pickup and delivery are supported between two pincodes for a given payment mode and shipment type and also shares a list of eligible carriers for the lane.

Method: POST

Endpoint: </custom/api/v1/serviceability>

Request Fields

Field	Type	Required	Description	Example
from	string	Yes	Pickup pincode	560068
to	string	Yes	Destination pincode	560068
payment_mode	enum	Yes	cod or prepaid	cod
shipment_type	enum	Yes	forward or return	forward

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/serviceability' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: DO190JE4z8qD4S7ly6hx9Q' \  
--data '{  
  "from": "560068",  
  "to": "560068",  
  "payment_mode": "cod",  
  "shipment_type": "forward"  
}'
```

Response

```
{  
  "result": {  
    "serviceability_results": [  
      {  
        "carrier_id": "CAR0EPDPJXXL4",  
        "carrier_name": "DTDC Standard"
```

```
},
{
  "carrier_id": "CARCVBWTPRH08",
  "carrier_name": "Ekart Standard"
},
{
  "carrier_id": "CAR5IXXJVT5MD",
  "carrier_name": "Delhivery Standard 5 Kg"
},
{
  "carrier_id": "CARVKGNGNLOCU",
  "carrier_name": "Blitz Special"
},
{
  "carrier_id": "CARFYXUKCQHBM",
  "carrier_name": "Delhivery Special Standard 20 kg"
},
{
  "carrier_id": "CARVPHPLJQJOA",
  "carrier_name": "Delhivery Special Standard 10 kg"
},
{
  "carrier_id": "CARO0ZZQH1H6U",
  "carrier_name": "Delhivery Standard"
},
{
  "carrier_id": "CAR2FZNOLGJ2X",
  "carrier_name": "Bluedart Standard"
},
{
  "carrier_id": "CARLTTKCUYWRM",
  "carrier_name": "Delhivery Standard 250G"
},
{
  "carrier_id": "CARTS5SW8LSJT",
  "carrier_name": "XpressBees Standard"
},
{
  "carrier_id": "CARKX7WW6UNS8",
  "carrier_name": "Pikndel NDD"
}
],
"zone": "zone_a"
},
```

```
"status": "SUCCESS"
}
```

4. Forward Shipment - Create Order

Purpose

Creates and manifests a forward shipment (i.e. create an order and also assign to a courier) after successful serviceability validation.

Method: POST

Endpoint: </custom/api/v1/forward-order-orchestration>

Forward Shipment - Field-Level Table

i) Order, Channel & Carrier

Field	Type	Required	Description	Example
order_id	string	Yes	Unique per order	ORDER-49
order_date	string	Yes	YYYY-MM-DD HH:mm	2018-05-08 12:23
carrier_id	string	Optional	carrier_id is fetched from the Serviceability API; leave it blank for automatic courier assignment based on configured shipping rules, or pass a specific carrier_id to assign a particular courier.	CARO0ZZQH1H6U

ii) Billing & Shipping

Field	Type	Required	Description	Example
-------	------	----------	-------------	---------

billing_customer_name	string	Yes	First name	Saurabh
billing_last_name	string	Optional	Last name	Jindal
billing_address	string	Yes	Address line 1	Incubex, Velocity
billing_city	string	Yes	City	Bangalore
billing_pincode	string	Yes	6-digit PIN	560102
billing_state	string	Yes	State	Karnataka
billing_country	string	Yes	Country	India
billing_email	string	Optional	Email	saurabh+123891@velocity.in
billing_phone	string	Yes	Phone	8860697807
shipping_is_billing	boolean	Optional	True if shipping same as billing	TRUE
print_label	boolean	Yes	Auto-generate label	TRUE

iii) Items & Payment

Field	Type	Required	Description	Example
order_items[]	array	Yes	List of items	see JSON
payment_method	enum	Yes	COD or PREPAID	COD
sub_total	number	Yes	Order subtotal	990
cod_collectible	number	Yes	Required if payment_method is COD, pass 0 in case of PREPAID	990

iv) Dimensions & Warehouse

Field	Type	Required	Description	Example
length	number	Yes	cm	100
breadth	number	Yes	cm	50

height	number	Yes	cm	10
weight	number	Yes	kg	0.5
pickup_location	string	Yes	Pickup Location Name	Lucknow Warehouse
warehouse_id	string	Yes	Pickup warehouse Id in Velocity Shipping Portal	WHYYB5

v) Vendor details (Pickup Location details)

Field	Type	Required	Description	Example
email	string	Optional	Vendor email	abcdd@abcdd.com
phone	string	Optional	Vendor phone	9879879879
name	string	Optional	Vendor name	Coco Cookie
address	string	Optional	Address	Street 1
city	string	Optional	City	delhi
state	string	Optional	State	new delhi
country	string	Optional	Country	india
pin_code	string	Optional	PIN	110077
pickup_location	string	Optional	Pickup label	HomeNew

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/forward-order-orchestration' \
--header 'Content-Type: application/json' \
--header 'Authorization: DO190JE4z8qD4S7ly6hx9Q' \
--data-raw '{
  "order_id": "ORDER-43242",
  "order_date": "2018-05-08 12:23",
  "carrier_id": "CARO0ZZQH1H6U",      //
  "billing_customer_name": "Saurabh",
  "billing_last_name": "Jindal",
  "billing_address": "Incubex, Velocity",
  "billing_city": "Bangalore",
  "billing_pincode": "560102",
```

```
"billing_state": "Karnataka",
"billing_country": "India",
"billing_email": "saurabh+123891@velocity.in",
"billing_phone": "8860697807",
"shipping_is_billing": true,
"print_label": true,
"order_items": [{"name": "T-shirt Round Neck","sku": "t-shirt-round1474","units":
2,"selling_price": 1000,"discount": 100,"tax": 10}],
"payment_method": "COD",
"sub_total": 990,
"cod_collectible": 990,
"length": 100,
"breadth": 50,
"height": 10,
"weight": 0.5,
"pickup_location": "HomeNew",
"warehouse_id": "WHZWUN",
"vendor_details": {"email": "abcdd@abcdd.com","phone": "9879879879","name": "Coco
Cookie","address": "Street 1","address_2": "", "city": "delhi","state": "new delhi","country":
"india","pin_code": "110077","pickup_location": "HomeNew"}}
```

Response

```
{
  "status": 1,
  "payload": {
    "pickup_location_added": 1,
    "order_created": 1,
    "awb_generated": 1,
    "label_generated": 1,
    "pickup_generated": 1,
    "manifest_generated": 0,
    "pickup_scheduled_date": null,
    "pickup_booked_date": null,
    "order_id": "ORDKDKHOFL07I",
    "shipment_id": "SHIHB0BMT4DYM",
    "awb_code": "34812010700125",
    "courier_company_id": "CARO0ZZQH1H6U",
    "courier_name": "Delhivery Standard",
    "assigned_date_time": {
```

```

    "date": "2025-09-30T17:50:50.424+05:30",
    "timezone_type": 3,
    "timezone": "Asia/Kolkata"
  },
  "applied_weight": 0.5,
  "cod": 1,
  "label_url":
    "https://velocity-shazam-prod.s3.ap-south-1.amazonaws.com/n9u98s8nodhjgqhnl4fh85
    2tvqo5?response-content-disposition=inline%3B%20filename%3D%223481201070012
    5_shipping_label.pdf%22%3B%20filename%2A%3DUTF-8%27%2734812010700125_
    shipping_label.pdf&response-content-type=application%2Fpdf&X-Amz-Algorithm=AWS
    4-HMAC-SHA256&X-Amz-Credential=AKIAU4T4YDSMMKHXEIKS%2F20250930%2Fa
    p-south-1%2Fs3%2Faws4_request&X-Amz-Date=20250930T122050Z&X-Amz-Expires
    =3600&X-Amz-SignedHeaders=host&X-Amz-Signature=9f1e2e859fa917841c1b74ff282
    2d28cda2661b64be6c0191daf6390e4647ca2",
    "manifest_url": null,
    "routing_code": null,
    "rto_routing_code": null,
    "pickup_token_number": null,
    "charges": {
      "frwd_charges": {
        "shipping_charges": "44.40",
        "cod_charges": "31.30",
        "dead_weight_billing": true
      },
      "rto_charges": {
        "rto_charges": "40.00"
      }
    }
  }
}

```

Create Order and Shipment Separately

Velocity Shipping allows you to create an order without assigning a courier and assign the courier later by creating the shipment in a separate step. This is useful when courier selection needs to be deferred or handled through shipping rules.

a) Create Order Only (No Courier Assignment)

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/forward-order' \
--header 'Authorization: lu9np0Zf8PWpvIIBeMZxWQ' \
--header 'Content-Type: application/json' \
--data-raw '{
  "order_id": "ORDER-0099iyhih",
  "order_date": "2018-05-08 12:23",
  "channel_id": "27202",
  "billing_customer_name": "Saurabh",
  "billing_last_name": "Jindal",
  "billing_address": "Incubex, Velocity",
  "billing_city": "Bangalore",
  "billing_pincode": "560102",
  "billing_state": "Karnataka",
  "billing_country": "India",
  "billing_email": "saurabh+123891@velocity.in",
  "billing_phone": "8860697807",
  "shipping_is_billing": true,
  "print_label": true,
  "order_items": [
    {
      "name": "T-shirt Round Neck",
      "sku": "t-shirt-round1474",
      "units": 2,
      "selling_price": 1000,
      "discount": 100,
      "tax": 10
    },
    {
      "name": "T-shirt Round Neck V2",
      "sku": "t-shirt-V",
      "units": 10,
      "selling_price": 100,
      "discount": 10,
      "tax": 10
    }
  ],
  "payment_method": "COD",
  "sub_total": 990,
  "length": 100,
  "cod_collectible": 990,
  "breadth": 50,
```

```
"height": 10,  
"weight": 0.50,  
"pickup_location": "HomeNew",  
"warehouse_id": "WHYYB5",  
"vendor_details": {  
  "email": "abcdd@abcdd.com",  
  "phone": "9879879879",  
  "name": "Coco Cookie",  
  "address": "Street 1",  
  "address_2": "",  
  "city": "delhi",  
  "state": "new delhi",  
  "country": "india",  
  "pin_code": "110077",  
  "pickup_location": "HomeNew"  
}  
'
```

Response

```
{  
  "status": 1,  
  "payload": {  
    "pickup_location_added": 1,  
    "order_created": 1,  
    "awb_generated": 0,  
    "pickup_generated": 0,  
    "shipment_id": "SHIXRE1ER7BQI",  
    "order_id": "ORDBJSDAMG9YN",  
    "assigned_date_time": {  
      "date": "2026-01-20T16:59:16.669+05:30",  
      "timezone_type": 3,  
      "timezone": "Asia/Kolkata"  
    },  
    "applied_weight": null,  
    "cod": 1,  
    "label_url": null,  
    "manifest_url": null,  
    "routing_code": null,  
    "rto_routing_code": null,  
    "pickup_token_number": null  
  }  
}
```

```
}
```

Note: At this stage, the order and shipment are created, but no courier is assigned and no AWB is generated.

b) Create Shipment (Assign Courier)

Use the `shipment_id` received in the previous step to assign a courier and create the shipment.

Sample Request Curl

```
curl --location
'https://shazam.stagingvelocity.in/custom/api/v1/forward-order-shipment' \
--header 'Authorization: RJShHqFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data '{
  "shipment_id": "SHIXRE1ER7BQI",
  "carrier_id": ""
}'
```

Response

```
{
  "status": 1,
  "payload": {
    "pickup_location_added": 1,
    "order_created": 1,
    "awb_generated": 1,
    "label_generated": 1,
    "pickup_generated": 1,
    "manifest_generated": 0,
    "pickup_scheduled_date": null,
    "pickup_booked_date": null,
    "order_id": "ORDKDKHOFL07I",
    "shipment_id": "SHIHB0BMT4DYM",
    "awb_code": "34812010700125",
    "courier_company_id": "CARO0ZZQH1H6U",
    "courier_name": "Delhivery Standard",
    "assigned_date_time": {
```

```

    "date": "2025-09-30T17:50:50.424+05:30",
    "timezone_type": 3,
    "timezone": "Asia/Kolkata"
  },
  "applied_weight": 0.5,
  "cod": 1,
  "label_url":
    "https://velocity-shazam-prod.s3.ap-south-1.amazonaws.com/n9u98s8nodhjgqhn
    l4fh852tvqo5?response-content-disposition=inline%3B%20filename%3D%22348
    12010700125_shipping_label.pdf%22%3B%20filename%2A%3DUTF-8%27%27
    34812010700125_shipping_label.pdf&response-content-type=application%2Fpdf
    &X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAU4T4YDSM
    MKHXEIKS%2F20250930%2Fap-south-1%2Fs3%2Faws4_request&X-Amz-Dat
    e=20250930T122050Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-A
    mz-Signature=9f1e2e859fa917841c1b74ff2822d28cda2661b64be6c0191daf639
    0e4647ca2",
    "manifest_url": null,
    "routing_code": null,
    "rto_routing_code": null,
    "pickup_token_number": null,
    "charges": {
      "frwd_charges": {
        "shipping_charges": "44.40",
        "cod_charges": "31.30",
        "dead_weight_billing": true
      },
      "rto_charges": {
        "rto_charges": "40.00"
      }
    }
  }
}

```

5. Reverse Pickup Shipment - Create Order

Purpose

Creates and manifests a reverse (return) pickup shipment i.e. creates a reverse pickup order and also assigns a courier.

Method: POST

Endpoint: </custom/api/v1/reverse-order-orchestration>

Reverse Shipment - Field-Level Table

i) Order, Channel & Carrier

Field	Type	Required	Description	Example
order_id	string	Yes	Unique per return	ORDER-49
order_date	string	Yes	YYYY-MM-DD HH:mm	2018-05-08 12:23
carrier_id	string	Optional	carrier_id is fetched from the Serviceability API; leave it blank for automatic courier assignment based on configured shipping rules, or pass a specific carrier_id to assign a particular courier.	CARO0ZZQH1H6U

ii) Pickup Address (Customer)

Field	Type	Required	Description	Example
pickup_customer_name	string	Yes	First name	Saurabh
pickup_last_name	string	Optional	Last name	Jindal
company_name	string	Optional	Company name	iorn pvt ltd
pickup_address	string	Yes	Address line 1	Incubex, Velocity
pickup_address_2	string	Optional	Address line 2	
pickup_city	string	Yes	City	Bangalore
pickup_state	string	Yes	State	Karnataka
pickup_country	string	Yes	Country	India
pickup_pincode	string	Yes	PIN code	560102

pickup_email	string	Optional	Email	saurabh+123891@velocity.city.in
pickup_phone	string	Yes	Phone	8860697807
pickup_isd_code	string	Optional	Country code	91

iii) Shipping Address (Destination / Warehouse)

Field	Type	Required	Description	Example
shipping_customer_name	string	Yes	Name	Jax
shipping_last_name	string	Optional	Last name	Doe
shipping_address	string	Yes	Address line 1	Castle
shipping_address_2	string	Optional	Address line 2	Bridge
shipping_city	string	Yes	City	Delhi
shipping_state	string	Yes	State	New Delhi
shipping_country	string	Yes	Country	India
shipping_pincode	string	Yes	PIN	110015
shipping_email	string	Optional	Email	abhishek123@velocity.city.in
shipping_isd_code	string	Optional	Country code	91
shipping_phone	string	Yes	Phone	8888888888

iv) Items & Payment

Field	Type	Required	Description	Example
order_items[]	array	Yes	List of items	See JSON
payment_method	enum	Yes	Usually PREPAID for returns	PREPAID
total_discount	number/string	Optional	Discount total	0
sub_total	number	Yes	Item value	400

v) Dimensions & Warehouse

Field	Type	Required	Description	Example
length	number	Yes	cm	3
breadth	number	Yes	cm	1
height	number	Yes	cm	1
weight	number	Yes	kg	0.3
warehouse_id	string	Yes	Destination warehouse id as per Velocity Shipping Portal	WHYYB5
request_pickup	boolean	Optional	Auto pickup scheduling	TRUE

Manifesting a QC shipment

A) Mandatory Parameters for QC Shipments

For manifesting a QC shipment, following parameters must be passed i.e name, product name and qc_enable = 'true' and qc_product image.

B) Prerequisites for Enabling QC

To successfully manifest QC shipments, the following configurations must be completed on Velocity Shipping's end:

- **Enable Return QC in Velocity Shipping:**
Navigate to Settings → Return Quality Check to enable QC and select the parameters to be checked.
- **Check Courier-level QC Guidelines:**
Ensure selected QC parameters comply with courier guidelines. Also, It is important that the count of SKUs in a single return order is not more than 2 and no. of QC parameters for evaluation ≤ 6 . If sku count is > 2 , it will be manifested as non QC.

- **Enable QC at SKU Level:**

For each SKU requiring QC, the seller must enable QC and provide all required details applicable for parameters for which he wants to do QC such as image, brand, color, size, etc. Also please note - Product image is a mandatory field for successful QC manifestation.

(For eg. if we want to qc check on color then color information needs to be captured at SKU level against the SKU In Return Quality Check> QC parameters>Sku> Edit details> Color)

Once all configurations are complete, QC shipments can be manifested via API.

C) Courier Coverage for Return QC

Currently, Return QC is supported only for Delhivery and Shadowfax. While courier allocation ensures that a QC shipment is assigned to a QC enabled shipment but in case of non serviceability or non availability of QC enabled couriers on a route, it can be routed via regular courier and it will automatically be treated as a Non-QC shipment.

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/reverse-order-orchestration' \
--header 'Content-Type: application/json' \
--header 'Authorization: oEKN6oibwqhFWWhSnBDBJUQ' \
--data-raw '{
  "order_id": "RET-12345157",
  "order_date": "2022-02-16",
  "carrier_id": "CARO0ZZQH1H6U",
  "pickup_customer_name": "Saurabh",
  "pickup_last_name": "Jindal",
  "company_name": "iorn pvt ltd",
  "pickup_address": "Incubex, Velocity",
  "pickup_address_2": "",
  "pickup_city": "Bangalore",
  "pickup_state": "Karnataka",
  "pickup_country": "India",
  "pickup_pincode": "560102",
  "pickup_email": "saurabh+123891@velocity.in",
  "pickup_phone": "8860697807",
```

```
"pickup_isd_code": "91",
"shipping_customer_name": "Jax",
"shipping_last_name": "Doe",
"shipping_address": "Castle",
"shipping_address_2": "Bridge",
"shipping_city": "Delhi",
"shipping_country": "India",
"shipping_pincode": 110015,
"shipping_state": "New Delhi",
"shipping_email": "kumar.abhishek123@velocity.in",
"shipping_isd_code": "91",
"shipping_phone": 8888888888,
"warehouse_id": "WHO89A",
"order_items": [{"name": "shoes","qc_enable": true,"qc_product_name": "shoes","sku":
"WSH234","units": 1,"selling_price": 100,"discount": 0,"qc_brand":
"Levi","qc_product_image": "https://example.com/image.jpg"}],
"payment_method": "PREPAID",
"total_discount": "0",
"sub_total": 400,
"length": 3,
"breadth": 1,
"height": 1,
"weight": 0.3,
"request_pickup": true
}'
```

Response

```
{
  "status": 1,
  "payload": {
    "order_created": 1,
    "awb_generated": 1,
    "pickup_generated": 1,
    "pickup_scheduled_date": null,
    "order_id": "ORDMUJCVLS7CB",
    "shipment_id": "SHIUEOB5S6CS5",
    "awb_code": "VEHR4336705675",
    "courier_company_id": "CARCVBWTPRH08",
    "courier_name": "Ekart Standard",
```

```

"assigned_date_time": {
  "date": "2025-10-03T15:39:11.189+05:30",
  "timezone_type": 3,
  "timezone": "Asia/Kolkata"
},
"applied_weight": 0.34,
"cod": 0,
"is_return": 1,
"routing_code": null,
"rto_routing_code": null,
"pickup_token_number": null,
"charges": {
  "reverse_charges": "91.30",
  "qc": "0.00",
  "qc_leeway": "0.00",
  "dead_weight_billing": false
}
}
}

```

Create Reverse Pickup Order and Shipment Separately

Velocity Shipping allows you to create a reverse pickup order without assigning a courier and assign the courier later by creating the shipment in a separate step. This is useful when courier selection needs to be deferred or handled through shipping rules.

a) Create Reverse Pickup Order Only

Sample Request Curl

```

curl --location 'https://shazam.stagingvelocity.in/custom/api/v1/reverse-order' \
--header 'Authorization: RJShHQFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data-raw '{
  "order_id": "rj-ddf21",
  "order_date": "2022-02-16",
  "channel_id": "2113680",
  "pickup_customer_name": "Saurabh",
  "pickup_last_name": "Jindal",

```

```
"company_name": "iorn pvt ltd",
"pickup_address": "Incubex, Velocity",
"pickup_address_2": "",
"pickup_city": "Bangalore",
"pickup_state": "Karnataka",
"pickup_country": "India",
"pickup_pincode": "560068",
"pickup_email": "saurabh+123891@velocity.in",
"pickup_phone": "8860697807",
"pickup_isd_code": "91",
"shipping_customer_name": "Jax",
"shipping_last_name": "Doe",
"shipping_address": "Castle",
"shipping_address_2": "Bridge",
"shipping_city": "Delhi",
"shipping_country": "India",
"shipping_pincode": "560068",
"shipping_state": "New Delhi",
"shipping_email": "kumar.abhishek@shiprocket.com",
"shipping_isd_code": "91",
"shipping_phone": "8888888888",
"warehouse_id": "WHFYPF",
"order_items": [
  {
    "name": "shoes",
    "qc_enable": true,
    "qc_product_name": "shoes",
    "sku": "WSH234",
    "units": 1,
    "selling_price": 100,
    "discount": 0,
    "qc_brand": "Levi",
    "qc_product_image":
"https://assets.vogue.in/photos/5d7224d50ce95e0008696c55/2:3/w_2240,c_limit/
Joker.jpg"
  }
],
"payment_method": "PREPAID",
"total_discount": "0",
"sub_total": 400,
```

```
"length": 3,
"breadth": 1,
"height": 1,
"weight": 0.3,
"request_pickup": true
}'
```

Response

```
{"status":1,"payload":{"order_created":1,"awb_generated":0,"pickup_generated":0
,"pickup_scheduled_date":null,"order_id":"ORDGMSLAUDVBF","return_id":"RET
VTLUPWTWIK","assigned_date_time":{"date":"2026-01-20T17:01:40.864+05:30"
,"timezone_type":3,"timezone":"Asia/Kolkata"},"cod":0}}
```

b) Create Reverse Shipment (Assign Courier)

Use the `return_id` received in the previous step to assign a courier and create the shipment.

Sample Request Curl

```
curl --location
'https://shazam.stagingvelocity.in/custom/api/v1/reverse-order-shipment' \
--header 'Authorization: bN9m81J0bQWEfPhK4xDu1g' \
--header 'Content-Type: application/json' \
--data '{
  "return_id": "RETYHL9924N5B",
  "warehouse_id": "WHYYB5",
  "carrier_id":"" //optional
}'
```

Response:

```
{
  "status": 1,
  "payload": {
    "order_created": 0,
    "awb_generated": 1,
    "pickup_generated": 1,
    "pickup_scheduled_date": null,
```

```

    "order_id": null,
    "shipment_id": "SHILAVYR2A4YI",
    "awb_code": "R773426643VEL",
    "courier_company_id": "",
    "courier_name": "Shadowfax ROAD",
    "assigned_date_time": {
      "date": "2026-01-20T17:03:25.550+05:30",
      "timezone_type": 3,
      "timezone": "Asia/Kolkata"
    },
    "applied_weight": 0.0006,
    "cod": 0,
    "is_return": 1,
    "routing_code": null,
    "rto_routing_code": null,
    "pickup_token_number": null,
    "charges": {
      "reverse_charges": "28.00",
      "qc": "0.00",
      "qc_leeway": "0.00",
      "dead_weight_billing": false,
      "platform_fee": 0.0
    }
  }
}

```

6. Cancel Order

Purpose

Cancels one or more shipments that are not yet picked up.

Method: POST

Endpoint: </custom/api/v1/cancel-order>

Request Fields

Field	Type	Required	Description	Example
awbs[]	array	Yes	List of AWBs to cancel (Max 50)	["84161310011340"]

Sample Request Curl

```
curl --location '/custom/api/v1/cancel-order' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \  
--data '{  
  "awbs": ["39879810176282"]  
}'
```

Response

```
{  
  "message": "Bulk Shipment cancellation is in progress. Please wait for some time."  
}
```

7. Order Tracking

Purpose

Fetches real-time tracking details for one or more shipments.

Method: POST

Endpoint: </custom/api/v1/order-tracking>

Request Fields

Field	Type	Required	Description	Example
awbs[]	array	Yes	List of AWBs to track	["84161310011340"]

Sample Request Curl

```
curl --location '/custom/api/v1/order-tracking' \
--header 'Content-Type: application/json' \
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \
--data '{
  "awbs": ["PD6786164"]
}'
```

Response

```
{
  "result": {
    "PD6786164": {
      "tracking_data": {
        "track_status": null,
        "shipment_status": "delivered",
        "shipment_track": [
          {
            "id": "8be85889-7f3d-4d68-81aa-14ab5d40ada9",
            "awb_code": "PD6786164",
            "courier_company_id": "CARKX7WW6UNS8",
            "shipment_id": "SHIRDNEL4I8PC",
            "order_id": "ORDVRLXCBRT4E",
            "pickup_date": "2025-07-30 16:20:31",
            "delivered_date": "2025-07-30 17:39:29",
            "weight": 0.3,
            "packages": 1,
            "current_status": "delivered",
            "delivered_to": "Bengaluru",
            "destination": "Bengaluru",
            "consignee_name": "Arun nayak ",
            "origin": "Bangalore",
            "courier_agent_details": null
          }
        ]
      }
    }
  }
}
```

```
}
],
"shipment_track_activities": [
  {
    "date": "2025-07-30 17:39:29",
    "activity": "DELIVERED",
    "location": "Bengaluru"
  },
  {
    "date": "2025-07-30 17:38:18",
    "activity": "OUT FOR DELIVERY",
    "location": "Bengaluru"
  },
  {
    "date": "2025-07-30 16:20:31",
    "activity": "PICKED UP",
    "location": "Bengaluru"
  },
  {
    "date": "2025-07-30 16:20:30",
    "activity": "OUT FOR PICKUP",
    "location": "Bengaluru"
  }
],
"track_url": "https://shipfastt.in/track/PD6786164"
}
}
}
}
"count": 0,
  "sum_of_prepaid_orders": 0.0,
  "sum_of_cod_orders": 0.0
},
"total_shipments": 0
}
}
}
```

8. Summary Report API

Purpose

Fetches status based summary report for forward and return/reverse pickup orders.

Method: POST

Endpoint: /custom/api/v1/reports

Request Fields

Field	Type	Required	Description	Example
start_date_time	string	Yes	Start date & time based on order creation date	2022-01-01T00:00:00Z
end_date_time	string	Yes	End date & time based on order creation date	2025-09-08T20:00:00Z
shipment_type	string	Yes	Shipment journey - Forward or reverse pickup	forward return

Sample Request Curl

```
curl --location 'https://shazam.stagingvelocity.in/custom/api/v1/reports' \
--header 'Authorization: RJShHQFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data '{
  "start_date_time": "2022-01-01T00:00:00Z",
  "end_date_time": "2025-09-08T20:00:00Z",
  "shipment_type": "return"
}'
```

Response:

```
{
  "status": "SUCCESS",
```

```
"payload": {  
  "date_range": {  
    "start_date_time": "2022-01-01T00:00:00Z",  
    "end_date_time": "2025-09-08T20:00:00Z"  
  },  
  "shipment_type": "return",  
  "summary": {  
    "return_pickup_scheduled": {  
      "count": 0,  
      "sum_of_prepaid_orders": 0.0,  
      "sum_of_cod_orders": 0.0  
    },  
    "return_in_transit": {  
      "count": 0,  
      "sum_of_prepaid_orders": 0.0,  
      "sum_of_cod_orders": 0.0  
    },  
    "return_delivered": {  
      "count": 0,  
      "sum_of_prepaid_orders": 0.0,  
      "sum_of_cod_orders": 0.0  
    },  
    "cancelled": {  
      "count": 0,  
      "sum_of_prepaid_orders": 0.0,  
      "sum_of_cod_orders": 0.0  
    }  
  }  
}
```