

a










Field chilled until
January, 2015

Controlled chilling: 0 days or 30 days at 4°C



Forcing: 15:5°C or 20:10°C Photoperiod: 8 or 12 hours

b









Controlled chilling: 30 days or 70 days at 4°C



Forcing: 15:5°C or 20:10°C Photoperiod: 8 or 12 hours

Eastern species:

Acer pensylvanicum Acer rubrum Acer saccharum Aronia melanocarpa Betula alleghaniensis Betula lenta Corylus cornuta Fagus grandifolia Fraxinus nigra Hamamelis virginiana Ilex mucronata Kalmia angustifolia Lonicera canadensis Lyonia ligustrina Nyssa sylvatica Populus grandidentata Prunus pensylvanica Quercus alba Quercus rubra Quercus velutina Rhamnus frangula Rhododendron prinophyllum Vaccinium myrtilloides Viburnum cassinoides Viburnum lantanoides

Shared species:

Alnus incana Betula papyrifera Populus tremuloides

Western species:

Acer glabrum Alnus viridis Amelanchier alnifolia Cornus stolonifera Lonicera involucrata Menziesia ferruginea Populus balsamifera Rhododendron albiflorum Ribes lacustre Rubus parviflorus Sambucus racemosa Shepherdia canadensis Sorbus scopulina Spiraea betulifolia Spiraea pyramidata Symphoricarpos albus Vaccinium membranaceum Viburnum edule

Eastern species: Acer pensylvanicum

Acer ruhrum Acer saccharum

Aronia melanocarpa Betula alleghaniensis

Retula lenta Corylus cornuta

Fagus grandifolia

Fraxinus nigra Hamamelis virginiana

Ilex mucronata

Kalmia angustifolia I onicera canadensis

Lvonia ligustrina Nyssa sylvatica Populus grandidentata Prunus pensylvanica

Ouercus alba

Quercus rubra

Quercus velutina Rhamnus frangula Rhododendron prinophyllum

Vaccinium myrtilloides

:10°C nours