Phenology: Tables and Figures

Deirdre Loughnan

4 February 2021

1 General Survival and sucess

At the start of the experiment, 2496 samples went into chilling, 2458 went into forcing and survived the experiment. Of the samples that did died, it was largely due to human error, some species were very brittle, while others popped out of their flasks or were returned to the wrong flask, but these samples were only 1.52In total, 9.5% of samples did not bud burst at all. Of all the samples, 18.42% did not have terminal bud burst, most of these were vac mem, followed by rubpar and acegla.

Table 1: Proporation of samples with budburst per species

	Proportion Budburst
acegla	0.83
alninc	1.00
alnvir	0.92
amealn	0.99
betpap	1.00
corsto	0.99
loniny	0.87
menfer	0.80
popbal	0.98
poptre	0.90
rhoalb	1.00
riblac	0.82
rubpar	0.94
samrac	0.95
shecan	1.00
sorsco	0.99
spibet	0.94
spipyr	0.92
symalb	0.84
vacmem	0.90
vibedu	1.00


Table 2: Model estimates for budburst of terminal buds


	Mean	Sd	2.5%	50%	97.5%	Rhat
Forcing	-16.87	1.19	-19.26	-16.85	-14.54	1.00
Photoperiod	-1.94	1.06	-4.02	-1.95	0.17	1.00
Chilling	-14.77	1.66	-18.01	-14.78	-11.49	1.00
Site	-3.21	1.93	-7.05	-3.18	0.57	1.00
Forcing x Photoperiod	0.97	1.02	-1.06	0.97	2.99	1.00
Forcing x Chilling	6.54	1.07	4.37	6.56	8.60	1.00
Photoperiod x Chilling	-0.23	1.07	-2.28	-0.24	1.91	1.00
Forcing x Site	2.76	1.11	0.62	2.75	4.96	1.00
Photoperiod x Site	-1.43	1.20	-3.84	-1.43	0.90	1.00
Site x Chilling	-0.14	1.29	-2.71	-0.10	2.32	1.00

Table 3: Model estimates for budburst of lateral buds

	Mean	Sd	2.5%	50%	97.5%	Rhat
Forcing	-18.52	1.69	-21.90	-18.51	-15.22	1.00
Photoperiod	-2.18	1.18	-4.50	-2.18	0.15	1.00
Chilling	-13.22	1.80	-16.70	-13.23	-9.54	1.00
Site	-3.53	1.92	-7.30	-3.52	0.19	1.00
Forcing x Photoperiod	1.89	1.11	-0.28	1.89	4.07	1.00
Forcing x Chilling	4.76	1.25	2.32	4.77	7.28	1.00
Photoperiod x Chilling	-0.78	1.18	-3.15	-0.78	1.49	1.00
Forcing x Site	3.64	1.48	0.71	3.65	6.53	1.00
Photoperiod x Site	-0.43	1.20	-2.82	-0.42	1.90	1.00
Site x Chilling	-0.38	1.84	-4.03	-0.37	3.22	1.00

NULL





Model estimate change in day of phenological event

Figure 1: Model estimates for a. terminal budburst and 50 percent of lateral buds




Figure 2: Species responses to high chilling and high forcing treatments




Figure 3: Species responses to high chilling and long photoperiod treatments ${\bf r}$




Figure 4: Species responses to high forcing and long photoperiod treatments