NAAN MUDHALVAN PROJECT

SWIFTSHIP TRACKER

Salesforce-Based Parcel Management and Tracking System

Platform: Salesforce Developer Edition.

Technology: Salesforce Flows, Apex, AgentForce AI, Prompt Builder, Experience Cloud.

College Name: Vivekanandha College of Technology for Women.

Department: B.E. Computer Science & Engineering.

Team Leader: DEJASHRI V

Team Member: DHIVYA R

Team Member: DURGASRI M

Team Member: GOWSIKA G

PROJECT INFORMATION

Field	Details
Project Title	SwiftShip Tracker
Project Domain	Parcel / Logistics Management
Platform	Salesforce
AI Component	AgentForce AI and Prompt Builder
Automation	Salesforce Flows, Apex, Email Alerts
Customer Access	Experience Cloud
Reporting	Salesforce Reports and Dashboards
Project Status	Completed prototype / academic implementation

ABSTRACT

SwiftShip Tracker is a Salesforce-based parcel management and tracking solution designed to centralize parcel booking, shipment tracking, delivery management, customer communication, and operational monitoring. The system uses custom Salesforce objects for Parcel, Delivery, Sender, and Receiver information, supported by relationships and controlled access. Salesforce Flows automate parcel operations and notifications, while AgentForce AI and Prompt Builder provide conversational parcel-tracking assistance. Delivery agents can update parcel status, and reports and dashboards provide operational visibility. Experience Cloud can be used to provide secure customer access. The project demonstrates an integrated CRM approach for managing the parcel lifecycle from booking and dispatch to tracking and delivery confirmation.

TABLE OF CONTENTS

1. Introduction

2. Ideation Phase

3. Requirement Analysis Phase

4. Project Design Phase

5. Project Planning & Scheduling

6. Project Development Phase

7. Functional & Performance Testing

8. Advantages & Disadvantages

9. Conclusion

10. Future Scope

11. Appendix

1. INTRODUCTION

1.1 Project Overview

SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

1.2 Purpose

- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using AgentForce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

2. IDEATION PHASE

2.1 Problem Statement

Problem ID	User	Need	Current Issue	Impact
PS-1	Customer / Sender	Book a parcel easily	Booking requires support assistance or multiple applications; operations are not centralized.	Frustrated
PS-2	Customer / Sender	Track a parcel	Simple real-time tracking experience is not available; information is difficult to access.	Confused
PS-3	Delivery Agent	Update parcel status	Status updates require manual handling; centralized operational tracking is needed.	Concerned
PS-4	Customer	Receive delivery updates	Notifications may not be available at every delivery stage; communication needs automation.	Uncertain
PS-5	Admin	Monitor parcel operations	Parcel flow and delivery performance are difficult to monitor; centralized reporting is needed.	Concerned

2.2 Empathy Map Canvas

User Persona: Customer / Sender

Think & Feel: Wants a simple way to book and track parcels without repeatedly contacting support.

Hear: Receives delivery information and status updates from the parcel service.

See: Parcel details, tracking status, estimated delivery date, and delivery information.

Say & Do: Books parcels, checks tracking information, and asks for delivery updates.

Pain: Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.

Gain: Real-time visibility, self-service tracking, convenient booking, and timely notifications.

2.3 Brainstorming & Idea Prioritization

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with AgentForce AI

Final Selection: Salesforce CRM was selected for centralized parcel management, automation through Flows, real-time tracking visibility, conversational AI assistance, secure role-based access, and reports/dashboards.

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

- Parcel Booking
- Parcel Record Creation
- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification
- Feedback / Support

3.2 Solution Requirements

Functional Requirements

FR No.	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

Non-Functional Requirements

NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and AgentForce responses
Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow

Customer / Sender → Parcel Booking → Parcel Record → Sender + Receiver Information → Delivery Record → Parcel Status Update → Current Location & Estimated Delivery → Automated Notifications → Customer Tracking / AgentForce AI → Reports & Dashboards

AI Tracking Flow

Customer Query → AgentForce AI → Prompt Builder – Retrieve Parcel Details → Parcel Record → Status / Weight / Estimated Delivery → Conversational Response

The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.

3.4 Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom & Standard Objects
Business Logic	Salesforce Flows, Apex Classes
Automation	Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows
AI	AgentForce AI, Prompt Builder
Notifications	Email Alerts & Email Templates
Processing	Batch Apex
Security	Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules
Reporting	Reports & Dashboards

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

Problem	Solution	Benefit
Parcel booking is difficult	Salesforce Parcel Management	Centralized booking

Tracking requires support	AgentForce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult operational monitoring	Reports & Dashboards	Better visibility
Different users need different access	Profiles, Roles & Permission Sets	Secure access

4.2 Proposed Solution

Parameter	Description
Problem	Difficult and inefficient parcel booking and tracking
Solution	Salesforce-based Parcel Management System
Innovation	AgentForce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows
Impact	Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management
Business Model	Parcel, customer, delivery-agent, support, and administrator operations
Scalability	Supports growing parcel operations, Experience Cloud, and integration with external logistics systems

4.3 Solution Architecture

- Users: Customer, Delivery Agent, Support Staff, Admin
- Salesforce Lightning / Experience Cloud
- SwiftShip Tracker Salesforce Platform
- Data Layer: Parcel, Delivery, Sender, Receiver
- Automation Layer: Flows, Approval Processes, Apex Classes, Batch Apex, Email Alerts
- AI Layer: AgentForce AI, Prompt Builder, Parcel Tracking Agent
- Security Layer: Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- Reports & Dashboards
- Parcel Tracking & Operational Insights

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

Agile methodology was used with Epics → Stories → Story Points and sprint-based execution. Velocity calculation was used for estimation.

Product Backlog

Sprint	Epic	User Story / Task	Points	Priority	Member
Sprint-1	Developer Setup	Configure Salesforce environment for SwiftShip Tracker.	3	High	Member 1
Sprint-2	Data Modeling	Create Parcel, Delivery, Sender	5	High	Member 2

		and Receiver objects with relationships.			
Sprint-2	Data Modeling	Create dedicated tabs and Lightning App.	5	High	Member 3
Sprint-3	Automation	Validate parcel details, mandatory fields and booking inputs.	3	High	Member 4
Sprint-3	Automation	Automate parcel status and delivery information using Flows.	3	High	Member 4
Sprint-4	Apex	Implement Apex triggers/classes for critical parcel and delivery actions.	5	High	Member 1
Sprint-4	Apex	Use Batch Apex for periodic parcel/delivery processing.	5	High	Member 2
Sprint-5	Reports	Create reports for parcel status, delivery performance and metrics.	4	High	Member 3
Sprint-6	Dashboards & AI	Create dashboards and AgentForce AI tracking assistance.	4	Medium	Member 4

Sprint Schedule

Sprint	Duration	Planned Dates	Story Points
Sprint-1	6 Days	24 Oct 2022 – 29 Oct 2022	20
Sprint-2	6 Days	31 Oct 2022 – 05 Nov 2022	20
Sprint-3	6 Days	07 Nov 2022 – 12 Nov 2022	20
Sprint-4	6 Days	14 Nov 2022 – 19 Nov 2022	20
Sprint-5	6 Days	21 Nov 2022 – 26 Nov 2022	20
Sprint-6	6 Days	28 Nov 2022 – 03 Dec 2022	20

Note: The sprint dates above are retained from the supplied template.

6. PROJECT DEVELOPMENT PHASE

Phase 1: Requirement Analysis & Planning

Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.

Project Scope

- Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
- Support the end-to-end parcel lifecycle — booking → dispatch → tracking → delivery confirmation.
- Include data model design, automation using Flows, Apex and Email Alerts, AI-powered Prompt Builder, and reporting dashboards.
- Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
- Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives

- Streamline parcel operations by automating booking, tracking, and delivery notifications.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking.
- Enhance agent efficiency through centralized dashboards and guided Flows.
- Enable business insights with reports and dashboards.
- Ensure security and reliability using role hierarchies, sharing rules, and controlled data access.

Users Involved

- Customers / Senders – book parcels, track deliveries, and receive updates.
- Delivery Agents – manage assigned parcels and update delivery status.
- Customer Support Team – handle delivery issues and customer queries.
- Admin Team – configure Salesforce, manage roles/security, and monitor performance.
- System Integrator / Developer – implement automation, AI agent setup, and backend integrations.

Salesforce Features Used

- Custom Objects: Parcel__c, Delivery__c, Sender__c, Receiver__c
- Standard Objects: Account, Contact, Case, Task, EmailMessage, User
- Automations: Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows
- Apex: Apex Classes and Batch Apex
- UI: Lightning App Page, Dynamic Forms, Lightning Record Pages, Experience Cloud
- AgentForce AI & Prompt Builder
- Email Alerts and Email Templates
- Security: Profiles, Permission Sets, Role Hierarchies, Field-Level Security, Sharing Rules

Data Model

Object	Purpose
Parcel__c	Core parcel details such as Parcel ID, Status, Weight and Estimated Delivery Date; linked with Sender, Receiver and Delivery.
Delivery__c	Current location, estimated delivery date and parcel delivery status; used by agents.
Sender__c	Sender address, contact number and email; linked to parcels.
Receiver__c	Receiver address, contact and email; linked to sender and parcel.

Security Model

- Role Hierarchy: Administrator → Delivery Manager → Agent → Customer.


- Admin Profile: Full access to objects and records.
- Delivery Agent Profile: Read/Edit access to Parcel, Delivery, Sender and Receiver.
- Customer Profile: Read-only access to their own parcel details through Experience Cloud.
- Support Staff Profile: Access to Cases and Parcel details for issue resolution.
- Permission Sets provide additional privileges such as updating delivery status and accessing the Agent Console.
- Sharing Rules control record-level access.
- Field-Level Security restricts sensitive sender/receiver contact and location information.


Phase 2: Salesforce Development – Backend & Configurations

Custom objects were created for Parcel, Sender, Receiver and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

Milestone 1 – Salesforce Account


1. Create a Salesforce Developer Account.
2. Enter first name, last name, email, job title, company/college and country.
3. Verify the account through the registered email.
4. Set the password and security question and access the Salesforce setup page.








Milestone 2 – Objects Creation

Object	Record Name	Key Setup
Parcel	Parcel Name	Custom Object; reports/search/history enabled
Delivery	DeliveryName	Custom Object; reports/search/history enabled
Sender	SenderName	Custom Object; reports/search/history enabled
Receiver	ReceiverName	Custom Object; reports/search/history enabled


Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Parcel
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Details
Edit
Delete
Description
API Name
Parcel__c
Custom
Singular Label
Parcel
Plural Label
Parcels
Enable Reports
Track Activities
Track Field History
Deployment Status
Deployed
Help Settings
Standard salesforce.com Help Window



Click to go back, hold to see history
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Details
Edit
Delete
Description
API Name
Delivery__c
Custom
Singular Label
Delivery
Plural Label
Deliveries
Enable Reports
Track Activities
Track Field History
Deployment Status
Deployed
Help Settings
Standard salesforce.com Help Window






Milestone 3 – Tabs


Custom tabs were created for Parcel, Delivery, Sender and Receiver through Setup → Tabs → New Custom Object Tab, with appropriate tab styles and profile settings.





Milestone 4 – Fields & Relationships

Object	Fields / Relationships
Parcel	Parcel ID (Auto Number P-{000}), Status, Weight, Estimated Delivery, Sender
Delivery	Current Location (Geolocation), Estimated Delivery, Sender, Parcel
Sender	Sender Address (Geolocation), Sender Contact, Sender Email
Receiver	Receiver Address (Geolocation), Receiver Contact, Receiver Email, Sender, Parcel





Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Fields & Relationships
8 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Current Location
Current_Location__c
Geolocation
DeliveryName
Name
Text(80)
Estimated Delivery
Estimated_Delivery__c
Date
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Parcel
Parcel__c
Lookup(Parcel)
Sender
Sender__c
Lookup(Sender)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Sender
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Fields & Relationships
7 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Sender Address
Sender_Address__c
Geolocation
Sender Contact
Sender_Contact__c
Phone
Sender Email
Sender_Email__c
Email
SenderName
Name
Text(80)




Milestone 5 – Prompt Builder

A prompt template named “Retrieve Parcel Details” was created. It retrieves parcel details where Parcel_ID matches the user's input and returns Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date. Example test query: “Track parcel P-12345”. The expected behavior is a conversational response containing the matching Parcel record details.









Milestone 6 – Flows


5. Create an Auto-Launched Flow.
6. Create input variable ids (Text, Available for Input).
7. Create output variable Output (Text, Available for Output).
8. Get Parcel Records where Parcel_ID__c equals ids.
9. Use the Retrieve Parcel Details action.
10. Assign the Prompt Response to Output.


11. Connect Start → Get Records → Action → Assignment → End.



12. Save and activate the Parcel Details Flow and configure appropriate Flow User Access.





Developer Edition
Your automation was activated.
Flow Builder
Parcel Details - V1
Debug Run: Parcel Details 30/09/2026, 21:03
Completed
Edit Flow
Convert to Test
Save As New Version
Save
Deactivate
Debug
Setup
Details
Expand All
Basic Debug Log
Search this list...
How the Interview Started
Details
Get Records: Get Parcel Records
Convert to Test
Autolaunched Flow
Start
Get Parcel Records
Get Records
Parcel Updates
Action
Assignment Outputs
Assignment
End



Developer Edition
Search Setup
Setup
Home
Object Manager
FLOWS
Process Automation
Flows
Identity
Login Flows
Didn't find what you're looking for? Try using Global Search.
SETUP
Profiles
Flow User in their user record
Override default behavior and restrict access to enabled profiles or permission sets.
Available Profiles
Customer Community User
Customer Portal Manager Custom
Customer Portal Manager Standard
Force.com - App Subscription User
Force.com - Free User
Gold Partner User
High Volume Customer Portal
High Volume Customer Portal User
Identity User
Marketing User
Minimum Access - API Only Integrations
Minimum Access - Salesforce
Partner App Subscription User
Add
Remove
Enabled Profiles
Einstein Agent User
External Apps Login User
External Einstein Agent User
External Identity User


Phase 3: UI/UX Development & Customization


Milestone 1: Permission Set


A permission set named “Swift Ship” was created. Read, Create and Edit permissions were enabled for Parcel__c, Delivery__c, Sender__c and Receiver__c, with key fields visible as required.







Developer Edition
Search Setup
Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Cloud Reports
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
AgentExchange Offers
Sales Cloud Everywhere
ADMINISTRATION
Users
Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
SETUP
Permission Sets
Deliveries
Save
Cancel
Tab Settings
Available
Visible
Object Permissions
Permission Name
Enabled
Read
Create
Edit
Delete
View All Records
Modify All Records
View All Fields
Field Permissions
Field Name
Field API Name
Read Access
Edit Access
Created By
CreatedById
Current Location
Current_Location__c
DeliveryName
Name
Estimated Delivery
Estimated_Delivery__c
Last Modified By
LastModifiedById


Developer Edition
Search Setup
Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Cloud Reports
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
AgentExchange Offers
Sales Cloud Everywhere
ADMINISTRATION
Users
Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
SETUP
Permission Sets
Senders
Save
Cancel
Tab Settings
Available
Visible
Object Permissions
Permission Name
Enabled
Read
Create
Edit
Delete
View All Records
Modify All Records
View All Fields
Field Permissions
Field Name
Field API Name
Read Access
Edit Access
Created By
CreatedById
Last Modified By
LastModifiedById
Owner
OwnerId
Sender Address
Sender_Address__c
Sender Contact
Sender_Contact__c
Sender Email
Sender_Email__c


Developer Edition
Search Setup
Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Cloud Reports
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
AgentExchange Offers
Sales Cloud Everywhere
ADMINISTRATION
Users
Analytics Groups
Permission Set Groups
Permission Sets
Profiles
Public Groups
Queues
SETUP
Permission Sets
Receivers
Save
Cancel
Tab Settings
Available
Visible
Object Permissions
Permission Name
Enabled
Read
Create
Edit
Delete
View All Records
Modify All Records
View All Fields
Field Permissions
Field Name
Field API Name
Read Access
Edit Access
Created By
CreatedById
Last Modified By
LastModifiedById
Owner
OwnerId
Parcel
Parcel__c
Receiver Address
Receiver_Address__c


Milestone 2: Agent User Assignment

The Swift Ship permission set was assigned to the designated Einstein Service Agent user through Permission Set Assignments.





Milestone 3: AgentForce Organization Setup


13. Enable the Salesforce default agent.
14. Enable Einstein and required services.
15. Enable AgentForce and the default Agent.
16. Open AgentForce Agents and the Agent Builder.
17. Create a Parcel Tracking / SwiftShip Tracker subagent.
18. Create a Flow-based Agent Action using the Parcel Details Flow.
19. Assign the action to the parcel-tracking subagent.
20. Rename the agent to SwiftShip Tracker and activate it.





Milestone 4: Building the Agent







orgfarm-fd3d7815b5-dev-ed.develop.my.salesforce-setup.com/lightning/setup/EinsteinCopilot/0XxgK000002Nk0zSAC/edit
Developer Edition
Search Setup
Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Cloud Reports
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
AgentExchange Offers
Sales Cloud Everywhere
ADMINISTRATION
Users
Data
Email
PLATFORM TOOLS
Subscription Management
SETUP > AGENT DETAILS
Agentforce (Default)
Version 1
Open in Builder
API Name
Type
Active
Copilot_for_Salesforce
Employee
Details
System Messages
Language Settings
*Name
Agentforce (Default)
*API Name
Copilot_for_Salesforce
*Description
An AI assistant for in-org business tasks.
Role
Company
Keep a record of conversations with enhanced event logs to review agent behavior
Created On
September 30, 2026 at 09:57 PM
Created By
Dejashri V
Last Modified By
Dejashri V


Developer Edition
Search Setup
Setup
Home
Object Manager
Settings
Einstein
Agentforce Data Library
Agentforce Gateway
Policies
Agentforce Registry
Registered APIs
Registered MCP Servers
Einstein Generative AI
Agentforce Studio
Agentforce Agents
Agentforce Assets
Testing Center
Setup with Agentforce
SETUP > AGENTFORCE STUDIO
Agentforce Asset Library
New Agent Action
Subagents
Actions
Agents use actions to get things done intelligently and securely. These actions are available to assign to a subagent.
Some agent actions are in beta and have limited functionality, as further described in the Documentation. Including them in an agent is part of the Services and will consume Einstein Requests if enabled and used.
Search actions...
112 items • Sorted by Agent Action Label(asc)
Agent Action Label
Description
Source
Reference Act...
Last Modified
Created By
Add Case Comment
Let a customer add ...
Standard
Flow
Salesforce
Add Users or Agents to a Slack Ch...
Add Slack Users to a...
Standard
Standard
Salesforce







Phase 4: Data Migration, Testing & Security


This phase validates the Parcel Tracking Agent, topic recognition, Flow execution, parcel data retrieval, and access permissions.


21. Verify the Parcel Tracking Agent in Setup → AgentForce Agents.
22. Confirm the Parcel Tracking / SwiftShip Tracker topic is active and linked to the required Flow.
23. Verify the SwiftShip Tracker Flow is activated.
24. Test Parcel ID input and parcel-detail retrieval.

25. Use preview/try-it-out queries such as “Track parcel ID P12345” or a delivery-status update query.
26. Open the Parcel object and verify the expected status or related data after the agent runs.









Phase 5: Deployment, Documentation & Maintenance

The project is implemented within a Salesforce Developer Org for academic/prototype purposes. Testing is performed within the Developer Org to validate permissions, flows and agent interactions. Enterprise production deployment, UAT/sandbox environments and CI/CD are outside the project scope.

Maintenance, Monitoring & Troubleshooting

- Monitor parcel and delivery data accuracy.
- Detect failed Flow executions and performance delays.

- Resolve configuration errors.
- Update Flow logic when business processes change.
- Refine AgentForce topics and prompts.
- Monitor AI responses and improve conversational behavior.

7. FUNCTIONAL & PERFORMANCE TESTING

Testing was performed to validate the major SwiftShip Tracker components, including custom object creation, parcel data handling, Flow execution, AgentForce interactions, data retrieval, and security/permission behavior.

Test ID	Test Area	Expected Result	Status
T-01	Parcel object creation	Parcel records can be created and stored.	Pass / Verify in Org
T-02	Sender/Receiver records	Sender and receiver details are stored and related correctly.	Pass / Verify in Org
T-03	Parcel tracking	Agent/Flow retrieves parcel information using Parcel ID.	Pass / Verify in Org
T-04	Prompt Builder	Prompt returns Parcel ID, Status, Weight and Estimated Delivery Date.	Pass / Verify in Org
T-05	Flow execution	Flow gets the parcel record and returns the prompt response.	Pass / Verify in Org
T-06	AgentForce action	Agent invokes the configured Flow action.	Pass / Verify in Org
T-07	Permissions	Users can access only the objects/fields permitted by their role.	Pass / Verify in Org
T-08	Reports/Dashboards	Operational information is presented for monitoring.	Pass / Verify in Org

Note: The supplied template states that screenshots were captured during testing. Insert the actual project screenshots in the relevant appendix before final submission.

8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized parcel and customer information in Salesforce.
- Better visibility into parcel booking and delivery tracking.
- Automation of key logistics processes using Salesforce Flow.
- AgentForce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during delivery.
- Experience Cloud can provide convenient customer tracking access.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

Disadvantages

- Requires accurate and up-to-date parcel and customer data.
- Depends on Salesforce configuration and automation.
- AgentForce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access.
- Initial Salesforce implementation and configuration can require significant effort.

9. CONCLUSION

SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The project integrates custom objects, relationships, Flows, Apex, Email Alerts, Experience Cloud, AgentForce AI, Prompt Builder, security controls, and reporting to support parcel booking, delivery tracking, status updates, and customer communication. The integration of AgentForce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project provides a practical foundation for a scalable and user-friendly parcel management solution.

10. FUTURE SCOPE

- Extend AgentForce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.
- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

11. APPENDIX

Appendix	Contents
A	Custom Objects: Parcel, Delivery, Sender, Receiver
B	Standard Objects: Account, Contact, Case, Task, EmailMessage, User
C	Automation: Flows, Approval Processes, Email Alerts
D	Apex: Apex Classes, Batch Apex
E	AI: AgentForce AI, Prompt Builder
F	UI: Lightning App, Lightning Record Pages, Experience Cloud
G	Security: Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
H	Analytics: Reports & Dashboards
I	Testing: Flow, AgentForce, data retrieval, security and permission validation

A. SCREENSHOT INSERTION CHECKLIST

- Salesforce Developer Org home/setup screen
- Parcel custom object and fields
- Delivery, Sender and Receiver objects
- Relationships / fields
- Prompt Builder – Retrieve Parcel Details
- Parcel Details Flow
- Permission Set – Swift Ship
- AgentForce Agent Builder
- Parcel Tracking Subagent / Topic
- Agent Action using Flow
- Agent preview showing parcel tracking response
- Parcel record after testing
- Reports and dashboards
- Experience Cloud customer view, if implemented

— END OF PROJECT DOCUMENTATION —