

MatchProof App Test Flow

Step-by-step verification checklist for the deployed TxLINE-powered World Cup data console.

App URL

`https://matchproof.onrender.com`

Mode

Live TxLINE mode, service level 12

Private judge/operator note: live mutations require the temporary `MATCHPROOF_OPERATOR_KEY`. Share it only in private hackathon submission notes, never in GitHub or public docs.

Best Time To Test

- **Before a match:** best for fixtures, scheduled score snapshots, UI, replay, audit, and guarded proof behavior.
- **During a live match:** best for stream worker, live score updates, match-state signals, and proof/stat validation if `Stats` becomes non-empty.
- **After a match:** best for replay, historical scores, audit trail, and stored evidence review.

If only one test window is available, test during a live match. If no live match is available, scheduled fixture data is still acceptable; state clearly that MatchProof stores and replays the TxLINE payloads currently available.

End-to-End Test Flow

1. Open the site

`https://matchproof.onrender.com`

Expected: landing page loads; logo matches favicon; desktop header stays fixed; mobile header scrolls with the page.

2. Check application health

`https://matchproof.onrender.com/api/health`

Expected: `"ok": true`, `"mode": "live"`, `"hasGuestJwt": true`, and `"hasApiToken": true`.

3. Verify Settings

Open **Settings**.

Expected: network is `mainnet` , service level is `12` , TxLINE API origin is correct, Mode Control shows live mode, and operator key input is available.

4. Sync fixtures

Open **Command Center**, paste the private operator key, then click **Sync fixtures**.

Expected: real TxLINE fixtures are stored, fixture count updates, no `401` , and Audit Log records fixture ingestion.

5. Inspect fixtures

Open **Fixtures**, then open one fixture.

Expected: numeric fixture IDs such as `18187298` ; World Cup or Friendlies rows; fixture monitor opens with raw metadata.

6. Ingest score snapshot

Return to **Command Center**, paste the operator key if needed, choose a real numeric fixture, and click **Score snapshot**.

Expected before match: scheduled score rows may be stored, often 0-2 updates, with no crash.

Expected during match: score rows update and match-state signals may appear.

Expected after match: stored snapshot or historical data remains inspectable.

7. Review Match Monitor evidence

Open the fixture you just ingested.

Expected: stored TxLINE score payloads appear under updates, raw JSON evidence is inspectable, and deterministic agent signals appear if rules detected changes.

8. Review Signals

Open **Signals**.

Expected: signals show severity, title, evidence, source update IDs, and status. If no live match-state changes exist, an empty signal set is acceptable.

9. Test Proof Console

Use a fixture ID, sequence from a stored update, and a stat key from raw payload `stats` if available.

Expected before match: if `stats` is empty, proof may fail gracefully and record a failed or unsupported attempt.

Expected during/after match: if TxLINE returns proof material, status should become `proof_received` .

10. Use Replay Lab

Open **Replay Lab** and test Start, Step, Pause, and Reset.

Expected: replay walks through stored updates. If no updates exist, ingest a score snapshot first.

11. Inspect Audit Log

Open **Audit Log**.

Expected: fixture sync, score ingestion, proof attempt, replay, and worker events appear as traceable audit evidence.

12. Test Stream Worker during a live match

In Command Center, paste the operator key, click **Start worker**, then later click **Stop worker**.

Expected during match: stream updates may be captured and audited.

Expected before match: worker may connect but receive no messages; this is normal if there are no live score events.

13. Verify App Events SSE

```
https://matchproof.onrender.com/api/stream/app-events
```

Expected: text stream begins with `event: status` and includes `"mode":"live"`.

14. Confirm live-mode guards

```
https://matchproof.onrender.com/api/export
```

Expected: `403` in live mode.

```
curl -X POST https://matchproof.onrender.com/api/demo/seed
```

Expected: `409` in live mode.

Final Demo Path

1. Landing page.
2. Health and Settings showing live TxLINE credentials.
3. Command Center fixture sync.
4. Fixtures page showing real World Cup fixtures.
5. Score snapshot for one fixture.
6. Match Monitor raw TxLINE evidence.
7. Signals.
8. Proof Console with honest proof status.
9. Replay Lab.

10. Audit Log as final evidence trail.