

Getting-Started Guide


An in-editor walkthrough from an empty project to a dispatched Work Order

Feature	Editor guide (“Getting started”) + empty first-open scene
Status	Implemented in the prototype on branch <code>feat/editor-terrigen-camera-mat</code> — not yet committed
Surface	Terra Web editor (<code>#editor</code> , <code>#editor/<project></code>)
Code	<code>src/features/editor/editor-guide.ts</code> (steps & tips, as data) · <code>EditorGuide.tsx</code> (panel, bubble, engine) · <code>EditorTopBar.tsx</code> (info button)
Date	6 October 2026

Every screenshot in this document was captured from the running editor at 1500 × 950. The bubble text quoted under each screenshot is read from the shipped guide definition, so it matches the product word for word.

1. Summary

A new Terra project now opens **empty** — no HDRI, no objects, no camera — and a small glass **Getting started** panel appears in the bottom-left corner. The panel lists six steps; the current one is explained by a **coach mark**: an orange ring on the control to use and a bubble beside it saying what it does. The guide watches what the user actually does and moves on by itself, so following it is the same as building a first scene: a world, a master object, a camera, then a tour of the Layers panel, the AI tools and the Work Order.



First open: an empty stage, the guide panel bottom-left, and the first coach mark on the Assets button.

2. Problem

- New projects used to open on a sample desert scene with an object and a camera already placed. Users started by deleting things they had not chosen, and never learned where those things come from.
- The editor has many controls that only appear in context — the bottom-centre toolbar, the focus title, the Master crown — so a first-time user can't discover them by looking around.
- A Work Order cannot be generated without a master object and a camera, but nothing told the user that, or why.
- Concepts that decide dataset cost and quality (master, increments × shots, Sky Influence vs Brightness) were undocumented in the UI.

3. Goals and non-goals

Goals

- Take a first-time user from an empty project to an open Work Order without outside help.
- Teach by doing: each placing step ends with a real object in the user's scene, not a demo.
- Explain every bottom-centre control for Environment, Object and Camera, plus rename, delete and Back.
- Make the master object's purpose explicit, and have the user set one.
- Stay out of the way: one small panel and one bubble at a time; closable at any moment from the top bar.

Non-goals (this release)

- Remembering progress across sessions or projects (see §10).
- Per-setting explanations inside the setting panels — covered by the separate *Setting Info Panels* PRD.
- Tours of the Material Preview, Scene Agent or 3D Generate tools themselves.

4. Users and stories

As a...	I want to...	So that...
First-time user	be shown where to start in an empty project	I don't stare at a blank stage
First-time user	have the guide notice when I've done a step	I'm not clicking Next on things I just did
Returning user	close the guide in one click and reopen it from the top bar	it never blocks my work
Any user	jump to any step or skip one	I can learn just the part I need
Dataset author	understand why a master object is required	I set it up correctly before generating


5. Experience overview

5.1 Empty first open


Opening the sample project (`#editor`) or a new one (`#editor/<name>`) starts with no objects, no camera rig and no sky. With no sky placed the viewport shows a plain dark stage, and objects are lit by a neutral studio light so anything placed is still visible.

5.2 The info button

An **info** (i) button sits in the top-left bar, directly after Undo and Redo. It toggles the guide. While the guide is open the button is tinted orange and pressed (`aria-pressed`); its tooltip reads *Hide the guide / Show the guide*.



Guide open — info button lit.




Guide closed — info button plain.


5.3 The guide panel

A 300 px glass panel floating bottom-left, styled like the editor's other floating panels with a darker ground (`bg-canvas/90`) so it stays readable over any sky. It moves up to sit above the Asset Library while that is open, because the library docks into the same corner.


- **Header** — info glyph, *Getting started*, a done/total count (e.g. 3/6) and a close button.
- **Progress bar** — one segment per step, filled orange when the step is complete.
- **Step list** — six numbered rows; completed rows show a tick. Any row can be clicked to jump to that step.
- **Current step** — expanded with a one-line blurb, an optional **status box** (shown when the bubble can't be, with a shortcut button such as *Select it*), and *Skip this step*.
- **Finished** — every row ticked, *You're all set — the guide is here whenever you need it*, and a **Restart** button.




Start: step 1 expanded, 0/6.



Mid-way: three steps ticked, Layers panel current.




A blocked step explains what it needs.



Finished, with Restart.

5.4 The coach mark

For the current tip, the guide draws a pulsing orange ring around the target control and a glass bubble beside it: the tip title, a n/N counter for the step, the explanation, and — only for tips that explain rather than ask for an action — a **Next** (or *Done* / *Finish*) button. The ring doesn't take clicks, so the control underneath stays usable. The bubble prefers the side named in the tip and flips to the opposite side when there isn't room.



A coach mark: ring on the Master tile, bubble above it, no Next — this tip waits for the crown click.

5.5 How a tip completes

Kind	Completes when	Example
Action tip	The guide sees the result in the scene or the UI (checked four times a second). No button.	Open the Asset Library · Place your world · Master control
Explain tip	The user presses Next / Done / Finish.	Environment control · SAB · Output
Back tip	The user clicks Back in the focus title while the tip is showing.	Last tip of Environment, Object and Camera set-up

Action tips that are already true when reached pass straight through — for example, if a sky is already placed, the first four Environment tips are skipped.

6. The six steps, tip by tip


#	Step	Tips	Ends when
1	Environment set-up	9	Back from the sky's focus view
2	Object set-up	9	Back from the object's focus view
3	Camera set-up	7	Back from the camera's focus view
4	Layers panel	2	Done
5	AI Tools	4	Done
6	Generate work order	10	Finish

Step 1 — Environment set-up

Every scene starts with a world to stand in.

The user starts with an empty, dark stage. This step gets a world into it — an HDRI (which lights the scene) or a skybox (backdrop only) — and then walks the sky's focus view: both bottom-bar tiles, rename, delete, and Back.


1.1 Open the Asset Library



Step 1, tip 1 of 9 — Open the Asset Library

Points at	Assets button, top toolbar
Bubble copy	“Everything you put in a scene comes from here. Click Assets.”
Advances when	The Asset Library opens — or a sky is already in the scene.


1.2 Environments – HDRI maps



Step 1, tip 2 of 9 – Environments – HDRI maps

Points at	Environments category in the library
Bubble copy	“An HDRI is a 360° photo of a real place. It draws the background AND lights every object with that place's light — the quickest way to make a scene look real. Click Environments.”
Advances when	The Environments category becomes active — or a sky is already placed.
Control not on screen	Panel shows: “Open Assets again to continue.”


1.3 Skyboxes



Step 1, tip 3 of 9 – Skyboxes

Points at	Skyboxes category in the library
Bubble copy	“A skybox paints the background only — it doesn't light your objects. Use one when you want a backdrop without changing the light. Click Skyboxes to compare.”
Advances when	The Skyboxes category becomes active — or a sky is already placed.
Control not on screen	Panel shows: “Open Assets again to continue.”


1.4 Place your world



Step 1, tip 4 of 9 — Place your world


Points at	First visible Environment or Skybox card
Bubble copy	"Pick an Environment or a Skybox — a scene has one sky at a time. Drag a card into the viewport — or open its ... menu and choose Place in Scene."
Advances when	A sky (Environment or Skybox) exists in the scene.
Control not on screen	Panel shows: "Open Assets and pick an Environment or a Skybox."

Placing does not select anything, so before the first focus-view tip the bubble has nothing to point at. The panel says so in its status box and offers **Select it**, which selects the sky for the user:



The status box after placing a sky: why there is no bubble, and the Select it shortcut.


1.5 Environment control



Step 1, tip 5 of 9 — Environment control

Points at	Object tile, bottom-centre toolbar
Bubble copy	“The sky's transform. Rotation turns the sky — that's how you move the sun. Position raises or lowers the horizon (a sky only moves up and down). Scale sets how far the ground reaches before it curves away. Click it to try.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything. A sky has no body to click in the viewport — select it in the Layers panel to bring up its controls.” — with a Select it button.


1.6 Appearance control



Step 1, tip 6 of 9 — Appearance control

Points at	Appearance tile, bottom-centre toolbar
Bubble copy	“Sky Brightness sets how bright the backdrop itself is. Sky Influence sets how much of its light lands on your objects — lower it for a backdrop that doesn't light the scene.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything. A sky has no body to click in the viewport — select it in the Layers panel to bring up its controls.” — with a Select it button.


1.7 Rename



Step 1, tip 7 of 9 — Rename

Points at	The sky's name in the focus title
Bubble copy	“Click the name to rename the sky, type, then press Enter. Esc cancels.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything. A sky has no body to click in the viewport — select it in the Layers panel to bring up its controls.” — with a Select it button.


1.8 Delete



Step 1, tip 8 of 9 — Delete

Points at	Delete badge under the focus title
Bubble copy	“Delete removes the sky from the scene. Changed your mind? Undo, at the top left, puts it back.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything. A sky has no body to click in the viewport — select it in the Layers panel to bring up its controls.” — with a Select it button.

1.9 Back — finish this step



Step 1, tip 9 of 9 — Back — finish this step


Points at	Back link above the focus title
Bubble copy	“Press Back to leave the sky's focus view. That ends this step and the guide moves on.”
Advances when	The user clicks Back in the focus title <i>while this tip is showing</i> . Deselecting any other way does not count.
Control not on screen	Panel shows: “Placing doesn't select anything. A sky has no body to click in the viewport — select it in the Layers panel to bring up its controls.” — with a Select it button.

Step 2 — Object set-up

Add the object your dataset is about, and make it the master.

Adds the subject of the dataset and makes it the **master** — the object every camera orbits and the Work Order is measured against. The master tip is the only focus-view tip that waits for an action rather than Next.


2.1 Open the Asset Library



Step 2, tip 1 of 9 — Open the Asset Library

Points at	Assets button, top toolbar
Bubble copy	"Open the Asset Library again to add an object."
Advances when	The Asset Library opens — or a 3D object is already in the scene.


2.2 All Assets



Step 2, tip 2 of 9 — All Assets

Points at	All Assets category
Bubble copy	“All Assets is the catalogue — furniture, vehicles, street props. (3D Models holds the ones you generate with AI.) Click All Assets.”
Advances when	All Assets becomes active — or an object is already placed. (Usually passes straight through, because the library reopens on All Assets.)
Control not on screen	Panel shows: “Open Assets again to continue.”


2.3 Place an object



Step 2, tip 3 of 9 — Place an object


Points at	First visible 3D Model card
Bubble copy	“Drag a card into the viewport — or open its ... menu and choose Place in Scene.”
Advances when	A 3D object (not a sky, camera or group) exists in the scene.
Control not on screen	Panel shows: “Open Assets and place a 3D model.”

The same hand-off appears for the object — click it in the viewport, or press **Select it**:



The Object set-up status box with Select it.


2.4 Object control



Step 2, tip 4 of 9 — Object control

Points at	Object tile
Bubble copy	“Position, rotation and scale. Drag the gizmo in the viewport to move it by hand, or type exact numbers in the panel on the right.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.


2.5 Texture control



Step 2, tip 5 of 9 — Texture control

Points at	Texture tile
Bubble copy	“Change the material on each part of the model — every material slot can take its own colour, roughness, metalness or texture.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.


2.6 Master control — make it the master



Step 2, tip 6 of 9 — Master control — make it the master

Points at	Master (crown) tile
Bubble copy	“The master is the hero of your dataset. Every camera orbits it, every frame is framed on it, and the Work Order is measured against its size — so a run can't start without one. There is one per scene. Click the crown to make this object the master.”
Advances when	The scene has a master object — the user clicks the crown. There is no Next button on this tip.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.


2.7 Rename



Step 2, tip 7 of 9 — Rename

Points at	The object's name in the focus title
Bubble copy	“Click the name to rename the object, type, then press Enter. Esc cancels.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.


2.8 Delete



Step 2, tip 8 of 9 — Delete

Points at	Delete badge
Bubble copy	“Delete removes the object from the scene. Changed your mind? Undo, at the top left, puts it back.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.

2.9 Back — finish this step



Step 2, tip 9 of 9 — Back — finish this step


Points at	Back link
Bubble copy	“Press Back to leave the object's focus view. That ends this step and the guide moves on.”
Advances when	The user clicks Back in the focus title <i>while this tip is showing</i> . Deselecting any other way does not count.
Control not on screen	Panel shows: “Placing doesn't select anything — click your object in the viewport to bring up its controls.” — with a Select it button.

Step 3 — Camera set-up

Place the capture rig that shoots your master.

Places the capture rig, explains its two bottom-bar tiles (Object and Capture) and the expand button on its POV panel, which opens the full-size camera view. The step ends on Back, like the two before it.


3.1 Open the Asset Library



Step 3, tip 1 of 7 — Open the Asset Library

Points at	Assets button, top toolbar
Bubble copy	“Cameras come from the library too. Click Assets.”
Advances when	The Asset Library opens — or a camera rig already exists.


3.2 Utilities



Step 3, tip 2 of 7 — Utilities

Points at	Utilities category
Bubble copy	"Utilities hold the tools that aren't content: the Camera rig and Spaces. Click Utilities."
Advances when	Utilities becomes active — or a rig already exists.
Control not on screen	Panel shows: "Open Assets again to continue."


3.3 Place the camera



Step 3, tip 3 of 7 — Place the camera


Points at	The Camera card
Bubble copy	"Drag a card into the viewport — or open its ... menu and choose Place in Scene. It arrives as a rig — a Start and an End camera — aimed at your master."
Advances when	A camera rig exists in the scene.
Control not on screen	Panel shows: "Open Assets → Utilities and place the Camera."

When a master exists, dropping a camera asks where the rig should begin. **Yes, focus** frames the rig on the master and selects it, so the next tip appears straight away:



The camera placement dialog shown when a master is already set.


3.4 Object control



Step 3, tip 4 of 7 — Object control

Points at	Object tile (camera)
Bubble copy	“The rig's placement. Position moves both cameras together. Orbit Rotation swings them around the master. Zoom Distance sets how close the sweep comes in, and Save as set keeps several zooms for the run. Height sets the gap between the two cameras.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click one of the cameras in the viewport (or in Layers) to bring up its controls. If the camera view is open, close it with Esc first.” — with a Select it button.


3.5 Capture control



Step 3, tip 5 of 7 — Capture control

Points at	Capture tile
Bubble copy	“How the sweep shoots. Rotatable circles the master, Fixed takes one frame. Increments is how many heights the rig stops at; Shots / Rotation is how many frames it takes at each. Increments × Shots is the frame count.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click one of the cameras in the viewport (or in Layers) to bring up its controls. If the camera view is open, close it with Esc first.” — with a Select it button.


3.6 Camera view



Step 3, tip 6 of 7 — Camera view

Points at	Expand button on the camera's POV panel (bottom right)
Bubble copy	“This is what the camera sees. Expand it to check the framing at full size. You can only zoom between the reaches set in Zoom Distance: the rig's framing and each saved zoom set. Esc closes it.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click one of the cameras in the viewport (or in Layers) to bring up its controls. If the camera view is open, close it with Esc first.” — with a Select it button.

3.7 Back — finish this step



Step 3, tip 7 of 7 — Back — finish this step


Points at	Back link
Bubble copy	“Press Back to leave the camera's focus view. That ends this step and the guide moves on.”
Advances when	The user clicks Back in the focus title <i>while this tip is showing</i> . Deselecting any other way does not count.
Control not on screen	Panel shows: “Click one of the cameras in the viewport (or in Layers) to bring up its controls. If the camera view is open, close it with Esc first.” — with a Select it button.

Step 4 — Layers panel

Everything in your scene, in one list.

A two-tip tour of the Layers panel: open it, then what a row and its hover tools do.


4.1 Open Layers



Step 4, tip 1 of 2 — Open Layers

Points at	Layers button, top toolbar
Bubble copy	"Click to list every object in the scene."
Advances when	The Layers panel is open.

4.2 Manage your scene



Step 4, tip 2 of 2 — Manage your scene


Points at	The Layers panel
Bubble copy	“Click a row to select that object. Hover a row to reveal its tools: Lock stops it being moved, Hide takes it out of the view, and the bin deletes it.”
Advances when	The user presses Done .
Control not on screen	Panel shows: “Open Layers from the toolbar to continue.”

Step 5 — AI Tools

Three assistants for building and finishing a scene.

Introduces Terra's three AI tools from the AI Tools menu. Explanatory only — nothing is generated.


5.1 AI Tools



Step 5, tip 1 of 4 — AI Tools

Points at	AI Tools button, top toolbar
Bubble copy	“Click to open Terra's AI tools.”
Advances when	The AI Tools menu is open.


5.2 SAB — the scene agent



Step 5, tip 2 of 4 — SAB — the scene agent

Points at	SAB row in the AI Tools menu
Bubble copy	“Describe what you want in words and SAB builds or edits the scene for you: placing, moving and swapping objects by prompt.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Open AI Tools from the toolbar to continue.”


5.3 3D Generate



Step 5, tip 3 of 4 — 3D Generate

Points at	3D Generate row
Bubble copy	“Turns a few images of an object, from different sides, into a 3D mesh you can place in the scene.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Open AI Tools from the toolbar to continue.”

5.4 MAT



Step 5, tip 4 of 4 — MAT

Points at	MAT row
Bubble copy	“A photorealism pass: it shows how your render looks once it has been adapted to read like a real photo.”
Advances when	The user presses Done .
Control not on screen	Panel shows: “Open AI Tools from the toolbar to continue.”


Step 6 — Generate work order

Turn the scene into a dataset order, and what each part of it does.

Opens the Work Order (TerraGen) panel and tours each section, ending on Review & dispatch. This step is **blocked** until the scene has both a master object and a camera; until then the panel explains why instead of showing a bubble.

Blocked until	The scene has a master object and a camera rig.
Panel says	“Set up a master object and a camera first — a Work Order is built around them.”


6.1 Generate a Work Order



Step 6, tip 1 of 10 — Generate a Work Order

Points at	Generate button, top right
Bubble copy	“Your scene has a master object and a camera — everything a dataset needs. Click Generate to open the Work Order.”
Advances when	The Work Order panel is open.


6.2 Scene preview & Edit scene



Step 6, tip 2 of 10 — Scene preview & Edit scene

Points at	Scene preview / Edit scene tabs
Bubble copy	“Scene preview shows the scene through the capture camera — step through the sweep with the scrubber below. Edit scene is the normal editor, for moving things.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.3 Objects



Step 6, tip 3 of 10 — Objects

Points at	Objects section
Bubble copy	“The cast: your master, everything around it, and swap objects — stand-ins rendered in an object's place, each one a new variation.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.4 Camera Settings



Step 6, tip 4 of 10 — Camera Settings

Points at	Camera Settings section
Bubble copy	“How the rig shoots: Rotatable or Fixed, height and increments, the orbit and shots per rotation, and zoom. Increments × shots is the number of frames in each variation.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.5 Weather & Lighting



Step 6, tip 5 of 10 — Weather & Lighting

Points at	Weather & Lighting section
Bubble copy	“Combine Sunny, Cloudy, Rain, Dusty and Snow and tune each one. Save as set to render several conditions in one run.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.6 Time of Day



Step 6, tip 6 of 10 — Time of Day

Points at	Time of Day section
Bubble copy	“Set the sun's clock. Save several times as sets and every variation renders once per time.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.7 Scene Environment



Step 6, tip 7 of 10 — Scene Environment

Points at	Scene Environment section
Bubble copy	“Add more HDRIs from the library — the whole run renders again under each one.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.8 Arrangement



Step 6, tip 8 of 10 — Arrangement

Points at	Arrangement section
Bubble copy	“Rearranges your objects inside a drawn space. Ask for several and each one is a new variation, reproducible from its seed. The master never moves.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”


6.9 Output



Step 6, tip 9 of 10 — Output


Points at	Output section
Bubble copy	“What comes back with every frame: the image type, the resolution, and annotations such as bounding boxes and segmentation.”
Advances when	The user presses Next in the bubble.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”

6.10 Review & dispatch



Step 6, tip 10 of 10 — Review & dispatch

Points at	Review & dispatch button
Bubble copy	“Opens the bill – frames, credits and archive size, and why there are that many – before anything is spent. That's the whole tour.”
Advances when	The user presses Finish . The guide is complete.
Control not on screen	Panel shows: “Click Generate to open the Work Order.”



After Finish: every step ticked; the Work Order stays open for the user to continue.

7. Functional requirements

ID	Requirement
GD-01	Opening any project (<code>#editor</code> or <code>#editor/<name></code>) starts with an empty scene: no objects, no camera rig, no HDRI or skybox.
GD-02	With no sky placed, the viewport shows a dark stage and lights objects with a neutral studio light.
GD-03	The guide opens automatically every time a project is opened, starting at Environment set-up.
GD-04	An info button after Undo/Redo toggles the guide; its pressed state and tooltip reflect whether the guide is open.
GD-05	The guide panel floats bottom-left, above the Asset Library while the library is open, and never covers the top bar.
GD-06	The panel shows a done/total count, a per-step progress bar, the six steps, and the current step's blurb.
GD-07	Clicking a step row jumps to that step's first tip; <i>Skip this step</i> marks the step complete and moves to the next incomplete step.
GD-08	Each tip draws a ring on its target and a bubble with title, n/N counter and copy. Explain tips add a Next/Done/Finish button.
GD-09	Action tips complete automatically when their condition is met, polled every 250 ms and on resize.
GD-10	If a tip's target is not on screen (hidden, covered, or not rendered), no bubble is shown; the panel shows the tip's <i>missing</i> line instead, plus a shortcut when one exists.
GD-11	Focus-view tips offer Select it , which selects the newest sky / object / camera so its controls appear.
GD-12	Environment, Object and Camera set-up each end only when Back is clicked while the Back tip is showing. A click on empty space, or a Back click during an earlier tip, does not end the step.
GD-13	The Master tip explains why a master is needed and completes only when the scene has a master.
GD-14	Generate work order is blocked until a master and a camera exist; while blocked the panel states the requirement.
GD-15	Generate and the Work Order settings tour are one step (10 tips), ending on Review & dispatch with <i>Finish</i> .
GD-16	When every step is complete, the panel shows a finished state with Restart; Restart clears progress and returns to step 1.
GD-17	Closing the guide (× or the info button) hides it without losing progress for the current session.

GD-18	The guide sits above the Work Order panel (z-index 70/71 vs 50) so it stays visible during step 6.
GD-19	Clicks inside the guide never count as user actions for completion checks.

8. Edge cases

Situation	Behaviour
User places things before the guide asks	Matching action tips pass straight through; the step starts at the first tip that isn't already true.
User deletes the sky / object mid-step	Focus-view tips lose their target; the panel shows the missing line and Select it (which finds nothing until the user places a new one).
Camera view is open when a camera tip appears	The full-size camera view covers the editor, so the tip's control is not on screen; the panel's missing line asks the user to close it with Esc first.
User jumps to Generate work order early	The step shows its blocked message until a master and a camera exist.
Bubble would leave the viewport	It flips to the opposite side, then clamps to a 12 px margin; the arrow keeps pointing at the target.
Bright skies	Panel and bubble use a darker glass ground so text stays readable over white skyboxes.

9. Success measures (proposed)

- Share of new projects that reach an open Work Order in the first session.
- Completion rate per step, and where users skip or close the guide.
- Share of first Work Orders that have a master set (target: 100% for guided sessions).
- Time from project open to first placed object.

The prototype doesn't log analytics yet; these would need instrumentation.

10. Open questions and future work

- **Persistence.** Progress lives in memory only: reloading or reopening a project starts the guide again at step 1. Should completed users be able to opt out ("don't show again"), or should progress be saved per user?
- **Empty first open for the sample project.** `#editor` now opens empty too. Should the sample keep its demo scene for people who want to look before building?
- **Localisation.** All copy lives in `editor-guide.ts` as plain strings, ready to be extracted.

- **Small screens.** Designed and tested at desktop sizes; tablet and narrow layouts need review.