



Section 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identification:

Product name : ALUMINIUM HYDROXIDE
Synonyms : Dried Aluminum Hydroxide Gel
Formula : $\text{Al}(\text{OH})_3$
HSN : 28183000
CAS-No. : 21645-51-2
EC Number : 244-492-7

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses : Laboratory chemicals, Manufacture of substances .

1.3 Details of the supplier of the safety data sheet:

- Company** : **Maruti Color & Chemical**
6, Siddhipark Soc.,
Opp. Santoshinagar,
L.H. Road, Surat - 395006
Dist.: Surat, State : Gujarat
Email: info@marutichemex.com
Web: www.marutichemex.com
- E-Mail Address** : info@marutichemex.com

1.4 Emergency Telephone Number:

- For Emergency contact on : +91 7567626199
- For Whatsapp Message on : +91 8799552145

SECTION 2 : HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label Elements:

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Other Hazards:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula	:	Al(OH)_3
Synonyms	:	Dried Aluminum Hydroxide Gel
Molecular weight	:	78.00 g/mol
CAS-No.	:	21645-51-2
EC Number	:	244-492-7

SECTION 4 : FIRST AID MEASURES

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5 : FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Aluminium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

None



SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7 : HANDLING AND STORAGE

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatrill® L





This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Respiratory protection

Required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

No special precautionary measures necessary

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

- | | |
|---|--|
| a. Physical state | Solid |
| b. Colour | White |
| c. Odour | odourless |
| d. Melting point/freezing point | Melting point: 300 °C - Elimination of water of crystallization |
| e. Initial boiling point and boiling range | Not applicable |
| f. Flammability (solid, gas) | The product is not flammable. |
| g. Upper/lower flammability or explosive limits | No data available |
| h. Flash point | Not applicable |
| i. Autoignition temp. | No data available |
| j. Decomposition temp. | ca. 150 - 300 °C |
| k. pH | ca.8 - 9 at 100 g/l at 20 °C (slurry) |
| l. Viscosity | Viscosity, kinematic: No data available
Viscosity, dynamic: No data available |



ALUMINIUM HYDROXIDE

m. Water solubility	at 20 °C - OECD Test Guideline 105 insoluble
n. Partition coefficient: n-octanol/water	No data available for inorganic substances
o. Vapour pressure	< 0.1 hPa at 20 °C
p. Density	2.42 g/cm ³ at 20 °C
Relative density	No data available
q. Relative vapour Density	No data available
r. Particle Characteristics	No data available
s. Explosive properties	No data available
t. Oxidizing properties	none

9.2 Other information:

No data available

SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Exothermic reaction with:
Strong acids

10.4 Conditions to avoid

No information available

10.5 Incompatible materials

Aluminium, brass, Metals, metal alloys, Zinc, Tin

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2.000 mg/kg
(OECD Test Guideline 423)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)





Serious eye damage/eye irritation

Eyes – Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test

System: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test

Species: Rat

Cell type: Bone marrow

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: WD0940000

SECTION 12 : ECOLOGICAL INFORMATION

12.1 Toxicity

No data available



**ALUMINIUM HYDROXIDE****12.2 Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13 : Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14 : Transport information

14.1 UN number

ADR/RID : -

IMDG : -

IATA : -

14.2 UN proper shipping name

ADR/RID : Not dangerous goods

IMDG : Not dangerous goods

IATA : Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID : -

IMDG : -

IATA : -

14.4 Packaging group

ADR/RID : -

IMDG : -

IATA : -

14.5 Environmental hazards

ADR/RID : no

IMDG Marine pollutant : no

IATA : no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.





SECTION 15 : Regulatory information

15.1 Safety , health and environmental regulations / legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried.

SECTION 16 : Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances ; (Q) SAR - (Quantitative) Structure Activity Relationship ; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative.



Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Maruti color & Chemical and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See our Website and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact us.