FACILITYPRO ACADEMY

INTERMEDIATE OPERATIONS TRAINING MANUAL

Commercial Cleaning — Elite Service Standards

Premier Preferred Service Delivery Provider

Delivering Training Excellence for DVG Facilities Management

Pilot-Style SOP System | 5-Stage Execution Protocol

Version 4.0 | Confidential — Internal Use Only

Table of Contents

(Update table of contents after opening in Word: right-click table > Update Field)

How to Use This Manual

This manual is the operational standard for every DVG crew member. It is not a suggestion guide — it is the standard. Every procedure, checklist, and script represents how we operate, every single time, without exception.

Important Terminology

This manual uses two distinct numbering systems. Understanding the difference is essential:

Term	Meaning
Training Phase (Phase 1–7)	The seven phases of this training programme — the learning journey from foundations to leadership
Execution Stage (Stage 1–5)	The five stages of every cleaning job — the operational sequence executed on every client site

NAMING RULE

When this manual refers to a 'Phase' it means a training phase. When it refers to a 'Stage' it means an on-the-job execution stage. These are never interchangeable. If someone says 'Phase 2' they mean training content. If they say 'Stage 2' they mean the Clock-In and Walkthrough step of a live job.

For Trainers and Supervisors

- Deliver training in 3-hour sessions, twice per week
- Each Training Phase maps to 1–2 sessions — follow the sequence exactly
- Use the Training Exercises at the end of each Phase for live practice — setup guides are provided for every exercise
- Assess trainees using the Assessment Criteria before progressing them to the next Phase
- Issue the between-session reinforcement card at the end of every session — trainees carry it on live jobs
- If a trainee does not meet the pass standard, follow the Remediation Protocol before re-assessment

For Crew Members

- Read each Phase before your session — arrive prepared
- Use the checklists on every job, every time — no exceptions
- If in doubt, follow the SOP. Never improvise on a client site
- Carry your Pocket Reference Card on every job — it is part of your kit
- Log all jobs and reports through Eagle IO

PILOT RULE

A commercial pilot never skips pre-flight checks because they have done it 1,000 times. Neither do we. Consistency is the standard. Checklists exist because memory fails — procedures do not.

Platform Note — Eagle IO

PLATFORM STANDARD

Eagle IO is DVG's sole operating platform for all job management, clock-ins, clock-outs, reporting, and documentation. All references in this manual to job logging, clock-in, clock-out, and reporting mean Eagle IO. There are no exceptions. If Eagle IO is unavailable due to a technical fault, contact your supervisor immediately for fallback instructions.

Training Schedule Overview

Training Phase	Topic	Sessions
Phase 1	Foundations and Standardisation	Sessions 1–2
Phase 2	Pilot-Style SOP Execution (5-Stage Sequence)	Sessions 3–4
Phase 3	Applied Crew Operations	Sessions 5–6
Phase 4	Customer Experience Excellence	Session 7
Phase 5	Quality Control and Self-Inspection	Session 8
Phase 6	Health and Safety	Session 9
Phase 7	Leadership and Replication	Session 10

Remediation Protocol

If a trainee does not meet the assessment criteria at the end of a Training Phase:

- The trainer identifies the specific criteria not met and records them in the Programme Completion Record
- The trainee receives targeted coaching on the failed criteria during the next scheduled session — minimum 30 minutes of focused practice
- The trainee is re-assessed on the failed criteria only — not the entire Phase
- If the trainee fails the same criteria twice, the trainer escalates to the Training Supervisor for a joint review before a third attempt
- No trainee may progress to the next Phase until all criteria for the current Phase are met

Between-Session Reinforcement

At the end of every training session, the trainer issues a Reinforcement Card for the week. This is a single-page, laminated card that the trainee carries on every live job between sessions. It contains:

- The three key procedures covered in the most recent session
- A self-check question for each procedure
- One observation task to complete on a live job before the next session

The trainer reviews the observation task at the start of the next session. This bridges the gap between classroom learning and field execution.

PHASE 1

Foundations and Standardisation

Defining Elite Standards | Systems | Equipment | Reporting

1.1 What Excellent Cleaning Looks Like

Excellence is not subjective at DVG. It is measurable. Every output you produce on a client site must meet the following standards before you leave the building.

The DVG Excellence Standard

Area	Pass Standard
Surfaces and Desks	Visually dust-free. No streaks, product residue, or missed edges
Floors (Vacuumed)	No visible debris, lint, or tracks. Corners and edges included
Floors (Mopped)	Streak-free, no pooling water, uniform sheen under light
Glass and Partitions	Zero smears visible when viewed at an angle in natural light
Bins	Liner replaced, bin exterior wiped, returned to correct position
Kitchens	Surfaces sanitised, sink clean and dry, appliances exterior wiped
Bathrooms	Fixtures sanitised, mirrors streak-free, floors mopped, odour neutral
General Odour	Space smells clean and neutral — not masked by heavy fragrance

STANDARD

If you would not be comfortable with your manager inspecting this area immediately after you leave it, it is not finished. That is the only benchmark that matters.

1.2 Cleaning Systems and Workflows

DVG operates two parallel workflow systems that run on every job. Understanding both is non-negotiable.

The Dry/Wet Split System

Every commercial cleaning job is divided into two distinct workflow streams:

Dry Workflow	Wet Workflow
Sequence: Bins → Dusting → Vacuuming	Sequence: Kitchens → Bathrooms → Glass → Mopping
Equipment: Bin liners, microfibre cloths, vacuum	Equipment: Colour-coded cloths, mop and bucket, glass spray
Sanitising: Not required in dry stream	Sanitising: Applied in both Kitchens and Bathrooms
Completes first on most jobs	Completes after dry stream — mopping always last

KEY RULE

Mopping is always the final task on any wet workflow. Mopping before glass or bathrooms are complete creates re-work and re-contamination.

Top-Down, Back-to-Front Principle

All cleaning tasks follow two directional rules:

- **Top-Down:** Always clean from the highest surface to the lowest. Dust and debris fall downward — cleaning floors before high surfaces means cleaning them twice.
- **Back-to-Front:** Start at the far end of the room or building and work toward the exit. This prevents walking over cleaned areas.

Opposite-Direction Pairing (for 2+ person crews)

- When working in pairs, crew members take opposite sides of a room or corridor
- One works left-to-right; the other right-to-left — meeting in the middle
- This eliminates cross-contamination and prevents re-tracking on cleaned floors
- Never follow behind your partner — always work the opposite direction

1.3 Equipment and Chemical Usage

Standard Equipment Kit — Every Job

☐	**DO:** Commercial upright or backpack vacuum with HEPA filter
☐	**DO:** Flat-head mop with wringer bucket
☐	**DO:** Microfibre cloths — minimum 8 per job (colour-coded)
☐	**DO:** Glass/window squeegee and glass spray bottle
☐	**DO:** Bin liners — correct size for site (confirm at walkthrough)
☐	**DO:** Trigger spray bottles — pre-filled and labelled for each chemical type
☐	**DO:** Personal PPE: nitrile gloves, apron, safety shoes
☐	**DO:** FacilityPro kit bag — locked and sealed during transit
☐	**DO:** Laminated Dwell Time Reference Card (in kit bag)
☐	**DO:** Laminated Pocket Reference Card (on person)

Chemical Usage Standards

All chemicals are pre-filled at the Company Stock Depot to the manufacturer's correct dilution rate. Crew members do not dilute chemicals on site. Over-application wastes product, damages surfaces, and leaves residue. Under-application fails to sanitise.

Chemical Type	Use Case	Do NOT Use On
Multi-surface cleaner	Desks, counters, hard surfaces	Screens, glass, powder-coated metal
Sanitiser / Disinfectant	Kitchen surfaces, bathroom fixtures, high-touch points	Do not mix with other chemicals
Glass cleaner	Windows, mirrors, glass partitions	Anti-glare screens
Descaler	Limescale on taps, sinks, toilet bowls	Stonework, chrome fittings (unless pH-safe)
Floor cleaner (neutral pH)	All hard floor mopping	Carpet, wood floors unless specified

Dwell Time Standards

Dwell time is the minimum contact time a sanitiser or disinfectant must remain wet on a surface before wiping. These times are mandatory — wiping before the dwell time expires means the surface has not been sanitised.

DWELL TIME RULE

A laminated Dwell Time Reference Card is included in every FacilityPro kit bag. This card lists the specific dwell times for every DVG-approved product. If the card is missing or damaged, do not guess — check the product label or contact your supervisor. The standard dwell times for DVG's core products are: sanitiser/disinfectant spray: minimum 30 seconds contact time; bathroom disinfectant: minimum 60 seconds contact time; descaler: minimum 3 minutes contact time. These are minimums — always defer to the product label if it specifies a longer time.

1.4 Colour Coding System

DVG uses a strict colour coding system for all cloths and equipment. This is a hygiene protocol, not a preference. Mixing colours is a disciplinary matter.

Colour	Area of Use
RED	Toilets and urinals ONLY
YELLOW	Bathroom sinks, counters, and fixtures (excluding toilet)
GREEN	Kitchen surfaces, sinks, and food-contact areas
BLUE	General cleaning — desks, office surfaces, reception areas
WHITE / MICROFIBRE	Glass and screens only — laundered between jobs

HYGIENE ALERT

A red cloth that enters a kitchen surface is a cross-contamination incident. All colour-coded equipment is inspected before and after every job. Report damaged or missing colour-coded items immediately through Eagle IO.

1.5 Reporting and Eagle IO

Every DVG job generates a digital paper trail. This is how we protect the business, protect the client, and prove the standard of our work.

Eagle IO — Our Operating Platform

- Eagle IO is DVG's sole job management platform for all operations
- All clock-ins and clock-outs are logged via Eagle IO — never manually
- Job completion forms are submitted through Eagle IO before leaving any site
- Incident reports, damage reports, and variance notes are filed through Eagle IO

Mandatory Reporting Events

Event	Action Required
Arriving on site	Clock in via Eagle IO with site code
Pre-job damage or existing issue	Photograph and log immediately before starting work
Job completion	Submit completion form with section sign-offs
Equipment fault or missing item	Log via Eagle IO — do not improvise with client equipment
Client interaction or complaint	Log interaction notes and notify supervisor immediately
Injury or near-miss	Complete incident report before leaving site

THE GOLDEN RULE OF REPORTING

If it is not logged in Eagle IO, it did not happen. Verbal reports do not protect you, the team, or the company. Every exception, every incident, every deviation from the standard SOP must be documented.

Phase 1 — Training Exercises

Exercise 1A: Standards Inspection Walk

Duration: 30 minutes | Format: Pairs

- Trainer pre-cleans a room or space to an almost-excellent standard — with 6–8 deliberate faults left in place
- Trainee pairs are given a blank Standards Checklist and 10 minutes to inspect the space
- Pairs write down every fault they can identify and the specific standard it violates
- Debrief: trainer reveals all planted faults — pairs score themselves
- Discussion: What did you miss? Why? What do you need to train your eye to look for?

TRAINER SETUP — EXERCISE 1A

Plant faults from this list (select 6–8): dust residue on a desk edge, streaked glass panel, bin liner too loose, wrong colour cloth left on a kitchen surface, vacuum tracks visible on carpet, mop streak on hard floor, chemical smell on a wiped surface, missed skirting board dust. Record which faults you planted and their locations before the exercise begins. Scoring: trainees must identify at least 5 of the planted faults to pass.

Exercise 1B: Colour Code Drill

Duration: 15 minutes | Format: Individual

- Trainer presents a mixed pile of colour-coded cloths, mislabelled spray bottles, and incorrectly assigned equipment
- Each trainee must sort, correctly label, and assign every item to its correct zone
- Timed — pass standard is 100% accuracy within 3 minutes

Exercise 1C: Practical Cleaning Execution (New)

Duration: 45 minutes | Format: Individual

- Trainee executes a basic Dry workflow on a training room: bins, dusting, and vacuuming
- Trainer observes technique, sequence compliance, and final quality
- Trainee then executes a basic Wet task: clean and sanitise a kitchen area or bathroom
- Debrief: technique corrections, sequence reinforcement, and quality review

TRAINER NOTE

Exercise 1C ensures trainees are physically executing cleaning tasks from Session 1. Do not wait until Phase 2 to introduce hands-on work. Theory must be paired with practice from the very first session.

Phase 1 Assessment Criteria

A trainee may progress to Phase 2 when they can:

☐	Correctly state the pass standard for all 8 areas in the Excellence Standard without prompting

☐	Demonstrate the Dry sequence (Bins → Dusting → Vacuuming) and Wet sequence (Kitchens → Bathrooms → Glass → Mopping) in a live or simulated environment
☐	Correctly assign all colour-coded cloths and explain the consequence of mixing
☐	List all mandatory Eagle IO reporting events from memory
☐	Demonstrate correct application of at least 2 chemical types, including stating the correct dwell time
☐	Execute a basic Dry and Wet task to DVG standard in Exercise 1C

ASSESSMENT STANDARD

All execution-based criteria must be assessed through observed demonstration in a live or simulated environment — not verbal recall alone. A trainee who can recite a procedure but cannot execute it has not passed.

PHASE 2

Pilot-Style SOP Execution

The 5-Stage Cleaning Sequence | Checklists | Discipline

Aviation is the safest form of mass transport in history — not because pilots are superhuman, but because every action follows a verified sequence. DVG operates on the same principle. The 5-Stage Sequence is not a guideline. It is the procedure. It is executed in order, every time, on every site.

2.1 The 5-Stage Sequence Overview

Stage	Purpose
Stage 1 — Site Opening	Gain authorised access, establish presence, confirm readiness
Stage 2 — Clock-In and Walkthrough	Log arrival, inspect site, identify variances before work begins
Stage 3 — Site Preparation	Set up equipment, confirm task list, brief crew
Stage 4 — Service Delivery	Execute Dry and Wet workflows to DVG standard
Stage 5 — Final Walkthrough and Close	Inspect all areas, log completion, secure site, clock out

SEQUENCE RULE

No stage may be skipped or merged. Stage 4 cannot begin until Stage 3 is complete. Stage 5 cannot begin until Stage 4 is fully signed off by the lead crew member. This sequence is the product.

Stage Transition Protocol

Every transition between stages requires a verbal callout. This is not optional — it is the mechanism that prevents stages from blurring together under time pressure.

Transition	Callout (Crew Lead)	Response (Crew)
Stage 1 → Stage 2	"Site open. Moving to walkthrough."	"Confirmed."
Stage 2 → Stage 3	"Walkthrough complete. Moving to preparation."	"Confirmed."
Stage 3 → Stage 4	"Preparation complete. Commencing service delivery."	"Confirmed. Dry lead ready. Wet lead ready."
Stage 4 → Stage 5	"Service delivery complete. Commencing final walkthrough."	"Confirmed."

On solo jobs, the operative makes the callout to themselves and logs the transition time in Eagle IO. The callout is the discipline — it forces a conscious pause between stages.

Challenge-and-Response Checklists

On all jobs with 2 or more crew members, checklists are completed using the challenge-and-response method:

- **Challenge:** One crew member reads the checklist item aloud.

- **Response:** The other crew member physically checks and confirms: ‘Confirmed’ or ‘Not confirmed — [state issue].’
- On solo jobs, the operative reads each item aloud and physically verifies before moving on.
- No item is ticked without verification. Ticking from memory is a procedure violation.

Abort / No-Go Criteria

The following conditions mean the job does not proceed. The Crew Lead contacts the supervisor immediately and does not commence cleaning until authorised:

Condition	Action
Site cannot be accessed using the documented method	Do not force entry. Contact supervisor. Log in Eagle IO.
Significant safety hazard identified (flooding, structural damage, gas smell, electrical fault)	Leave the site immediately. Contact supervisor and emergency services if required.
Site layout has changed significantly from job sheet (rooms reconfigured, floor type changed, major areas inaccessible)	Do not proceed with cleaning. Contact supervisor for revised scope before starting.
Critical equipment missing or non-functional and no replacement available	Contact supervisor. Do not improvise with client equipment.
Site is occupied when it should be unoccupied (or vice versa) and this affects safety or scope	Contact supervisor for instructions before proceeding.

NO-GO RULE

A no-go decision is never wrong. It is always better to delay a job and get authorisation than to proceed into a situation that is unsafe or outside scope. No crew member will be penalised for making a no-go call in good faith.

Stage 1 — Site Opening

Objective

To gain secure, authorised access to the client site and confirm that the crew is present, equipped, and ready to operate.

Step-by-Step SOP

- Arrive at the site address — do not enter until the designated start time or you have client authorisation
- Confirm access method: key safe, PIN code, key fob, client handover — as logged in Eagle IO job notes
- All crew members sign in on building access register if required by the client
- Do not prop open external doors — security is your responsibility from the moment of entry
- Ensure the van or vehicle is correctly parked, not obstructing client signage, loading bays, or emergency exits
- Clock in via Eagle IO immediately upon entering the building — not after setup

Site Opening Checklist

☐	**DO:** Arrive at correct site address — confirmed against Eagle IO job sheet
☐	**DO:** Use correct access method (key safe / PIN / fob) and document in Eagle IO
☐	**DO:** Confirm all crew members present and accounted for before entry
☐	**DO:** Sign building access register (if applicable)
☐	**DO:** Complete Eagle IO clock-in with site code
☐	**DO:** Park vehicle appropriately — not blocking access or signage
☐	**VERIFY:** External door secured after entry — not propped
☐	**VERIFY:** Eagle IO clock-in timestamp confirmed on screen

Stage Transition: Crew Lead calls ‘Site open. Moving to walkthrough.’ Crew confirms.

Stage 2 — Clock-In and Walkthrough

Objective

To conduct a systematic pre-work inspection of the entire site — identifying existing damage, access issues, out-of-scope areas, and any variance from the expected job conditions before any cleaning begins.

CRITICAL
The walkthrough exists to protect you. Any damage you find after starting work but did not document before starting work will be assumed to have been caused by your crew. Walk the site — photograph everything.

Step-by-Step SOP

- Take a physical walkthrough of every room or area included in the job scope
- Check against the job sheet in Eagle IO: confirm all areas listed are accessible
- If any area is locked, inaccessible, or out of scope — note it in Eagle IO immediately
- Photograph any existing damage, stains, breakages, or hazards you observe
- Upload all photographs to the Eagle IO job record before commencing work
- Identify and note any client-specific requirements flagged in the job notes
- Confirm adequate consumables are available: bin liners, paper products (if restocking is in scope)

Variance Decision Tree

If the walkthrough reveals a variance from the expected job conditions, use the following decision tree:

Variance Type	Severity	Action
Minor cosmetic damage (scuff marks, small stains)	Low	Photograph, log in Eagle IO, proceed with job
Area locked or inaccessible	Medium	Log in Eagle IO, note which tasks are affected, proceed with remaining areas
Consumables insufficient (no bin liners, no paper products)	Medium	Log in Eagle IO, notify supervisor, proceed with available resources
Room layout significantly changed from job sheet	High	Contact supervisor before cleaning that area — scope may need revision
Floor type changed (e.g. carpet replaced with hard floor)	High	Contact supervisor — equipment and method may need to change
Occupied areas that should be unoccupied	High	Contact supervisor for revised approach before proceeding
Safety hazard (flooding, electrical, structural)	Critical	Invoke no-go protocol — do not proceed, contact supervisor immediately

Clock-In and Walkthrough Checklist

☐	**DO:** Complete full site walkthrough — inspect every room in scope

☐	**DO:** Confirm all areas in job scope are accessible
☐	**DO:** Log any inaccessible or out-of-scope areas in Eagle IO
☐	**DO:** Photograph and upload all pre-existing damage
☐	**DO:** Review client-specific requirements from Eagle IO job notes
☐	**DO:** Confirm consumables (bin liners etc.) are sufficient for job
☐	**VERIFY:** All variances logged and actioned per the Variance Decision Tree
☐	**VERIFY:** No hazards present that would trigger a no-go decision
☐	**VERIFY:** All photographs uploaded to Eagle IO before proceeding

Stage Transition: Crew Lead calls ‘Walkthrough complete. Moving to preparation.’ Crew confirms.

Stage 3 — Site Preparation

Objective

To set up all equipment, confirm crew roles and task assignments, and ensure the team is fully briefed and ready to execute before any cleaning begins.

Step-by-Step SOP

- Bring all equipment from the vehicle to the designated equipment staging area
- Do not use client storage areas, janitor cupboards, or corridors as equipment storage
- Confirm all pre-filled chemical bottles are present, correctly labelled, and leak-free
- Prepare colour-coded cloths: confirm correct colours are available for all zones
- Lead crew member confirms Dry/Wet task split and assigns roles to crew
- If working in pairs: confirm which crew member leads Dry and which leads Wet
- Confirm job sequence — identify first room, establish back-to-front route
- Set the Phase 4 timer: calculate target completion time and set an alarm for the 10-minute warning

Site Preparation Checklist

☐	**DO:** Stage all equipment in designated area — not in client corridors or offices
☐	**DO:** Confirm all pre-filled chemical bottles present, labelled, and leak-free
☐	**DO:** Lay out colour-coded cloths — all colours present and accounted for
☐	**DO:** Assign crew roles: Dry lead and Wet lead confirmed
☐	**DO:** Confirm job sequence — first room identified, route planned back-to-front
☐	**DO:** Check vacuum is operational
☐	**DO:** Prepare mop bucket with correct pre-filled floor cleaner
☐	**DO:** Set 10-minute warning timer based on allocated job time
☐	**VERIFY:** Time estimate set and crew briefed on pace
☐	**VERIFY:** All crew members can state their assigned role and starting location

Stage Transition: Crew Lead calls ‘Preparation complete. Commencing service delivery.’ Crew responds: ‘Confirmed. Dry lead ready. Wet lead ready.’

Stage 4 — Service Delivery

Objective

To execute the full Dry and Wet workflows in the correct sequence, to DVG standard, across all areas in scope.

Dry Workflow SOP — Sequence: Bins → Dusting → Vacuuming

BINS: Remove all bin liners from general waste and recycling bins. Do not mix general waste and recycling bags. Replace with a fresh liner of the correct size. Wipe bin exterior if visibly soiled. Return bin to its marked position.

DUSTING: Using the correct blue microfibre cloth, dust all surfaces top-down: shelving and high ledges first, then desk surfaces and monitor stands, then chair rails and skirting boards. Use a dry cloth for general surfaces; lightly dampened for stubborn dust only.

VACUUMING: Begin at the far end of the space and vacuum in straight, overlapping passes toward the exit. Do not miss edges, corners, or areas under desks. Do not vacuum over cables — move them first and replace after. Do not vacuum wet spills.

Wet Workflow SOP — Sequence: Kitchens → Bathrooms → Glass → Mopping

KITCHENS: Apply sanitiser to all surfaces — worktops, splashbacks, sink. Allow correct dwell time as per the Dwell Time Reference Card (minimum 30 seconds for standard sanitiser). Wipe surfaces using GREEN coded cloth. Clean sink and dry with a separate cloth. Wipe exterior of appliances (microwave, kettle, fridge front). Do not open fridges unless specifically in scope.

BATHROOMS: Apply sanitiser to all toilet surfaces using RED cloth — cistern, seat (both sides), bowl exterior and interior rim. Allow correct dwell time (minimum 60 seconds for bathroom disinfectant). Apply sanitiser to sink, counter, and tap fixtures using YELLOW cloth. Wipe mirrors last, using white microfibre glass cloth. Replace hand towels or paper products if in scope. Check floor before mopping step.

GLASS: Use dedicated white/glass microfibre cloth and glass spray. Spray sparingly — excess spray creates streaks. Wipe in overlapping vertical passes. Check at a 45-degree angle in natural light before moving on. Do not use glass spray on anti-glare coated screens.

MOPPING: Mop is always the last wet task. Begin at the far end of the space, work toward the exit. Use figure-8 motion for maximum coverage. Rinse mop head in clean water every 2–3 passes in bathrooms. Change mop water between kitchens and general floor areas. Do not mop over dry-workflow areas that have not yet been vacuumed.

Service Delivery Checklist — Dry

☐	**DO:** Empty and reline all general waste bins
☐	**DO:** Empty and reline all recycling bins (not mixed with general waste)
☐	**DO:** Wipe bin exteriors where soiled
☐	**DO:** Dust all surfaces top-down — shelving, desks, chair rails, skirting
☐	**DO:** Vacuum in overlapping passes — all rooms in scope
☐	**DO:** Vacuum edges, corners, and under-desk areas
☐	**VERIFY:** Cables replaced after vacuuming

☐	**VERIFY:** No debris visible at floor level from room entry point

Service Delivery Checklist — Wet

☐	**DO:** Sanitise kitchen surfaces with correct dwell time observed
☐	**DO:** Clean and dry kitchen sink
☐	**DO:** Wipe appliance exteriors (microwave, kettle, fridge front)
☐	**DO:** Sanitise toilet fully — cistern, seat, bowl — using RED cloth with correct dwell time
☐	**DO:** Sanitise bathroom sink, counter, taps — using YELLOW cloth
☐	**DO:** Clean mirrors and glass streak-free
☐	**DO:** Mop all hard floors — back-to-front, mop water changed as required
☐	**DO:** Place wet floor warning sign during mopping
☐	**VERIFY:** Glass checked at 45 degrees — no streaks visible
☐	**VERIFY:** Wet floor signs removed after floors are dry
☐	**VERIFY:** No chemical odour remaining on sanitised surfaces

The 10-Minute Rule

10-MINUTE RULE

With 10 minutes remaining in the job window, all physical cleaning must stop. The final 10 minutes are reserved exclusively for the Final Walkthrough (Stage 5). Cleaning that continues into Stage 5 time is a planning failure.

10-Minute Rule Enforcement

- During Stage 3, the Crew Lead calculates the target completion time and sets a timer or phone alarm for the 10-minute mark
- When the alarm sounds, the Crew Lead calls: ‘Ten-minute mark. All cleaning stops. Moving to final walkthrough.’
- All crew members stop physical cleaning immediately and prepare for Stage 5
- If the job is not complete when the alarm sounds, the Crew Lead must decide: complete one final critical task (maximum 2 minutes) or proceed directly to Stage 5 and log the incomplete area in Eagle IO
- The timer is non-negotiable — it is set during Stage 3 and it is not extended

Stage Transition: Crew Lead calls ‘Service delivery complete. Commencing final walkthrough.’ Crew confirms.

Stage 5 — Final Walkthrough and Close

Objective

To inspect every area completed, confirm all work meets the DVG excellence standard, complete all documentation, and secure the site before departure.

Step-by-Step SOP

- Lead crew member conducts a room-by-room inspection of every area cleaned
- Use the Final Inspection Checklist — do not rely on memory
- Any area that does not meet standard must be corrected before the walkthrough continues
- Confirm all equipment has been removed from the site — nothing left behind
- Confirm all areas are returned to their pre-cleaning layout
- Confirm all lights, fans, and client equipment are in the state specified in job notes
- Complete the Eagle IO job completion form — including section sign-offs
- Clock out via Eagle IO — not manually
- Secure the site: check all access points used, confirm secure
- Do not leave the building until clock-out is confirmed in Eagle IO

Final Walkthrough Checklist

☐	**DO:** Complete room-by-room inspection against the Excellence Standard
☐	**DO:** Correct all defects before sign-off
☐	**DO:** Remove all equipment from site — nothing left in client areas
☐	**DO:** Return rooms to correct layout — furniture, bins in original positions
☐	**DO:** Set lights, fans, heating to pre-clean state (as per job notes)
☐	**DO:** Submit Eagle IO completion form with section sign-offs
☐	**DO:** Complete Eagle IO clock-out
☐	**DO:** Secure all access points — keys/fobs/codes handled per job instructions
☐	**VERIFY:** Every room passes the Excellence Standard — no exceptions
☐	**VERIFY:** Eagle IO clock-out timestamp confirmed on screen
☐	**VERIFY:** Van/vehicle departure — site confirmed clear and secure

Phase 2 — Training Exercises

Exercise 2A: Blind SOP Sequence Test

Duration: 20 minutes | Format: Individual

- Trainer provides a shuffled deck of 20 cards, each describing one SOP step across all 5 stages
- Trainee must arrange all 20 cards in the correct sequence without referring to notes
- Pass standard: 100% correct sequence on all 5 stages

TRAINER SETUP — EXERCISE 2A

Prepare 20 index cards, 4 per stage. Each card describes one specific SOP step (e.g. ‘Photograph pre-existing damage and upload to Eagle IO’). Include the stage transition callouts as separate cards. Shuffle thoroughly. Keep a master answer sheet for scoring.

Exercise 2B: Live 5-Stage Simulation

Duration: 60 minutes | Format: Pairs

- Trainer assigns a training room as the ‘client site’
- Trainee pair must execute all 5 stages in real time, including stage transition callouts
- Trainer observes and marks: any stage skipped, out of order, or incomplete; any transition callout missed; any checklist item not verified
- Debrief: stage-by-stage review with specific feedback on execution quality, not just sequence compliance

TRAINER NOTE

This exercise now runs for 60 minutes (increased from 45) to allow for proper stage transitions and challenge-and-response checklists. Do not compress this exercise. It is the most important exercise in the programme.

Phase 2 Assessment Criteria

A trainee may progress to Phase 3 when they can:

☐	Recite all 5 stages in correct order and state the purpose of each without prompting
☐	Execute a stage transition callout at every stage boundary during a simulation
☐	Complete the Stage 1 (Site Opening) SOP with all checklist items verified
☐	Identify pre-existing damage and log it to Eagle IO during the Stage 2 walkthrough
☐	Correctly apply the Variance Decision Tree to a simulated walkthrough finding
☐	Assign roles and brief crew correctly in Stage 3
☐	Execute the Dry workflow in correct sequence in a live or simulated environment
☐	Execute the Wet workflow in correct sequence in a live or simulated environment
☐	Complete the Stage 5 Final Walkthrough including Eagle IO submission and clock-out

PHASE 3

Applied Crew Operations

Dry/Wet System | Crew Roles | Efficiency | Time Management

3.1 The Dry/Wet Job System in Practice

On every commercial job, the Dry and Wet workflows run in parallel when crew size allows. Understanding how to split, coordinate, and re-merge these workflows is the mark of an intermediate-level crew member.

Single Operative (Solo Job)

- Complete full Dry workflow across all rooms before beginning any Wet tasks
- This prevents re-contamination from bin handling while sanitising is underway
- Sequence: All bins → All dusting → All vacuuming → Kitchens → Bathrooms → All glass → All mopping

Two-Person Crew Split

Crew Member A — Dry Lead	Crew Member B — Wet Lead
Bins (all rooms) first	Begins kitchens once A clears that zone
Dusting (all rooms)	Moves to bathrooms after kitchens complete
Vacuuming (follows dusting)	Glass last — after all wet surfaces done
Assists mopping on large floors	Mopping — final task, follows B through all zones

COORDINATION RULE

Wet Lead must never enter a room to mop until Dry Lead has vacuumed it. Mopping before vacuuming means mopping up dust. Communicate before you move — never assume the other crew member has finished. Use a verbal callout: '[Room] vacuumed and clear.' — 'Confirmed, moving in to mop.'

Larger Crew (3+ operatives)

- Crew Lead assigns one Dry Lead, one Wet Lead, and additional operatives to zones
- Additional operatives shadow either Dry or Wet lead and take on overflow rooms
- Crew Lead floats: monitors pace, quality-checks, and removes bottlenecks
- No operative works on both Dry and Wet simultaneously — cross-contamination risk

3.2 Opposite-Direction Workflow

The opposite-direction workflow is a precision technique used in corridor-heavy commercial environments. It eliminates the most common source of wasted time: re-cleaning areas you have already walked through.

The Method

- Crew member A starts at Door 1 (left side of corridor) and moves right

- Crew member B starts at Door N (right side of corridor) and moves left
- Both work the same task (e.g., dusting) in opposite directions, meeting in the middle
- Neither crew member ever steps into the other's completed zone
- On completing the pass, both pivot and take the next task back through in reverse

EFFICIENCY GAIN
Directional discipline alone reduces job time by 12–18% on multi-room sites. Every minute saved on a site is a minute of margin for quality.

3.3 Weekly Role Rotation

At DVG, no crew member permanently owns either the Dry or Wet workflow. Role rotation is mandatory on a weekly cycle.

Why We Rotate

- Rotation builds complete operatives — not specialists who cannot cover for each other
- It prevents skill gaps when a crew member is absent
- It ensures every crew member understands the full standard, not just their half of it
- It builds the leadership pipeline: you cannot supervise what you have not personally done

Rotation Schedule

Week	Assigned Role
Week 1	Dry Lead — Bins, Dusting, Vacuuming
Week 2	Wet Lead — Kitchens, Bathrooms, Glass, Mopping
Week 3	Dry Lead with coaching responsibility (guide a newer crew member)
Week 4	Wet Lead with coaching responsibility

Rotation is tracked in Eagle IO by the Crew Supervisor. Any deviation from the schedule must be approved and logged.

3.4 Efficiency and Time Management

The Target-Time System

Every job in Eagle IO includes an allocated time window. Before beginning Stage 4, the Crew Lead must calculate the target completion time and confirm it is achievable given the crew size.

Crew Size	Expected Output Rate
1 operative	Approximately 250–350 sq ft per hour (standard commercial)
2 operatives (split)	Approximately 500–650 sq ft per hour
3 operatives (zoned)	Approximately 750–900 sq ft per hour

Pace Rules

- Do not rush quality — rushing produces re-work which takes longer than doing it right the first time
- If you are falling behind pace, communicate to the Crew Lead immediately — not at the end
- If additional time is needed, the Crew Lead must contact the supervisor before the scheduled end time
- Never leave a job incomplete without supervisor authorisation

Phase 3 — Training Exercises

Exercise 3A: Split-Role Timed Job

Duration: 60 minutes | Format: Pairs

- Trainer allocates a two-room simulation space with both dry and wet tasks
- Crew pair must execute the full Stage 4 as a split Dry/Wet team, including verbal coordination callouts
- Timer runs from the moment Stage 3 (preparation) is called complete
- The 10-minute rule applies — physical cleaning must stop at 10 minutes remaining
- Trainer scores: sequence compliance, role discipline, coordination callouts, and final quality standard

Exercise 3B: Cumulative 5-Stage Simulation (New)

Duration: 75 minutes | Format: Pairs

- Trainee pair executes a complete 5-stage job from site opening to close
- All stage transition callouts must be performed
- All checklists completed using challenge-and-response method
- Trainer introduces one simulated variance during Stage 2 walkthrough (e.g. a locked room or damaged item) — trainee must apply the Variance Decision Tree correctly
- This exercise combines all skills from Phases 1–3 into a single integrated simulation

TRAINER SETUP — EXERCISE 3B

Before the exercise, prepare one variance scenario: lock one room, place a ‘damaged’ item in an obvious location, or mark an area as inaccessible. Have the Eagle IO job sheet ready with a scope that includes the affected area. Score the trainee on: correct identification of the variance, correct application of the decision tree, correct logging in Eagle IO, and correct adjustment to their cleaning plan.

Phase 3 Assessment Criteria

A trainee may progress to Phase 4 when they can:

☐	Execute a solo job in correct single-operative sequence in a live or simulated environment
☐	Correctly assign and execute Dry or Wet lead role in a 2-person crew context
☐	Demonstrate opposite-direction technique in a corridor or multi-room environment

☐	Use verbal coordination callouts when transitioning between zones with a crew partner
☐	Stop physical cleaning at the 10-minute mark and complete Stage 5
☐	Complete a full 5-stage simulation (Exercise 3B) with all callouts and checklists correct
☐	Explain the weekly rotation schedule and state its purpose

PHASE 4

Customer Experience Excellence

Professional Behaviour | Communication | The Wow Standard

Excellent cleaning is the minimum. What separates a premier provider from a commodity cleaner is the experience the client has every time your team is on their site. Behaviour, communication, and the wow factor are not soft skills — they are revenue drivers.

4.1 Behaviour on Client Sites

Non-Negotiable Conduct Standards

☐	Full FacilityPro uniform worn correctly at all times on site
☐	No personal phone use in client spaces — phones on silent, used in break areas only
☐	No eating or drinking in client offices, meeting rooms, or production areas
☐	No personal conversations conducted in areas where clients or client staff may hear
☐	Music or audio: not permitted during shifts (see Phase 6 — Earphone Policy)
☐	Client equipment (computers, phones, printers) must never be touched — unless specifically in scope for cleaning
☐	Client documents, files, or personal items must never be moved unnecessarily
☐	Do not discuss client premises, staff, or business with anyone outside DVG

Presence Standards — The Invisible Crew Principle

A DVG crew operates to a principle we call the Invisible Crew. The ideal DVG experience for a client is: they arrive to a perfectly clean site and would not know we had been there — except for the results. This means:

- No unnecessary noise — doors closed quietly, equipment not dragged across floors
- No footprints, equipment marks, or scuff marks left on walls or skirting
- Everything returned to its exact original position — not approximate
- No personal items left on site — not a cloth, not a glove, not a bag

4.2 Communication Standards

Interaction with Client Staff

On many commercial jobs, client staff will still be present on site. The following scripts and standards govern every interaction.

Script — Greeting a Client or Client Staff Member

SCRIPT

Good [morning/afternoon]. I'm [Name] from DVG. We're here for the scheduled clean today. We'll try to stay out of your way — please let me know if there's anything you'd like us to work around.

Script — If Asked About the Work Being Done

SCRIPT

We're working through our standard clean today — [brief summary, e.g., floors, bins, and bathrooms]. We should be finished by [estimated time]. Is there anything specific you'd like us to focus on or avoid today?

Script — If a Client Raises a Concern or Complaint

SCRIPT

Thank you for letting me know. I'll look at that area right away and make sure it's sorted before we finish. I'll also let my supervisor know so we can make sure it doesn't happen again. Is there anything else I can help with?

RULE

Never be defensive. Never argue. Never blame another crew member or the previous shift. Acknowledge, act, and escalate. Every complaint is an opportunity to demonstrate the DVG standard.

Escalation Protocol

Situation	Action
Client asks for a task outside the job scope	Acknowledge politely, do not agree or refuse — say: 'Let me check with my supervisor and come back to you.'
Client raises a service complaint	Use complaint script, log in Eagle IO, call supervisor immediately
Client staff member is aggressive or threatening	Leave the area, call supervisor immediately, do not engage
Client asks about pricing or contracts	Refer to office: 'Our client services team would be best placed to help with that.'

4.3 Creating the Wow Experience

The Wow experience is made up of small, deliberate actions that go beyond the minimum standard. These are not extras — they are part of the DVG service.

The Wow Checklist

☐	Chair tucked in neatly at every desk — consistent height and alignment
☐	Monitor screens wiped of fingerprints (where screens are accessible)
☐	Paper and stationery aligned neatly on desks — not scattered
☐	Cushions and soft furnishings in meeting rooms straightened and centred
☐	Bin returned to its exact position — not approximately, exactly
☐	Kitchen tea/coffee station wiped and items neatly arranged
☐	Toilet roll folded to a point on the first sheet after bathroom clean
☐	Hand soap bottles wiped and straightened on bathroom counters

☐	No smear, no trace, no evidence of our presence — only the results

MINDSET

A client paying for a premier service is paying for a feeling as much as a result. Walk back into the room after you have finished and ask yourself: does this look like a premium result? If there is any doubt, it is not finished.

Phase 4 — Training Exercises

Exercise 4A: Role-Play Interaction Scenarios

Duration: 30 minutes | Format: Pairs

- Trainer plays the role of a client staff member — cycling through 3 scenarios: greeting, concern about a missed area, and a request outside scope
- Trainee responds using the correct script and escalation protocol
- Swap roles — trainer now plays a more challenging, dissatisfied client
- Debrief: what worked, what to improve, where did tone slip?

TRAINER SETUP — EXERCISE 4A

Prepare three scenario cards: (1) Friendly greeting — client asks who you are and what you are doing. (2) Concern — client points out a missed area from the previous visit and asks if it will be addressed. (3) Scope request — client asks you to clean an area not on the job sheet. For the dissatisfied client round, increase pressure: express frustration, reference previous issues, ask for a manager. Score trainees on: correct script usage, tone control, and correct escalation action.

Exercise 4B: Cumulative Simulation with Client Interaction (New)

Duration: 75 minutes | Format: Pairs

- Trainee pair executes a complete 5-stage job including all callouts, checklists, and the Wow Checklist
- Trainer introduces a client interaction scenario during Stage 4 — trainee must handle it using the correct script while maintaining job pace
- This exercise integrates Phases 1–4 into a single simulation

Phase 4 Assessment Criteria

A trainee may progress to Phase 5 when they can:

☐	Demonstrate the Invisible Crew principle — no marks, noise, or trace left on site during a simulation
☐	Deliver all three scripts accurately and with appropriate tone in a role-play scenario
☐	Correctly escalate a complaint to supervisor without arguing or becoming defensive
☐	Complete the Wow Checklist on a training room without prompting
☐	State the correct escalation action for all four scenarios in the Escalation Protocol table
☐	Handle a client interaction during Stage 4 without breaking job sequence or pace (Exercise 4B)

PHASE 5

Quality Control and Self-Inspection

Self-Check Systems | Benchmarks | Identifying and Correcting Errors

5.1 The Self-Inspection Mindset

A quality-controlled crew member does not wait for a supervisor to find the fault. They find it themselves. Self-inspection is the discipline of inspecting your own work with the same critical eye as an external auditor.

STANDARD

Every area you complete must be inspected before you leave it. Not after you have moved three rooms ahead. Not at the end of the job. Immediately. The moment you finish an area, turn around and inspect it as if you are seeing it for the first time.

5.2 The Zone-and-Sign System

DVG uses a Zone-and-Sign approach for self-inspection. Every zone (room or defined area) must be physically signed off by the operative who cleaned it before they move to the next zone.

The Zone Sign-Off Protocol

- Stand at the entry point of the completed zone — look in from the door
- Run the Zone Inspection Checklist visually before entering
- Walk the zone using the Wall-to-Wall Method: enter at one corner, walk the perimeter clockwise, inspect every surface at eye level and below
- Check glass and mirrors at a 45-degree angle — not head-on
- Crouch to check floor level — dust, smears, and mop streaks show differently from below
- If all items pass: mark the zone as complete on the laminated site map or call out '[Zone name] signed off' to your crew partner
- If any item fails: correct it immediately before leaving the zone

SIGN-OFF RULE

Zone sign-off is physical, not mental. On team jobs, the operative calls out '[Zone] signed off' and their crew partner acknowledges. On solo jobs, the operative marks a tick on their laminated site map or pocket checklist. A zone that has not been physically or verbally signed off has not been inspected.

Zone Inspection Checklist

☐	**VERIFY:** All surfaces dust-free — no visible particles, no missed edges
☐	**VERIFY:** No product residue or streaks on any surface
☐	**VERIFY:** Glass and mirrors streak-free at 45-degree angle check
☐	**VERIFY:** Floors — no debris, no tracks, no mop streaks

☐	**VERIFY:** Bins — lined, wiped, returned to position
☐	**VERIFY:** All furniture returned to original position
☐	**VERIFY:** Lighting confirmed — switches returned to pre-clean state
☐	**VERIFY:** No equipment, cloths, or supplies left in the zone
☐	**VERIFY:** No odour of chemicals — space smells clean and neutral

5.3 Common Faults — Recognition and Correction

Fault	How to Identify	How to Correct
Dusting streaks on surfaces	Wipe finger across surface — if finger picks up residue, it was not fully cleaned	Re-dust with dry microfibre — remove all residue
Vacuum tracks on carpet	Look across carpet at low angle — tracks appear as light/dark bands	Re-vacuum in consistent directional passes
Mop streaks on hard floor	View floor at a low angle from entry point — streaks reflect differently	Re-mop affected area with clean, wrung mop head
Glass smears	View at 45 degrees in natural light	Re-clean with clean microfibre and light spray
Bin liner too loose	Liner slides into bin or billows above rim	Replace with correct size liner — press flat against bin interior
Chemical smell after sanitising	Strong chemical odour means insufficient buffing	Buff surface dry with clean cloth — chemical residue is not acceptable
Missed corner/edge on vacuuming	Visual check from room entry — edges and corners show debris easily	Re-vacuum edge with crevice attachment

5.4 Quality Benchmarks by Area

Area	Benchmark Test
Desk / Hard Surface	White cloth wipe test — cloth must come away clean after wiping
Floor (vacuumed)	Crouch test — no visible debris at floor level viewed from entry
Floor (mopped)	Dry within 10 minutes of completion — no pooling, uniform appearance
Mirror / Glass	45-degree angle test in natural light — no streaks visible
Bathroom fixture	Finger test on tap or handle — no smears or residue
Kitchen surface	Visual and smell test — clean surface, neutral odour, no residue
Bin	Lift liner to confirm correct fit — liner should not slide when bin is moved

Phase 5 — Training Exercises

Exercise 5A: Planted Fault Correction

Duration: 40 minutes | Format: Individual

- Trainer sets up a cleaned room with 10 deliberately planted quality faults (from the Common Faults list above)

- Trainee enters the room and must use the Zone Sign-Off Protocol to locate every fault
- Trainee must physically sign off the zone only when all faults are identified and corrected
- Trainer inspects corrections — pass standard: all 10 faults identified and correctly resolved

TRAINER SETUP — EXERCISE 5A

Plant exactly 10 faults from the Common Faults table. Suggested distribution: 2 dusting faults, 2 vacuum faults, 2 mop faults, 1 glass fault, 1 bin fault, 1 chemical residue fault, 1 missed edge/corner. Record fault locations on a master sheet before the exercise. Scoring: trainee must identify and correctly resolve at least 8 of 10 faults to pass.

Exercise 5B: Cumulative Simulation with Self-Inspection (New)

Duration: 90 minutes | Format: Pairs

- Trainee pair executes a complete 5-stage job with all cumulative skills: callouts, checklists, Wow Checklist, and client interaction handling
- After Stage 4 completion, each trainee must execute the Zone Sign-Off Protocol on every zone they cleaned
- Trainer has pre-planted 3–5 faults in the space — trainee must catch and correct them during their self-inspection
- This is the most comprehensive simulation in the programme and tests all skills from Phases 1–5

Phase 5 Assessment Criteria

A trainee may progress to Phase 6 when they can:

☐	Execute the Zone Sign-Off Protocol on a completed room, including the physical sign-off mechanism
☐	Identify at least 8 of 10 planted faults in Exercise 5A
☐	Correctly apply all correction methods from the Common Faults table
☐	Articulate the benchmark test for each of the 7 areas listed in the Quality Benchmarks table
☐	Complete a full cumulative simulation (Exercise 5B) demonstrating self-inspection at every zone

PHASE 6

Health and Safety

Lone Working | Team Working | Occupied Sites | Safe Driving | Personal Conduct

Health and safety is not a box-ticking exercise at DVG — it is a condition of employment. Every crew member is responsible for their own safety, the safety of their teammates, and the safety of everyone present on any site we service.

6.1 Lone Working

Lone working means being the sole DVG operative on a site or in a building. This carries specific responsibilities. It is not the same as simply working without a supervisor present.

Lone Working Requirements

- Always inform your supervisor before beginning a lone working assignment — confirm site access, expected duration, and a check-in time
- Your mobile phone must be charged and accessible at all times — not in your bag, not on silent
- Complete clock-in and clock-out via Eagle IO as normal — this is your digital presence record
- If you feel unsafe at any point — leave the site, secure it if possible, and call your supervisor immediately
- Do not use headphones or earphones while lone working — you must remain fully aware of your surroundings at all times
- Report any incident, near-miss, or unusual occurrence to your supervisor before leaving the site — lone worker incidents are logged separately in Eagle IO

6.2 Team Working and Earphone Policy

When working as part of a crew, communication and situational awareness are safety requirements — not optional. A crew member who cannot hear their teammates or respond to a site hazard is a liability to themselves and others.

EARPHONE / HEADPHONE POLICY

Earphones and headphones are NOT permitted during any DVG shift. This applies on site, in common areas, in stairwells, and in car parks. The only exception is hands-free calls made with one ear free, in a non-public area of the site, and with supervisor awareness.

Team Working Safety Rules

- Always know where your team members are on site — check in verbally when moving between areas
- Never leave a site without confirming all crew members are present and accounted for
- If a teammate appears unwell, distressed, or impaired — stop work and notify the supervisor immediately. Do not attempt to manage it yourself
- Manual handling tasks (heavy equipment, mop buckets, bags) must be shared where possible — never strain to complete a lift alone

6.3 Working on Occupied Sites

Some DVG contracts require cleaning during occupied hours — while the client's staff, customers, or members of the public are present on site. This requires a higher level of care, professionalism, and hazard awareness.

- Always place wet floor signs before mopping any area — remove only once the floor is completely dry
- Do not block corridors, fire exits, or stairwells with equipment at any time
- Chemical use on occupied sites must be minimal and well-ventilated — inform any nearby occupants before applying strong-smelling products
- Vacuum cleaners, trolleys, and mop buckets must be positioned against walls — never in the centre of walkways
- If an occupant asks you to stop or move, comply immediately — then notify your supervisor so the job scope can be adjusted if needed

6.4 Safe Driving and Crew Transport

DVG crew members frequently travel between sites — in company vehicles, personal vehicles, or as passengers. The same duty of care that applies on site applies on the road.

- Mobile phones must not be used while driving — this includes hands-free calls unless using a correctly mounted device. Texting or app use at the wheel is a disciplinary matter
- All passengers must wear seatbelts at all times. The driver is responsible for confirming this before moving off
- Equipment must be secured in the vehicle before travel — loose mop buckets, vacuum cleaners, and chemical containers are a hazard in transit
- Do not travel between sites if you feel unsafe in the vehicle or are concerned about the driver's fitness to drive — contact your supervisor immediately

6.5 Alcohol, Drugs and Personal Conduct

ZERO TOLERANCE

DVG operates a zero-tolerance policy on alcohol and drug use. Attending a shift under the influence of alcohol or any non-prescribed substance is gross misconduct and grounds for immediate dismissal. This includes the morning after heavy consumption where impairment may still be present.

- If you suspect a colleague is impaired — do not confront them directly. Remove yourself from the situation and contact your supervisor immediately
- Prescribed medication that may affect your ability to work safely must be declared to your supervisor before the shift begins — this is confidential and not a disciplinary matter
- Professional conduct is expected at all times on site — aggressive, abusive, or threatening behaviour toward teammates, clients, or members of the public will not be tolerated

Phase 6 — Training Exercises

Exercise 6A: Health and Safety Scenario Cards

Duration: 30 minutes | Format: Small groups

- Trainer presents scenario cards covering: lone working emergency, earphone use on an occupied site, driver impairment concern, colleague suspected of substance use
- Groups discuss the correct response, then present to the room — trainer scores against the policy requirements in this phase
- Pass standard: each group correctly identifies the action required in all 4 scenarios

TRAINER SETUP — EXERCISE 6A

Prepare 4 scenario cards: (1) You are lone working and feel unsafe after hearing unexpected noise in the building. (2) A crew member is wearing earphones on an occupied site and claims they can still hear. (3) The driver on your crew seems drowsy and distracted before setting off to the next site. (4) A colleague's behaviour suggests they may be under the influence of alcohol. For each scenario, the correct answer must match the specific policy stated in this phase — do not accept vague or generalised responses.

Exercise 6B: Full 5-Stage Simulation with H&S Integration

Duration: 75 minutes | Format: Pairs

CUMULATIVE SIMULATION

This is a cumulative simulation. All standards from Phases 1–5 apply in full. This is not a standalone safety exercise — it is a complete 5-stage job where the trainee must demonstrate all operational skills while correctly identifying and responding to H&S hazards integrated into the job flow.

- Trainee pair executes a complete 5-stage job with all cumulative skills: stage transition callouts, challenge-and-response checklists, Wow Checklist, client interaction handling, and zone sign-off with self-inspection
- During the simulation, the trainer introduces two H&S scenarios that the trainee must identify and respond to correctly:
- **Hazard 1 (Stage 2 — Walkthrough):** a safety hazard present on site that the trainee must identify during the walkthrough. Examples: wet floor with no sign, obstructed fire exit, chemical container left open, trip hazard in a corridor, or unsecured entry point
- **Hazard 2 (Stage 4 — Service Delivery):** an H&S situation that occurs during cleaning. Examples: a simulated occupant asking the crew to move from an area, equipment blocking a corridor, a lone working communication failure (missed check-in or device not logged in Eagle IO), or a colleague exhibiting signs of impairment

TRAINER RULE

The trainer must introduce scenarios naturally within the job flow — do not announce them as tests. Place hazard props before the simulation begins. For Stage 4 scenarios, introduce them through role-play or environmental setup. The trainee must identify and respond without any prompting. Any trainer prompt during hazard identification or response results in automatic fail of the H&S component.

- **No prompting rule:** the trainer does not hint, gesture, or direct attention toward any hazard. The trainee must identify it through their own observation during the normal job flow. If the trainee misses the hazard entirely, the trainer records this as a fail and addresses it in the debrief — they do not intervene during the simulation.

Automatic Fail Conditions

Any of the following results in an automatic fail of the H&S component of this simulation:

- Hazard not identified during the relevant stage
- Incorrect response applied (e.g. wrong policy, wrong escalation action)
- Safety risk escalated due to inaction (e.g. continued working in an unsafe area)
- Operational flow abandoned unnecessarily (e.g. stopped the entire job for a minor hazard that only required logging)
- Trainee required prompting from the trainer to identify or respond to the hazard

Post-Simulation Debrief

The trainer must conduct a structured debrief immediately after the simulation covering:

- **Hazard identification:** what was caught, what was missed, and when it was noticed relative to when it should have been noticed
- **Correct response vs actual response:** did the trainee apply the correct Phase 6 policy? Was the escalation action correct? Was Eagle IO logging completed?
- **Impact on safety and client perception:** what would have happened if this hazard had been missed on a real job? How would a client or occupant have been affected?
- **Reinforcement of correct SOP behaviour:** connect the response back to the specific section in Phase 6 that governs it. Confirm the trainee can state the correct procedure without prompting.

TRAINER SETUP — EXERCISE 6B

Before the simulation, select and prepare two hazard scenarios (one for Stage 2, one for Stage 4). Stage 2 options: place a wet floor area with no sign near a doorway, partially block a fire exit with equipment, leave a chemical bottle open and unlabelled on a counter, create a visible trip hazard in a corridor. Stage 4 options: role-play an occupant asking the crew to vacate an area, position equipment to block a walkway, simulate a missed lone worker check-in by removing the trainee's device access mid-job, role-play a colleague who appears drowsy or impaired. Record which scenarios were used and their locations on a master sheet before the exercise begins. Scoring: the trainee must correctly identify both hazards and apply the correct response to pass. Failure on either hazard is a fail of the H&S component.

Phase 6 Assessment Criteria

A trainee may progress to Phase 7 when they can:

☐	State the lone working check-in procedure and explain why it is required
☐	Correctly state DVG's earphone policy and the one permitted exception
☐	Describe the correct response to each of the 4 scenario cards from Exercise 6A
☐	State at least 3 occupied-site safety requirements without prompting
☐	Clearly explain the zero-tolerance alcohol and drug policy and the correct reporting process

☐	Correctly identify and respond to H&S hazards during a live 5-stage simulation without prompting (Exercise 6B)

PHASE 7

Leadership and Replication

Ownership Mindset | Training Others | Thinking Like a Supervisor

Phase 7 marks the transition from a skilled operative to a replicable asset. The goal of this phase is to produce crew members who can train others to the same standard they have been trained to — and who take ownership of outcomes rather than waiting to be managed.

7.1 The Ownership Mindset

An ownership mindset means treating every DVG site as if it were your own business on the line. It is the difference between a crew member who does the tasks assigned and a crew member who takes responsibility for the outcome.

Ownership vs. Employee Thinking

Employee Thinking	Ownership Thinking
'I finished my tasks'	'Is the site at the standard it needs to be?'
'Nobody told me about that'	'I noticed it — I flagged it'
'That's not my job'	'I can handle this or I know who to call'
'I'll tell the supervisor later'	'I logged it in Eagle IO as soon as I saw it'
'The other crew member missed that'	'We missed that — let me fix it before we leave'
'I just follow instructions'	'I know the standard — I apply it without being asked'

MINDSET

You are not just cleaning a building. You are representing DVG's reputation on that site. Every single time. Every bin liner, every mopped floor, every interaction with a client's staff member is a vote for or against renewing that contract.

7.2 Training Others

An intermediate-level DVG operative is expected to be able to onboard and guide a new starter through Phases 1–3 of this programme. You cannot effectively train others in something you do not fully own yourself.

The Train-by-Show Method

- **Step 1 — I do, you watch:** Demonstrate the full task at standard pace, narrating each step
- **Step 2 — I do, you help:** Repeat the task — new starter assists, asks questions
- **Step 3 — You do, I watch:** New starter completes the task — you observe without intervening
- **Step 4 — You do, I check:** New starter completes the task independently — you inspect the result using the Zone Checklist
- **Step 5 — You do, you check:** New starter completes the task and conducts their own self-inspection before coming to you

Common Training Errors — Avoid These

- Doing it for them instead of coaching — builds dependency, not skill
- Skipping the narration in step 1 — they cannot replicate what they do not understand
- Moving to step 3 before step 2 is solid — rushing creates bad habits that take weeks to correct
- Correcting the result without explaining the standard — they will repeat the same error
- Training to your own shortcuts — only teach the SOP as written. Shortcuts are learned later, after the standard is embedded

7.3 Thinking Like a Supervisor

Supervisory thinking is not about authority — it is about awareness. A supervisor sees the whole job, not just their zone.

The Supervisor Lens — What to Ask on Every Job

- Are we on pace? Will we finish Stage 4 with 10 minutes for Stage 5?
- Is everyone in the right role? Is the Dry/Wet split working as planned?
- Is any crew member struggling? Do they need a task swap or support?
- Has anything changed on site since the walkthrough? Is there an unlogged issue?
- Is the standard being maintained, or are we rushing as the job nears completion?
- Is Eagle IO up to date — are all logs, photos, and notes current?

Escalation Readiness — What a Lead Crew Member Must Be Able to Handle

Situation	Expected Response
Crew member calls in sick mid-job	Reassign tasks, adjust pace plan, notify supervisor immediately
Scope changes on arrival (client adds areas)	Do not agree — notify supervisor, get written confirmation before proceeding
Equipment failure mid-job	Log in Eagle IO, assess if job can continue, notify supervisor
Quality complaint from client on site	Use complaint script, log immediately, call supervisor
Safety hazard identified	Stop work in affected area, place hazard marker, notify supervisor before continuing

Phase 7 — Training Exercises

Exercise 7A: Shadow Supervision

Duration: Full job | Format: Pairs

- Trainee acts as Crew Lead on a live or simulated job, with trainer present as silent observer only
- Trainee must execute all crew lead responsibilities: Stage 2 walkthrough brief, Stage 3 role assignment, pace management during Stage 4, Stage 5 inspection

- Trainer does not intervene — observes and scores against the Supervisor Lens criteria
- Post-job debrief: what decisions were strong, what would you do differently, what did you not notice?

Exercise 7B: Teach-Back

Duration: 30 minutes | Format: Individual

- Trainee selects one phase (trainer's choice) and teaches it to a new starter or fellow trainee
- Trainer scores using the Train-by-Show Method criteria
- Pass standard: new starter can complete the assessed task independently after the teaching session

Exercise 7C: Failure-Mode Scenarios (New)

Duration: 30 minutes | Format: Individual or pairs

- Trainer presents 3 failure-mode scenario cards: crew member no-show mid-job, equipment failure with no replacement, and client requesting immediate scope addition
- Trainee must talk through or simulate their response to each scenario, including the correct escalation, Eagle IO logging, and crew communication
- Pass standard: correct response on all 3 scenarios

TRAINER SETUP — EXERCISE 7C

Prepare 3 scenario cards: (1) Your crew partner calls to say they cannot make it to the second site tonight. You are currently 20 minutes into Stage 4 at the current site. What do you do? (2) The vacuum cleaner stops working mid-job. There is no replacement in the van. What do you do? (3) The client meets you during Stage 2 and asks you to also clean a conference room that is not on the job sheet. They say it is urgent. What do you do? Score trainees on: correct escalation action, correct Eagle IO logging, correct communication to crew or supervisor.

Phase 7 Assessment Criteria — Final Programme Sign-Off

A trainee may be certified as Intermediate upon meeting all of the following:

☐	Complete a full 5-stage job as Crew Lead without supervisor intervention (Exercise 7A)
☐	Correctly manage all 3 failure-mode scenarios in Exercise 7C
☐	Deliver a complete training session on one phase using the Train-by-Show Method (Exercise 7B)
☐	Eagle IO record for the simulated job is complete, accurate, and submitted correctly
☐	Articulate the difference between ownership thinking and employee thinking in their own words
☐	Pass the written knowledge check covering all 7 training phases at 80% or above

APPENDICES

Quick Reference Materials

A1 — The 5-Stage Quick Reference

Stage	Key Action	Checklist?
1 — Site Opening	Access, sign in, Eagle IO clock-in	Yes
2 — Clock-In and Walkthrough	Inspect, photograph, log variances	Yes
3 — Site Preparation	Stage kit, assign roles, confirm sequence, set timer	Yes
4 — Service Delivery (Dry)	Bins → Dusting → Vacuuming	Yes
4 — Service Delivery (Wet)	Kitchens → Bathrooms → Glass → Mopping	Yes
5 — Final Walkthrough and Close	Inspect, correct, submit Eagle IO, clock-out, secure	Yes

A2 — Stage Transition Callouts Quick Reference

Transition	Crew Lead Says	Crew Responds
1 → 2	"Site open. Moving to walkthrough."	"Confirmed."
2 → 3	"Walkthrough complete. Moving to preparation."	"Confirmed."
3 → 4	"Preparation complete. Commencing service delivery."	"Confirmed. Dry lead ready. Wet lead ready."
4 → 5	"Service delivery complete. Commencing final walkthrough."	"Confirmed."
10-min mark	"Ten-minute mark. All cleaning stops. Moving to final walkthrough."	"Confirmed."

A3 — Colour Coding Quick Reference

Colour	Zone
RED	Toilets and urinals ONLY
YELLOW	Bathroom sinks, counters, and fixtures (no toilet)
GREEN	Kitchen surfaces, sinks, food-contact areas
BLUE	General: desks, offices, reception
WHITE / MICROFIBRE	Glass and screens only

A4 — Eagle IO Mandatory Logging Events

☐	Clock-in on site arrival
☐	Pre-existing damage — photograph and log before work begins
☐	Scope variance or access issue — logged during walkthrough
☐	Any client interaction or complaint
☐	Equipment fault or missing item

☐	Injury or near-miss — before leaving site
☐	Job completion form — all sections signed off
☐	Clock-out — confirmed before leaving site

A5 — Chemical Quick Reference

Chemical	Use	Do NOT Use On	Min. Dwell Time
Multi-surface cleaner	Desks, counters, hard surfaces	Screens, glass, powder-coated metal	N/A
Sanitiser / Disinfectant	Kitchen and bathroom surfaces, high-touch points	Do not mix with other chemicals	30 seconds
Bathroom disinfectant	Toilet, urinals, bathroom fixtures	General surfaces	60 seconds
Glass cleaner	Windows, mirrors, partitions	Anti-glare screens	N/A
Descaler	Limescale on taps, sinks, bowls	Stonework, chrome (unless pH-safe)	3 minutes
Floor cleaner (neutral pH)	All hard floor mopping	Carpet, wood (unless specified)	N/A

A6 — Variance Decision Tree Quick Reference

Severity	Examples	Action
Low	Minor cosmetic damage, small stains	Photograph, log, proceed
Medium	Locked room, insufficient consumables	Log, notify supervisor, proceed with remaining areas
High	Layout changed, floor type changed, unexpected occupancy	Contact supervisor before cleaning affected area
Critical	Safety hazard (flooding, electrical, structural)	No-go — do not proceed, contact supervisor immediately

A7 — Abort / No-Go Quick Reference

Do not proceed with the job if any of the following conditions exist. Contact your supervisor immediately:

- Site cannot be accessed using documented method
- Significant safety hazard present (flooding, structural, gas, electrical)
- Site layout significantly different from job sheet
- Critical equipment missing with no replacement available
- Occupancy status differs from job sheet and affects safety or scope

REMINDER

A no-go decision is never wrong. No crew member will be penalised for making a no-go call in good faith.

A8 — FacilityPro Glossary

Term	Definition
Dry Workflow	The sequence of Bins, Dusting, and Vacuuming tasks — always completed in that order
Wet Workflow	The sequence of Kitchens, Bathrooms, Glass, and Mopping — always in that order
5-Stage Sequence	The overarching job structure: Site Opening, Clock-In and Walkthrough, Site Prep, Service Delivery, Final Walkthrough and Close
Opposite-Direction	Two crew members working toward each other in the same space to eliminate re-tracking
Zone Sign-Off	The physical self-inspection protocol completed at the end of every zone before moving on
Invisible Crew	The standard by which a client cannot tell we were there except by the result
Eagle IO	DVG's sole job management platform — all logging, clock-ins, reporting, and documentation
Wow Checklist	The list of above-minimum actions that create a premium client experience
Train-by-Show	DVG's structured training method: I do/you watch → I do/you help → you do/I watch → you do/I check → you do/you check
Ownership Mindset	Taking responsibility for the outcome of a job, not just the tasks assigned
Challenge-and-Response	Checklist method where one crew member reads an item aloud and the other verifies and confirms
Stage Transition Callout	Verbal confirmation between crew members marking the move from one execution stage to the next
Dwell Time	The minimum contact time a sanitiser must remain wet on a surface before wiping
No-Go Decision	A determination that conditions are unsafe or outside scope and the job should not proceed until authorised

A9 — Pocket Reference Card (Print and Laminate)

POCKET CARD

This card is designed to be printed on a single A5 sheet, laminated, and carried by every crew member on every job. It contains the 5-Stage Sequence, Stage Transition Callouts, Colour Coding, and the 10-Minute Rule. Trainers should issue this card at the end of Phase 2 training. A digital version is available in Eagle IO under Resources.

Front of Card: 5-Stage Sequence with key action for each stage | Stage Transition Callout scripts | 10-Minute Rule reminder

Back of Card: Colour Coding chart | Dwell Time reference | No-Go criteria | Emergency contact numbers

A10 — Programme Completion Record

This record is to be completed by the trainee's supervisor upon successful completion of all 7 training phases.

Training Phase	Date Completed	Supervisor Sign-Off	Notes / Comments
Phase 1 — Foundations and Standardisation			
Phase 2 — Pilot-Style SOP Execution			
Phase 3 — Applied Crew Operations			
Phase 4 — Customer Experience Excellence			
Phase 5 — Quality Control and Self-Inspection			
Phase 6 — Health and Safety			
Phase 7 — Leadership and Replication			
Final Written Knowledge Check (80% pass)			
PROGRAMME COMPLETE — Intermediate Certified			

Field	Value
Trainee Name	
Trainer / Supervisor	
Certification Date	
Eagle IO ID	

A11 — Written Knowledge Check Blueprint

The final written knowledge check covers all 7 training phases. The pass mark is 80%. The check consists of the following sections:

Section	Content	Questions	Marks
A — Standards	Excellence Standard areas and pass criteria, colour coding, chemical usage and dwell times	10	10
B — 5-Stage Sequence	Stage names, purposes, correct order, stage transition callouts, checklists	10	10
C — Crew Operations	Dry/Wet split, solo vs team sequence, opposite-direction method, rotation schedule, 10-minute rule	10	10
D — Customer	Conduct standards, client scripts,	8	8

Experience	escalation protocol, Wow Checklist items		
E — Quality Control	Zone Sign-Off protocol, common faults and corrections, benchmark tests	8	8
F — Health and Safety	Lone working, earphone policy, occupied sites, safe driving, zero-tolerance policy	8	8
G — Leadership	Ownership mindset, Train-by-Show steps, supervisor lens questions, escalation readiness	6	6

Total: 60 marks. Pass mark: 48 (80%).

The written knowledge check is administered by the trainer at the end of Phase 7. Trainees who do not achieve 80% receive targeted revision on the failed sections and are re-tested on those sections only within one week.