Lecturel	Doc2 Cheat	Exercises and Solutions	Copy to Clipboard	Lists	Slide Transitions	Stacked Layouts	Colors (roles)
		Use integrated-exercise for slides	Add copy-to-clipboard to a code	<pre>list-with-explanations renders</pre>	Available slide transitions:	Stacked layouts are based on nested	Font Colors
Sheet for DHBW		with exercises. Solutions can be added by	block to enable copying code to the	text paragraphs of list items less	transition-move-left,	layers. Each layer - except of the first one -	DHBW Colors: dhbw-red, dhbw-gra
Corporate Design		using the custom directive protected-exercise-solution	clipboard.	pronounced.	transition-scale, transition-fade.	needs to have the class incremental and/or the class overlay for transparent	dhbw-light-gray
			Example	(As shown here.)	transition-move-to-top	layers. (Up to 10 layers are supported.) To	DHBW Compatible Colors: the-blue
		Example (Solution in	code:: java	Use impressive to make the list more		turn off the numbering of opaque layers	the-green, the-orange
nformation		supplemental information)	:class: copy-to-clipboard	impressive:	Example	use .no-number.	Other: black, shiny-green,
		admonition:: Solution	public static void main()	Add negative-list to use " ! " for	class:: transition-move-left	Images in Stacked Layouts	shiny-red, dark-red
uthor: ersion:	Michael Eichberg 2024-03-15	:class: supplemental exercise-solution	public Static Void main(III)	bullet points.	<slide title=""></slide>	To avoid that a parent element of a floating	Background Colors
or alori.	2024-03-13		Fade-out Content			element is collapsed add the class	DHBW Colors: dhbw-red-backgro
		Example (Solution requires	Add the class faded-to-white to a	Add positive-list to use "√" for		clearfix to the parent element; i.e.,	dhbw-gray-background,
ertical Titles		password.)	container to whiten the content.	bullet points.		when a layer just contains a floating	dhbw-light-gray-background
dd the class ve	rtical-title to rotate	class:: integrated-exercise		Example		image.	DHBW Compatible Colors:
the title and to change the layout of the slide to a column-based layout. To get back to a row based layout add a container with the class width-100.		Exercise: XYZ	Boxes with Supplemental			Example	the-blue-background,
			Information on the Slide	- Point 1		stack::	the-green-background,
			Example	class:: negative-list list-with-			the-yellow-background
	e class widtn-100.	<exercise description=""></exercise>		- Point 2		layer:: clearfix	Other: light-green-background white-background
Example		protected-exercise-solution:: A	admonition:: TBD :class: note	Some on-slide explanation.		image:: <p1.svg></p1.svg>	-
. class:: ver	rtical-title			class:: positive-list	Revealing Slide Content	:align: left	Example
Slide Title>		<protected solution=""></protected>	Some text in a box.	- Point 3	All elements with the class incremental	layer:: overlay	:dhbw-red:`Red Text.`
Stide (itte>		Table of Contents			are revealed incrementally.		
		A navigable table of contents can be	Supplemental Information		Example	image:: <p2.svg></p2.svg>	
. container::	: width-100	created using standard rst techniques.	Use the directive supplemental for		class:: incremental	layer:: incremental warning	
<row based<="" td=""><td>content layout.&gt;</td><td></td><td>respective information.</td><td></td><td> Class: Incrementat</td><td></td><td></td></row>	content layout.>		respective information.		Class: Incrementat		
		Example	Example	Decorations	- Item 1 - Part 1	<content></content>	
lide Tweaks		Table of Contents	supplemental::		:incremental:`Item 1 - Part 2` - Item 2		
				line-above draws a horizontal lines.			Fine-grained Control (Try to
lide without	Title	- `Section 1 Title`_	<text></text>	box-shadow adds a shadow.			avoid!)
To hide the title of a slide assign the class no-title.		- `Subsection 1.1 Title`_	Text Alignment	rounded-corners the corners will be			margin-none, margin-0-5em,
		Footnotes	=	rounded.			margin-1em, margin-top-1em, margin-top-2em
maller Slide	Titles	[#] and [#]_ create footnotes.	Control text alignment: text-align-[left center right]	Example			margin-top-zcm, margin-bottom-1em,
se the class sm	naller-slide-title`.		text-atign-[tert center right]	container:: margin-top-lem			margin-bottom-2em,
ertically Cen	ntered Content	Test\ [#]_	Images	line-above			margin-right-1em,
se the class			Adding a drop-shadow and rounded	padding-top-lem box-shadow		Semantic-based Text Markup	margin-left-1em, padding-non
enter-child-	-elements.	[#] `test.org`	corners: picture.		Column-based Layouts	minor: for less important text. obsolete:	padding-0-5em, padding-1em, padding-top-1em, padding-top
xample				Text	Use two-columns and three-columns	for obsolete statements. ger: to markup German Words. eng: to markup English	padding top lem; padding top
		Explicit Footers	Tables		for respective layouts.	words, qer-quote: Uses German	
	nter-child-elements	A container with the class footer-left,	The layout can be adapted using:		Example	quotation marks.	
110	aller-slide-title	footer-right or block-footer.	compact, compact-cells,				
		References	no-table-borders,		container:: two-columns		
idden on the	slide!	Use standard rst references.	no-inner-borders,	Font Styling	container:: column no-separat		
			no-column-borders, fake-header[-2nd]-row and	"rem" based relative sizes: xxl, huge.			Hiding slides (A rst2ld only
Slide Content	t>	Example	fake-header[-2nd]-rowand	large, small, footnotesize,	<column 1=""></column>		, , ,
			Animation	scriptsize, tiny, x-tiny, xx-tiny	container:: column		Use hide-slide to exempt it from generation.
	Outrocklass	Like described in [Eic24]		"em" based relative sizes: larger,	Column 2		•
Sections and Subsections			incremental (and wobble).	smaller, far-smaller	<column 2=""></column>		Example
	at marks the beginning of	References	highlight-line-on-hover (always	Font weight: bold, light, thin	Add no-default-width to the root	Box sizes	class:: hide-slide
new section or subsection by adding the class new-section or new-subsection			usable), highlight-on-hover (explicit column or row headers are not supported)	Font family: monospaced, serif	container for content based column widths. Use class no-separator on the	Use width-100% and width-75% to	<hidden slide=""></hidden>
the slide.	TOU OF HEW-SUDSECTION	[Eic24] LectureDoc2; 2024	or highlight-identical-cells	Font style: italic	left column to remove the separator.	control the width of a container.	
01100.				1	sala to remove the separator.	and the state of t	